

FAR FROM NORMAL

Sign, Graphic & Equipment Supply



PRODUCT CATALOG

Ordering Hotline:
800-877-1907

Order Online At:
WWW.FAR-FROM-NORMAL.COM

FAR FROM NORMAL

Sign, Graphic & Equipment Supply

Sign, Graphic & Equipment Catalog

Digital Media, Equipment, Software, Hardware, Supplies & more!

WELCOME TO FAR FROM NORMAL AND THANK YOU FOR CHOOSING US!

This catalog is intended to present our product lines. Contact your FFN representative today to discuss additions to our extensive product line. Before ordering please take a minute to review company guidelines and information on the following pages.

WHOLESALE THINKIN' LIKE RETAIL

"It's a simple philosophy, really. We think about our customers. If we don't do our job to get products out the door, then we have two upset customers. It makes us work that much harder to deliver. If that's crazy by most warehouse standards, then we're proud to be Far From Normal."

- Dan Huggins, President


FAR FROM NORMAL is one of the largest sign supply and equipment wholesalers in the Midwest. With locations serving from North Dakota to Texas, 60,000 sq./ft. of warehouse and an inventory that catalogs more than 35,000 items, it's easy to see why thousands of customers choose **FAR FROM NORMAL**. Major sign making franchises and hobbyists alike appreciate Far From Normal for its congeniality, consistency and speed.

To Place An Order:

ONLINE WWW-FAR-FROM-NORMAL.COM

| | PHONE | FAX | IN PERSON |
|-----------|--------------|--------------|--|
| KS Branch | 855-201-4895 | 316-440-2894 | 212 S. Hydraulic St. Suite 100 • Wichita, KS 67211 |
| MN Branch | 763-330-2770 | | 9405 Holly Street Suite K • Coon Rapids, MN 55433 |
| ND Branch | 800-877-1907 | 800-332-1174 | 1318 39th St. NW • Fargo, ND 58102 |
| SD Branch | 877-433-6336 | 605-780-0211 | 705 North Derby Lane • North Sioux City, SD 57049 |

UPS Ground Shipping



TERMS & CONDITIONS

We accept VISA, MasterCard, Discover and American Express charge cards. All dishonored checks will be assessed a service charge of 30.00. Any unpaid balances over Net 30 days will accrue a 1.5% service charge; 18% A.P.R. All accounts that exceed 60 days, orders will be placed on C.O.D. and any discounts will be disregarded. Any accounts exceeding 90 days will be automatically turned over to a collection agency.

PRODUCT AVAILABILITY

We make every effort to have catalog items in stock. At any given time, customer demands may lower inventory and an item may have to be drop shipped or shipped from another branch.

PRODUCT RETURNS

- Any authorized return of supply materials after 10 calendar days are subject to a 25% restocking charge.
- Any credit due will be applied toward future orders.
- Items over 30 days may not be returned.
- Any authorized return of equipment after three calendar days are subject to a 25% restocking charge.
- Authorized returns shall be returned in their original packaging and shall not show any signs of use, wear, abuse or damage.
- No returns of videos, software, or special order items.
- Only authorized returns will be issued an RMA (Return Merchandise Authorization) number. Freight returned without an RMA number cannot be accepted.
- Shipping charges are not refundable.

DEFECTIVE RETURNS

Defective media returned must have a sample of the product and date of purchase. Photos of the issue are also required along with part and lot number for the product. If the manufacturer deems the product defective, credit will be issued once Far From Normal has received credit. Nothing beyond the value of the product may be credited.

PRICING / SALES TAX

Prices are subject to change without notice. We reserve the right to correct errors. Sales tax shipments within Minnesota, North Dakota, South Dakota, Iowa, Nebraska, and Wisconsin will be charged applicable sales tax. Customer pickup orders will be charged applicable sales tax based on physical warehouse location. No sales tax will be charged if a tax exempt form has been filled out and on file. For more information on specific exemption forms by state contact customer service or go to <http://www.far-from-normal.com/resources/forms/>

BACK ORDERS

It is our company goal to ship your order the same day. Production shortages or high demands may cause us to back order an item. Only items shipped will be invoiced. Back orders will be invoiced when shipped.

LIMITED LIABILITY

- Customers are responsible for orders shipped COD and refused, and for any work completed before notification of cancellation.
- Shortages/Damages/Errors: Please report any shortages or errors to us within seven days, if not, the order will be considered complete.
- Please report any shipping damages to the DELIVERY CARRIER at the time of delivery.
- All products leave the Far From Normal warehouse packaged appropriately and in outstanding form.
- Manufacturer splices may occur during the vinyl production process and should be clearly marked.
- Call for additional information.
- Some items in this catalog may not be stocked at all locations, and may be subject to additional freight charges.
- We reserve the right to amend any errors or omissions inside this catalog.

DISCOUNTED ITEMS

Check www.far-from-normal.com for everyday discounted and close out items.

ERRORS AND OMISSIONS

Far From Normal reserves the right to change prices for products at any time and particularly to correct pricing errors. Far From Normal is not responsible for typographical or similar errors, and reserves the right to cancel orders if there was an error concerning the pricing or availability of the ordered item at the time Far From Normal received the order



Sign, Graphic & Equipment Supply

WWW.FAR-FROM-NORMAL.COM

CORPORATE OFFICE

1318 39th St. NW
Fargo, ND 58102
Toll Free Phone: 800-877-1907
Toll Free Fax: 800-332-1174
Phone: 701-235-1089
Fax: 701-235-1174
HOURS: 8-5PM CST

KANSAS BRANCH

212 S. Hydraulic St
Suite 100
Wichita, KS 67211
Toll Free Phone: 855-201-4895
Phone: 316-440-2892
Fax: 316-440-2894
HOURS: 8-5PM CST

MINNESOTA BRANCH

9405 Holly Street
Suite K
Coon Rapids, MN 55433
Phone: 763-330-2770
HOURS: CALL FOR APPT

SOUTH DAKOTA BRANCH

707 North Derby Lane
North Sioux City, SD 57049
Toll Free Phone: 877-433-6336
Phone: 605-780-0210
Fax: 605-780-0211
HOURS: 8-5PM CST



CATALOG INDEX

3M

| | |
|-----------------------|-------|
| Cut Vinyl | 62-63 |
| ControlTac | 8 |
| Solvent Digital Media | 8, 20 |
| Translucent | 67 |
| Overlamine | 54 |
| Adhesive Remover | 118 |
| AlumaCorr | 83 |
| Aluminum Sign Blanks | 86 |



| | |
|------------------------|---------|
| American Bilrite (ABI) | 81 |
| Applicator Table | 99 |
| Aqueous Media | |
| Adhesive Vinyl | 49 |
| Banner | 49 |
| Backlit | 50 |
| Canvas | 50 |
| Paper | 48 |
| Wallcover | 49 |
| Application Fluids | 118 |
| Application Tape | 80-81 |
| Application Tools | 114-121 |



| | |
|---------------|-------|
| Arlon | |
| Banner | 30-31 |
| Cut Vinyl | 61-73 |
| Overlamine | 52-59 |
| Solvent Media | 6-47 |



| | |
|-------------------------|------------|
| Avery Dennison | |
| Color Change Film | 73 |
| Cut Vinyl | 65 |
| Solvent Film | 18 |
| Backlit Film Aqueous | 50 |
| Backlit Film Solvent | 29 |
| Banner | |
| Hem Tape | 115 |
| Media (Solvent) | 30-31 |
| Media (Aqueous) | 49 |
| Mesh | 31 |
| Power Tabs | 115 |
| Stands | 121 |
| Tape | 115 |
| Banner Ups | 115 |
| Beaver Paper | 51 |
| Blades (printer/cutter) | 88,104-105 |
| Blade Holder (Roland) | 88 |
| BN-2 Series Printer | |
| Media Options | 47 |
| Equipment | 90 |
| Cadlink | 112 |
| Canvas Media Aqueous | 50 |

| | |
|----------------------|--------------|
| Canvas Media Solvent | 46 |
| Captops (Roland) | 103, 108-111 |
| Clear Focus | 37 |
| Colorsense | |
| Application Tape | 81 |
| Cut Vinyl | 66 |
| Overlamine | 56-59 |
| Solvent Media | 19-31 |



| | |
|---------------------------|---------|
| Continental Films | |
| Floor/Wall | 44-45 |
| Two Way Vision | 29 |
| Window Films | 24-25 |
| Corrugated Plastic Sheets | 84 |
| Coroplast Cutter | 84 |
| Coro Stakes | 84 |
| Cutter Protection Strips | 104-111 |
| Cutting Mats | 118 |
| Design Software | 112-113 |
| Direct To Film Printer | 90 |
| Dreamscapes | 42 |
| Dry Erase Overlamine | 57 |
| Dye-Sublimation | 51 |
| Etched Glass Cut Vinyl | 67 |
| Etched Glass Print Film | 23 |



| | |
|-----------------------|-------|
| FDC/Lumina Vinyl Film | 62-72 |
| Felt Squeegee | 116 |
| FlexiSIGN Software | 110 |
| Floor Lamine | 58 |
| Fluorescent Cut Vinyl | 68 |
| Foam Boards | 85 |
| Floor Solvent Media | 43-45 |
| Frame Signs | 87 |



| | |
|-----------------------|-------|
| General Formulations | |
| Cut Vinyl | 66-67 |
| Solvent Media | 11-43 |
| Overlamine | 56-59 |
| GEO Knight Heat Press | 101 |



| | |
|----------------|-------|
| GFP Laminators | 96-97 |
| Gold Squeegee | 116 |



| | |
|---------------------------|-----|
| Graphtec | |
| Blades | 107 |
| Cutters | 88 |
| Flatbed cutters | 89 |
| Grommets / Press | 114 |
| GTS Film & Transfer Media | 33 |
| Heat Presses | 101 |
| Hartco SandMask | 71 |
| Heat Presses | 101 |

| | |
|---------------------|---------|
| Heat Transfer Media | 74-78 |
| Hem Tape (Banner) | 115 |
| Hotmask | 79 |
| Image1Impact | 114-121 |
| Inteplast | 84 |
| Inks (Roland) | 102-103 |
| Inks (Mutoh) | 105 |



| | |
|---------------|-------|
| Kapco | |
| Cut Vinyl | 66 |
| Overlaminates | 56-59 |
| Solvent Media | 19-31 |



| | |
|--------------------|---------|
| Keencut | 100 |
| Knifeless Tape | 119 |
| Knives & Tools | 114-121 |
| Komatex | 85 |
| Kraft Paper | 59 |
| Laminates | 52-59 |
| Laminators | |
| GFP | 96-97 |
| Seal | 98 |
| Magic by Dietzgen | |
| Aqueous Media | 48-50 |
| Solvent Media | 28-46 |
| Magnum Magnetics | 42,86 |
| Mesh Banner | 31 |
| Metallic Cut Vinyl | 65 |
| Mounting Adhesives | 59 |
| Mutoh Ink | 105 |



| | |
|---------------|----|
| Nekoosa | |
| Floor media | 43 |
| Solvent Films | 32 |
| Static Cling | 36 |
| Wall Film | 39 |



| | |
|---------------------|-------|
| NUDO | 76-77 |
| OLFA Cutters/Blades | 117 |



| | |
|-------------------------|-------|
| Orafol | |
| Cut Vinyl | 61-70 |
| Overlamine | 52-59 |
| Solvent Media | 8-47 |
| Stone Guard Film | 58 |
| Overlamine | 52-59 |
| Paintmask Film | 71 |
| Paint Protection Film | 58 |
| Perforated Window Films | 24-27 |
| Performance Carbide | 105 |
| Plasticade | 87 |
| Polymetal | 82 |
| Plotters (Equipment) | 88 |

| | |
|------------------------|--------------|
| Plotter Blades | 104-105, 107 |
| Printer Parts (Roland) | 103-111 |
| PVC Board | 85 |
| Que | |
| Solvent Banner | 30 |
| Solvent Vinyl | 16 |



| | |
|--------------------|-----|
| R Tape | |
| Cut Vinyl | 69 |
| Hot Mask | 79 |
| Laminates | 57 |
| Transfer Tape | 80 |
| Rapiddtac Fluids | 120 |
| Real Estate Frames | 87 |



| | |
|---------------------------|---------|
| Roland | |
| Heat Transfer Media | 79 |
| Ink | 102-103 |
| Parts | 103-111 |
| Solvent Media | 18-47 |
| Vinyl Cutters | 88 |
| Wide Format Printers | 88-95 |
| RollOver Applicator Table | 99 |
| Rulers | 118 |
| SAi | 112 |
| Sandmask Hartco | 71 |
| Seal Laminators | 98 |



| | |
|---------------|---------|
| SEF | |
| Heat Transfer | 74-78 |
| Shop Tools | 114-121 |
| Sign Frame | 87 |
| Sign Gold | 70 |
| Signlab | 110 |



| | |
|------------------------|---------|
| SiHL | |
| Aqueous Media | 48-50 |
| Solvent Media | 27-46 |
| Software | 112-113 |
| Solvent Inks | 102-105 |
| Solvent Media | |
| Adhesive Cast Vinyl | 6-9 |
| Automotive Reflective | 12 |
| Backlit | 29 |
| Banner | 30-31 |
| Fabric | 31 |
| Mesh | 31 |
| Buss & Transit | 13 |
| Calendered Air-Release | 20-21 |
| Calendered Vinyl | 17-19 |
| Calendered Blockout | 22 |
| Canvas | 46 |
| Cast Air-Release | 6-9 |
| Cast Vinyl | 16 |

| | |
|------------------------------|---------|
| Display Films | 32-33 |
| Etch Vinyl | 23 |
| Floor | 43-45 |
| GTS Films | 33 |
| High-Tack Adhesive | 14-15 |
| Industrial Solvent Resistant | 15 |
| Paper | 34-35 |
| Perforated Window | 24-27 |
| Powersports | 14-15 |
| Reflective | 12 |
| Rigid & 6-Mil | 19 |
| Static Cling | 36 |
| Translucent | 28 |
| Wall Vinyl | 37-42 |
| Exterior | 37-38 |
| Interior | 39-42 |
| Wallpaper | 42 |
| Window (Etch) | 23 |
| Window (Perforated) | 24-27 |
| Window (Two-Way) | 29 |
| Squeegees | 114 |
| STS Inks (Mutoh) | 105 |
| Static Cling Solvent Media | 36 |
| Step Stakes | 84 |
| Stone Guard Film | 58 |
| Sublimation Paper | 51 |
| Substrates | 82-86 |
| Tattoo Solvent Media | 78 |
| TexPrint Sublimation Paper | 51 |
| TFX Cleaner | 118 |
| Thermal Overlaminate | 59 |
| Tools | 114-121 |
| Transfer Tape | 80-81 |
| Translucent Cut Vinyl | 67 |
| Trifecta | 43 |
| Universal Products | |
| Application Fluids | 120 |
| Cut Vinyl | 69 |
| ValuMetal | 82 |
| Vinyl Cutter | 88-89 |
| Wall Rack | 118 |



| | |
|-------------|-----|
| Wieland | |
| Aluminum | 86 |
| Sign Blanks | 86 |
| Wrap Cut | 119 |
| Wrap Gloves | 119 |
| Wrap Tools | 119 |

This catalog is arranged by **Core Categories**. Please refer to the icons & colors below to find the section you are searching for.



Solvent Digital Media



Laminates



Aqueous Digital Media



Cut Vinyl



Heat Press Media



Application Tape



Substrates & Sign Frames



Equipment



Ink, Maintenance & Accessories



Software



Shop Tools

Refer to the legend below for **Ink Compatibility & Adhesives**

Ink Compatibility



Adhesives

- Permanent Adhesive / Clear
- Permanent Adhesive / Grey
- Permanent Repositionable Adhesive / Grey
- Permanent Repositionable Adhesive / Clear
- Permanent Opaque Adhesive / Grey
- Permanent Repositionable Adhesive / Grey
- Permanent Adhesive / Clear
- Removable Repositionable Wall Adhesive / Clear
- Removable Adhesive / Clear
- Low-Tack Removable Adhesive / Clear
- High-Tack Removable Adhesive / Clear
- High-Tack Adhesive / Clear
- High-Tack Permanent Adhesive / Clear
- High-Tack Removable Adhesive / Clear

= Permanent = Low-Tack
 = High-Tack = Air-Release



**SOLVENT
DIGITAL MEDIA**

CAST AIR-RELEASE



ARLON



ARLON TECHNOLOGY



SLX+ CAST WRAP VINYL



- 2 Mil gloss white cast vinyl
- 10 Year unprinted durability
- ULTRA-repositionable with FLITE Technology
- Enhanced cutting & weeding
- All-Season cast vinyl film
- Fast adhesive bond film

| Part Number | Size | Price |
|--------------|----------|-------|
| 071X03015102 | 30"x150' | |
| 071X04815102 | 48"x150' | |
| 071X05415102 | 54"x150' | |
| 071X06015102 | 60"x150' | |

SLX+ CAST WRAP - WRAP KIT

- 1 roll of SLX+ vinyl and 1 roll of cast laminate

| Part Number | Size | Price |
|-------------|----------|-------|
| SLXPLUS30 | 30"x150' | |
| SLXPLUS54 | 54"x150' | |
| SLXPLUS60 | 60"x150' | |

SLX - CAST WRAP VINYL



- 2 Mil gloss white cast vinyl
- 7 Year unprinted durability
- Repositionable permanent PSA
- X-Scape air release technology
- Fast wraps with one installer
- Pair with Arlon 3270 Laminate

| Part Number | Size | Price |
|--------------|----------|-------|
| 070X03015102 | 30"x150' | |
| 070X05415102 | 54"x150' | |
| 070X06015102 | 60"x150' | |

SLX CAST WRAP - WRAP KIT

- SLX wrap vinyl paired with compatible Arlon 3270 Cast Laminate

| Part Number | Size | Price |
|-----------------|----------|-------|
| 070X0-3270-3015 | 30"x150' | |
| 070X0-3270-5415 | 54"x150' | |
| 070X0-3270-6015 | 60"x150' | |



FLITE Technology® is a lite contact, repositionable system based on a unique adhesive and liner combination. An installer will experience the easiest to apply products in the market.

CAST AIR-RELEASE

SOLVENT
DIGITAL MEDIA



ARLON
VITAL

FLITE
TECHNOLOGY



DPF V9700 - CAST WRAP VINYL

DPF V9700 is a premium, non-PVC cast polyurethane (PU) film that combines performance with Arlon's commitment for a more sustainable future. Cast from a water-based formulation, this product reduces VOC by 57.1% during manufacturing.

- 2 Mil gloss white cast vinyl
- Extended Durability-up to 12 years (unprinted)
- Clean removing, repositionable light gray
- Print to cut for accurate weeding
- Lay-flat polycoated with FLITE technology
- High heat tolerance
- No mold growth
- Ideal for commercial fleet graphics (Full, Partial)
- Pair with Arlon Series V3370 laminate

| Part Number | Size | Price |
|--------------|----------|-------|
| 097X05415102 | 54"x150' | |
| 097X06015102 | 60"x150' | |



ARLON

X-Scape
TECHNOLOGY



DPF 6000XRP - CAST WRAP VINYL

- 2 Mil gloss white cast vinyl
- 7 Year unprinted durability
- Repositionable permanent PSA
- X-Scape air release technology
- Higher Initial tack than 6100 XLP



| Part Number | Size | Price |
|----------------|----------|-------|
| 046RO-3015-002 | 30"x150' | |
| 046RO-4815-002 | 48"x150' | |
| 046RO-5406-002 | 54"x60' | |
| 046RO-5415-002 | 54"x150' | |
| 046RO-6015-002 | 60"x150' | |

6000XRP CAST - WRAP KIT

- 6000XRP paired with compatible Arlon 3220 Cast Laminate
- Includes 1 roll of vinyl and 1 roll of laminate
- Gloss, Satin, or Matte Laminate

| Part Number | Size | Price |
|-----------------|----------|-------|
| 046RO-3220-3015 | 30"x150' | |
| 046RO-3220-4815 | 48"x150' | |
| 046RO-3220-5415 | 54"x150' | |
| 046RO-3220-6015 | 60"x150' | |



WHAT IS X-SCAPE TECHNOLOGY?



Arlon's brand name for their air-egress technology which allows air to release through tiny channels in the adhesive-backed vinyl used for fleet, vehicle and general signage applications.



ARLON



DPF 6100XLP - CAST WRAP VINYL

- 2 Mil gloss white cast vinyl
- 7 Year unprinted durability
- Repositionable permanent PSA
- X-Scape air release technology
- Designed for full wraps



| Part Number | Size | Price |
|----------------|----------|-------|
| 0461L-3015-002 | 30"x150' | |
| 0461L-4815-002 | 48"x150' | |
| 0461L-5415-002 | 54"x150' | |
| 0461L-6015-002 | 60"x150' | |

6100XLP CAST - WRAP KIT

- 6100XLP paired with compatible Arlon 3220 Cast Laminate
- Includes 1 roll of vinyl and 1 roll of laminate
- Gloss, Satin, or Matte Laminate

| Part Number | Size | Price |
|-----------------|----------|-------|
| 0461L-3220-5415 | 54"x150' | |

WHAT IS X-SCAPE TECHNOLOGY?



Arlon's brand name for their air-egress technology which allows air to release through tiny channels in the adhesive-backed vinyl used for fleet, vehicle and general signage applications.



**Controltac
Adhesive**



IJ-180CV3 - CAST WRAP VINYL

- 2 Mil gloss white cast vinyl
- 8 Year unprinted durability
- Version 3 Controltac Adhesive

| Part Number | Size | Price |
|-------------|----------|-------|
| 71323015310 | 30"x150' | |
| 71323615310 | 36"x150' | |
| 71324815310 | 48"x150' | |
| 71325415310 | 54"x150' | |



**Controltac
Adhesive**



IJ-180CV1 - CAST WRAP VINYL

- 2 Mil gloss white cast vinyl
- 8 Year unprinted durability
- Pressure activated, slideable repositionable Air-Release Comply adhesive for bubble free installs
- Designed for full wraps

| Part Number | Size | Price |
|-------------|----------|-------|
| 71323015010 | 30"x150' | |
| 71323615010 | 36"x150' | |
| 71324815010 | 48"x150' | |
| 71325415010 | 54"x150' | |

CAST AIR-RELEASE

SOLVENT
DIGITAL MEDIA



ORAJET®



3951RA+PROSLIDE - CAST WRAP VINYL

- 2 Mil gloss white cast vinyl
- 10 Year unprinted durability
- Complex, long-term vehicle/fleet graphic and wrap applications
- Long-term, outdoor signage
- Boat graphics
- Grey, solvent-based, polyacrylate adhesive repositionable, low initial tack, removable with heat
- Cleanly removes up to 4 years from most well-conditioned OEM automotive paint systems.
- *RapidAir* for quicker installations by allowing air bubbles to escape from underneath the film
- *ProSlide* enables the installer to easily position the wrap film into place

ORAJET®



3951RA - CAST WRAP VINYL

- 2 Mil gloss white cast vinyl
- 10 Year unprinted durability
- Long-term vehicle and boat wraps
- Spot graphic applications requiring a superior degree of print ability
- Grey, solvent-based, polyacrylate, repositionable, low initial tack, removable with heat
- Cleanly removes up to 4 years from most well-conditioned OEM automotive paint systems
- *RapidAir* for quicker installations by allowing air bubbles to escape from underneath the film

| Part Number | Size | Price |
|----------------|----------|-------|
| 3951GPS-30-010 | 30"x150' | |
| 3951GPS-54-010 | 54"x150' | |

| Part Number | Size | Price |
|----------------|----------|-------|
| 3951GRA-54-010 | 54"x150' | |

RapidAir®

RapidAir®: Makes installations quicker and easier, by allowing air bubbles to easily escape underneath the film.

ProSlide™

ProSlide®: Enables the installer to easily position the wrap film into place due to its optimized repositionability. Installers will realize significant time savings when installing with ProSlide® adhesive technology.



**SOLVENT
DIGITAL MEDIA**

CALENDERED AIR-RELEASE



DPF 4600GLX/MLX - CAL. WRAP

- 3.2 Mil gloss or matte white premium calendered vinyl
- Repositionable, light gray, permanent PSA
- Clean removing
- X-Scape air release technology
- Low profile liner for a smooth finish
- 7 year life unprinted durability



Finish Selection:

-(102) Gloss White -(149) Matte White

| Part Number | Size | Price |
|-----------------|----------|-------|
| 40L6-3015-(XXX) | 30"x150' | |
| 40L6-5415-(XXX) | 54"x150' | |
| 40L6-6015-(XXX) | 60"x150' | |



FUSION WRAP - CALENDERED WRAP

- 2.4 mil, gloss white, calendered film
- Repositionable light grey adhesive
- Product of choice in cost-driven opportunities
- Thin, flexible, high-performance polymeric film facilitating easier handling and installation
- Clean removability up to 2 years on most vehicle wrap applications

| Part Number | Size | Price |
|--------------|----------|-------|
| 040F15415102 | 54"x150' | |
| 040F16015102 | 60"x150' | |

COMMERCIAL CALENDERED AIR-RELEASE



ARLON



DPF 4400 - CALENDERED FILM

- 3.5 Mil opaque satin calendered vinyl
- Low profile air-egress liner for quick installation
- 7 Year unprinted durability
- Clean removing clear PSA
- Suitable for colder weather installs as low as 50F
- Vibrant and reliable print quality
- Can be used for fleet & vehicle graphics (flat)
- Changeable signage
- General signage
- Smooth painted walls



| Part Number | Size | Price |
|--------------|----------|-------|
| 040F45415002 | 54"x150' | |
| 040F46015002 | 60"x150' | |

CALENDERED AIR-RELEASE

SOLVENT
DIGITAL MEDIA



GENERAL
FORMULATIONS

AutoMark

ORAJET®



3551RA - CALENDERED RAPID AIR

- 2.75 mil gloss white calendered vinyl
- 7 Year unprinted durability
- Medium- to long-term general signage
- Print and cut spot vehicle applications
- Boat graphics
- *Automotive and boat wraps requiring limited conformability*
- Grey, solvent-based, repositionable, removable with heat
- Cleanly removes up to 4 years from most well-conditioned OEM automotive paint systems
- *RapidAir* for quicker installations by allowing air bubbles to escape from underneath the film

CONCEPT 230 - CALENDERED WRAP

- 2.4 Mil gloss white calendered vinyl
- 7 Year unprinted durability
- Repositionable permanent gray PSA
- Air-Egress backing for easy apply to corrugations, riveted surfaces, and slight to moderate curves
- Pair with Concept 231 Laminate

| Part Number | Size | Price |
|-------------|----------|-------|
| 230-54 | 54"x150' | |
| 230-60 | 60"x150' | |

| Part Number | Size | Price |
|----------------|----------|-------|
| 3551GRA-30-010 | 30"x150' | |
| 3551GRA-50-010 | 50"x150' | |
| 3551GRA-54-010 | 54"x150' | |
| 3551GRA-60-010 | 60"x150' | |

THE DIFFERENCE BETWEEN SOLVENT AND WATER-BASED ADHESIVES?

Solvent Based Adhesives

- Designed for more demanding applications
- Medium to Long Term Applications
- Structurally stronger adhesive than water based
- More resistant to chemicals & cleaning agents
- Wider Range of Temperature Resistance

Water Based Adhesives

- Lower cost solution on economy or promotional grade films
- Available in Permanent, High Tack, & Removable Options
- Short Term Indoor & Outdoor Applications
- Not Designed For: Vehicle Graphics, Wet Applications

did
YOU?
know



**SOLVENT
DIGITAL MEDIA**

AUTOMOTIVE REFLECTIVE VINYL



ARLON

FLITE
TECHNOLOGY



ILLUMINITE CAST WRAP REFLECTIVE

- Superior repositionability, minimizing bruising
- Enhanced Elongation for Optimum Conformability
- Brilliant graphics by day, luminous night graphics
- 5 Mil premium cast reflective with FLITE technology
- Gloss finish
- 7 Year life unprinted durability
- Slideable repositionable permanent light gray PSA
- Bubble free reflective vehicle wraps
- **Unable to slit this media down to other sizes**

| Part Number | Size | Price |
|--------------|----------|-------|
| 024X04803122 | 48"x30' | |
| 024X04807122 | 48"x75' | |
| 024X04815122 | 48"x150' | |



ARLON

X-Scape
TECHNOLOGY



DPF 2400XLP REFLECTIVE VINYL

- 5 Mil white printable reflective vinyl
- With bubble releasing, tinted, repositionable, clear permanent pressure-sensitive adhesive
- 7 Year unprinted durability
- Meets or exceeds the following standards for motor vehicles: ISO 7591-1982, DOT FP-85 - Section 718, ECE 104 Class D*, and ASTM-D 4956-89, Spec. Type 1, Class 1
- Dry application methods only
- **Unable to slit this media down to other sizes**

| Part Number | Size | Price |
|---------------|----------|-------|
| 024L04803122* | 48"x30' | |
| 024L04815122* | 48"x150' | |

ORAJET®



5650RA

RAPIDAIR® REFLECTIVE

- 5 Mil white reflective vinyl
- 7 Year unprinted durability
- Clear, solvent **permanent PSA**
- Dry Application Only
- Designed to make fleet applications easier reducing bubbles
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting



| Part Number | Size | Price |
|-----------------|----------|-------|
| 5650RA-15-010 | 15"x150' | |
| 5650RA-2410-010 | 24"x 30' | |
| 5650RA-24-010 | 24"x150' | |
| 5650RA-30-010 | 30"x150' | |
| 5650RA-48-010 | 48"x150' | |
| 5650RA-54-010 | 54"x150' | |
| 5650RA-60-010 | 60"x150' | |

ORAJET®



5600RA - RAPIDAIR® REFLECTIVE

- 5 Mil white repositionable reflective vinyl
- 7 Year unprinted durability
- Clear, solvent-based, **repositionable, permanent adhesive** (removable with heat)
- Dry Application Only
- Designed Flat, or Moderate to Complex Curves - long-term reflective graphic applications

| Part Number | Size | Price |
|-----------------|----------|-------|
| 5600RA-2410-010 | 24"x30' | |
| 5600RA-2425-010 | 24"x75' | |
| 5600RA-4825-010 | 48"x75' | |
| 5600RA-5410-010 | 54"x30' | |
| 5600RA-5425-010 | 54"x75' | |
| 5600RA-54-010 | 50"x150' | |



ARLON



DPF 2400 REFLECTIVE VINYL

- 5 Mil white cast reflective vinyl
- 7 Year unprinted durability
- Dry application methods only
- Clear permanent PSA
- **Unable to slit this media down to other sizes**



| Part Number | Size | Price |
|---------------|----------|-------|
| 2400-4803-122 | 48"x30' | |
| 2400-4807-222 | 48"x75' | |
| 2400-4815-222 | 48"x150' | |

BUS & TRANSIT VINYL

SOLVENT
DIGITAL MEDIA



CONCEPT 209 - METROMARK VINYL

- GF 209 is designed for temporary applications including product markings, point of purchase decals, transportation advertising systems, and tri-vision indoor/outdoor billboard displays.
- GF 209 will conform to simple curves and has excellent hiding characteristics for multi-layered graphics.
- The adhesive formulation allows for install on glass and OEM painted metal
- 3.5 Mil matte white calendered vinyl
- Removable opaque clear adhesive
- Designed for temporary product markings

CONCEPT 275 - SUBMARK VINYL

- A high-tack permanent acrylic pressure sensitive adhesive designed for wall-cut subway poster applications.
- This vinyl film is a high-quality opaque matte white with excellent outdoor durability.
- The film provides integrity against removal, helping to prevent vandal's from removing from the subway.
- The high-tack adhesive is designed to bond to a variety of substrates such as metals, painted metals, smooth finish powder coated metals, low surface energy plastics, rough textured surfaces, wood, ceramic tile, wall-cut outs, concrete and fiber board frames.
- 3.5 Mil matte white calendered vinyl
- High Tack permanent adhesive
- 5 year unprinted durability

| Part Number | Size | Price |
|-------------|----------|-------|
| 209-54 | 54"x150' | |
| 209-64 | 64"x150' | |

| Part Number | Size | Price |
|-------------|----------|-------|
| 275-54 | 54"x150' | |
| 275-60 | 60"x150' | |
| 275-62 | 62"x150' | |



ARLON
DPF4000



- 3.5 Mil satin white calendered vinyl
- 7 Year unprinted durability
- Permanent clear PSA
- Designed to meet the marking requirements and specifications of the transportation, vending and automotive industries



| Part Number | Size | Price |
|---------------|----------|-------|
| 4072-3015-002 | 30"x150' | |
| 4072-4915-002 | 49"x150' | |
| 4072-5415-002 | 54"x150' | |
| 4072-6015-002 | 60"x150' | |



ARLON



ARLON



DPF 8000 - CAL. HIGH TACK VINYL

- 3.5 Mil satin white vinyl
- 7 Year unprinted durability
- High Tack permanent clear PSA
- Great solution for hard to stick surfaces
- ABS Plastic, Rough Surfaces, Concrete, Wall Murals

| Part Number | Size | Price |
|---------------|----------|-------|
| 4087-3015-002 | 30"x150' | |
| 4087-5415-002 | 54"x150' | |
| 4087-6015-002 | 60"x150' | |

DPF 8200X - HIGH TACK VINYL

With the combination of a unique low-shrink, high tack adhesive system and bubble releasing X-Scape Technology®, DPF 8200X High Tack will adhere especially well to smooth surfaces along with slightly textured wall substrates such as brick, tile, and concrete. Graphic application is now easier and more efficient minimizing the potential for bubbles during installation.

- 3.5 Mil satin white vinyl
- 7 Year unprinted durability
- Low Profile X-scape Technology for easy bubble-free installations
- Low shrink adhesive system
- Strong adhesion for demanding applications

| Part Number | Size | Price |
|--------------|----------|-------|
| 04L825415002 | 54"x150' | |
| 04L826015002 | 60"x150' | |



ARLON



DPF 8200 - HIGH TACK VINYL

- 3.5 Mil satin white vinyl
- 7 Year unprinted durability
- High Tack permanent clear PSA
- Great solution for hard to stick surfaces
- Enhanced dimensional stability will not "gum" up printers

| Part Number | Size | Price |
|---------------|----------|-------|
| 4082-3015-002 | 30"x150' | |
| 4082-4915-002 | 49"x150' | |
| 4082-5415-002 | 54"x150' | |
| 4082-6015-002 | 60"x150' | |



Wall graphics are a quickly growing segment of the sign and graphics industry. Due to the variety of paints available and the variety of surface finishes, it is critical to test compatibility of a print media product with each specific wall. In order to achieve the best performance or to make the best recommendation, you should carry out a sight survey where different media options are tested.

HIGH TACK / POWERSPORTS GRAPHICS

SOLVENT
DIGITAL MEDIA



ORAJET®



3105HT - HIGH TACK VINYL

- 4 mil grey, solvent-based, calendered vinyl with high initial tack permanent adhesive
- Designed for hard-to-stick, low-energy plastics
- Great for textured flat surface such as kayaks, ATVs, coolers and porta-johns

| Part Number | Size | Price |
|----------------|----------|-------|
| 3105GHT-30-010 | 30"x150' | |
| 3105GHT-54-010 | 54"x150' | |
| 3105GHT-60-010 | 60"x150' | |

GENERAL FORMULATIONS



Concept MEDIA SOLUTIONS

CONCEPT 235 - MOTOMARK VINYL

- 4 Mil matte white calendered vinyl
- 5 Year unprinted durability
- Repositionable permanent gray PSA
- Formulated for the powersport graphic market
- Pair with Concept 238 MotoMark 12mil Laminate

| Part Number | Size | Price |
|-------------|----------|-------|
| 235-24 | 24"x150' | |
| 235-30 | 30"x150' | |
| 235-54 | 54"x150' | |
| 235-60 | 60"x150' | |

INDUSTRIAL GRADE HEAT & SOLVENT RESISTANT FILM



ARLON



DPF 9000 - HIGH TACK VINYL

This digital film for solvent-based printers is recommended for applications where the graphic is exposed to high heat, solvents or petrochemical-based products such as gas pump skirts and vehicle wraps.

- 3.5 Mil satin white calendered vinyl
- 7 Year unprinted durability
- Heat and solvent resistant permanent clear PSA
- Great for recreational vehicles, boats, gas pumps

| Part Number | Size | Price |
|---------------|----------|-------|
| 4098-3015-002 | 30"x150' | |
| 4098-4915-002 | 49"x150' | |
| 4098-5415-002 | 54"x150' | |
| 4098-6015-002 | 60"x150' | |

SOLVENT DIGITAL MEDIA



ARLON



DPF 6000RP - GLOSS CAST VINYL

- 2 Mil gloss white or clear cast vinyl
- 7 Year unprinted durability
- High tack permanent gray adhesive
- Premium quality cast facestock

Finish Selection: -000 Clear, -002 White

| Part Number | Size | Price |
|-----------------|----------|-------|
| 46P0-3015-(XXX) | 30"x150' | |
| 46P0-4815-(XXX) | 48"x150' | |
| 46P0-5406-(XXX) | 54"x60' | |
| 46P0-5415-(XXX) | 54"x150' | |
| 46P0-6015-(XXX) | 60"x150' | |

CALENDERED SIGN VINYL



QUE MEDIA CALENDERED VINYL

Que is your everyday option for adhesive vinyl applications. The vinyl's dimensional stability makes installation much easier with less stretching compared to other vinyl products on the market. It has a very accurate, true white point that provides excellent color gamut and print resolution.



- 4.5 mil shrink resistant vinyl
- Available in Gloss & Matte
- Solvent acrylic clear permanent adhesive
- True white point



GLOSS

| Part Number | Size | Price |
|-------------|----------|-------|
| QM-VSGV-54 | 54"x150' | |

MATTE

| Part Number | Size | Price |
|-------------|----------|-------|
| QM-VSMV-54 | 54"x150' | |

CAST VINYL



ORAJET®

3951 - GLOSS CAST VINYL



The ultimate solution for long-term outdoor signage and graphics.

- 2 mil, grey, solvent-based, repositionable, permanent adhesive
- 10 year durability life unprinted white and 8 year clear
- Great for long-term complex fleet and vehicle graphics
- Pair with ORAGUARD 290

Finish Selection - 000 Clear, 010 White

| Part Number | Size | Price |
|--------------|----------|-------|
| 3951G-54-000 | 54"x150' | |
| 3951G-54-010 | 54"x150' | |



ORAJET® UV

3720/3740 - PVC FREE

A PVC-Free solution for temporary promotional retail or special event graphics

- 3 mil, White, Matte
- UV, UV-Gel Ink Compatible Only
- Flat, PVC-Free short-term applications
- Short-term outdoor general signage
- Indoor general signage
- Stickers & decals

3720 CLEAR

| Part Number | Size | Price |
|--------------|----------|-------|
| 3720M-54-010 | 54"x150' | |

3740 CLEAR

| Part Number | Size | Price |
|--------------|----------|-------|
| 3740M-54-010 | 54"x150' | |

CALENDERED SIGN VINYL

SOLVENT
DIGITAL MEDIA



ARLON



DPF 510 - HIGH TACK VINYL

DPF 510 High Tack delivers an exceptional, vibrant print quality at an unbeatable value for your short-term applications.

- 3.2 Mil gloss white calendered vinyl
- Tinted High Tack Permanent
- High Tack Adhesive for Multi-Purpose Signage Applications
- Exceptional, Vibrant Print

| Part Number | Size | Price |
|----------------|----------|-------|
| 040515415002TH | 54"x150' | |
| 040516015002TH | 60"x150' | |



ARLON

DPF 510 SERIES - CALENDERED

If you're looking for the ideal short-term promotional film, look no further. DPF 510 has a two sided, lay-flat polycoated liner that prevents curling under heavy heat from printers, so you can expect nothing but the best ink receptivity in the market for a budget-friendly price point.

- 3.2 Mil gloss or matte calendered vinyl
- 3 year unprinted durability
- Available adhesive options include Clear, Tinted Permanent, & Removable Adhesives
- Great for short to medium term signage

| Part Number | Size | Price |
|---|----------|-------|
| DPF 510G - GLOSS PERM. ADHESIVE | | |
| 4051-5415-002 | 54"x150' | |
| 4051-6015-002 | 60"x150' | |
| DPF 510M - MATTE PERM. ADHESIVE | | |
| 4051-5415-202 | 54"x150' | |
| 4051-6015-202 | 60"x150' | |
| DPF 510GT - GLOSS PERM. TINTED ADHESIVE | | |
| 4051-3015-002T | 30"x150' | |
| 4051-5415-002T | 54"x150' | |
| 4051-6015-002T | 60"x150' | |
| DPF 510MT - MATTE PERM. TINTED ADHESIVE | | |
| 4051-3015-202T | 54"x150' | |
| 4051-5415-202T | 60"x150' | |
| DPF 510GTR - GLOSS TINTED REMOVABLE ADH. | | |
| 4051-5415-002TR | 54"x150' | |
| 4051-6015-002TR | 60"x150' | |
| DPF 510MTR - MATTE TINTED REMOVABLE ADH. | | |
| 4051-5415-202TR | 54"x150' | |
| 4051-6015-202TR | 60"x150' | |

ORAJET®



3640 - SOFT CALENDERED PVC

Budget friendly solution for short- to medium-term indoor/ outdoor flat promotional graphics; POP/Exhibit; Signage.

- 3 mil, Clear, water-based, permanent, permanent adhesive
- 4 year durability life unprinted
- Pair with ORAGUARD 200, 210 or 236

Finish Options - Gloss (G) & Matte (M)

Part # 3640-(Finish)-Roll Size

| Part Number | Size | Price |
|--------------|----------|-------|
| 3640X-30-010 | 30"x150' | |
| 3640X-54-010 | 54"x150' | |
| 3640X-60-010 | 60"x150' | |



GENERAL FORMULATIONS

CONCEPT 246 CAL. VINYL

- 2.4 mil polymeric gloss white vinyl
- Permanent grey solvent acrylic pressure sensitive adhesive
- This product is recommended for indoor and outdoor uses where flexibility, durability and resistance to sunlight are required

| Part Number | Size | Price |
|-------------|----------|-------|
| 246-54 | 54"x100' | |



SOLVENT DIGITAL MEDIA

ARLON DPF4500G



- 3 Mil gloss white calendered vinyl
- 5 Year unprinted durability
- Designed for indoor and outdoor promotional graphics

Color Selection: -122 Gloss, -100 Clear

| Part Number | Size | Price |
|-----------------|----------|-------|
| 4045-3015-(XXX) | 30"x150' | |
| 4045-4815-(XXX) | 48"x150' | |
| 4045-5415-(XXX) | 54"x150' | |
| 4045-6015-(XXX) | 60"x150' | |



olorsense CALENDERED PERMANENT

- 3 Mil gloss or matte white calendered vinyl
- Clear Permanent Adhesive
- Uses include outdoor signage, promotional and point of purchase graphics

| Part Number | Size | Price |
|---------------------|----------|-------|
| GLOSS FINISH | | |
| SOL/WHTCAL/30 | 30"x150' | |
| SOL/WHTCAL/38 | 48"x150' | |
| SOL/WHTCAL/54 | 54"x150' | |
| SOL/WHTCAL/60 | 60"x150' | |
| MATTE FINISH | | |
| SOL/MATCAL/30 | 30"x150' | |
| SOL/MATCAL/38 | 48"x150' | |
| SOL/MATCAL/54 | 54"x150' | |
| SOL/MATCAL/60 | 60"x150' | |

GENERAL FORMULATIONS 201-HTAP CALENDERED

- 3 Mil matte white calendered vinyl
- 5 Year unprinted durability
- Clear super permanent adhesive

| Part Number | Size | Price |
|-------------|----------|-------|
| 201HTAP-54 | 54"x150' | |
| 201HTAP-60 | 60"x150' | |

GENERAL FORMULATIONS 201 MATTE CALENDERED

- 3.4 Mil matte white calendered vinyl
- 5 Year unprinted durability
- Clear permanent adhesive
- Designed for indoor and outdoor signage, decals, nameplates, die-cut letters, and point of purchase displays

| Part Number | Size | Price |
|-------------|----------|-------|
| 201-30 | 30"x150' | |
| 201-54 | 54"x150' | |
| 201-60 | 60"x150' | |

GENERAL FORMULATIONS 202 MATTE CALENDERED

- 3.4 Mil matte white calendered vinyl
- Clear removable adhesive
- Designed for temporary interior or exterior signage. Not designed for stainless, brass, or bronze surfaces.

| Part Number | Size | Price |
|-------------|----------|-------|
| 202-30 | 30"x150' | |
| 202-54 | 54"x150' | |
| 202-60 | 60"x150' | |

GENERAL FORMULATIONS 203 GLOSS CALENDERED

- 3 Mil gloss white calendered vinyl
- 5 Year unprinted durability
- Clear permanent adhesive
- Designed for indoor and outdoor signage, decals, nameplates, die-cut letters, and point of purchase displays

| Part Number | Size | Price |
|-------------|----------|-------|
| 203-30 | 30"x150' | |
| 203-54 | 54"x150' | |
| 203-60 | 60"x150' | |

GENERAL FORMULATIONS 204 GLOSS CALENDERED

- 3.4 Mil gloss white calendered vinyl
- Clear removable adhesive
- Designed for temporary interior or exterior signage. Not designed for stainless, brass, or bronze surfaces.

| Part Number | Size | Price |
|-------------|----------|-------|
| 204-30 | 30"x150' | |
| 204-54 | 54"x150' | |
| 204-60 | 60"x150' | |

CALENDERED SIGN VINYL

Roland ESM-GCVP VINYL

- 3 Mil gloss calendered vinyl
- 5 Year unprinted durability
- Clear permanent adhesive
- Ideal for POP displays, outdoor signage

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-GCVP-50-20 | 20"x50' | |
| ESM-GCVP-150-30 | 30"x150' | |
| ESM-GCVP-150-54 | 54"x150' | |

Roland ESM-MCVP VINYL

- 4 Mil matte calendered vinyl
- 5 Year unprinted durability
- Clear permanent adhesive
- Ideal for POP displays, outdoor signage

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-MCVP-50-20 | 20"x50' | |
| ESM-MCVP-150-30 | 30"x150' | |
| ESM-MCVP-150-54 | 54"x150' | |

3M IJ35 CALENDERED VINYL

- 3.2 Mil matte calendered vinyl
- 5 Year unprinted durability
- Grey Permanent Adhesive
- Suitable for short to long-term, indoor and outdoor promotional graphics

| Part Number | Size | Price |
|---------------------|----------|-------|
| GLOSS FINISH | | |
| 72195415010 | 54"x150' | |
| MATTE FINISH | | |
| 72195415020 | 54"x150' | |

AVERY MPI2903 CALENDERED

- 3 Mil gloss calendered vinyl
- 5 Year unprinted durability
- Grey Permanent Adhesive
- Good durability and outdoor performance for short to mid-term applications

| Part Number | Size | Price |
|-------------|----------|-------|
| MPI2903EZ30 | 30"x150' | |
| MPI2903EZ54 | 54"x150' | |
| MPI2903EZ60 | 60"x150' | |

CALENDERED SIGN VINYL - CLEAR

SOLVENT
DIGITAL MEDIA



GENERAL FORMULATIONS 205/206 CLEAR CAL

- 3.4 Mil gloss clear calendered vinyl
- 205 Permanent - 206 Removable
- Designed for indoor and outdoor signage, & decals



| Part Number | Size | Price |
|-------------|----------|-------|
| 205/206-30 | 30"x150' | |
| 205/206-54 | 54"x150' | |
| 205/206-60 | 60"x150' | |

ColorSense CLEAR CALENDERED

- 3 Mil gloss clear calendered vinyl
- Clear Permanent Adhesive
- Can be used for interior and exterior signage

| Part Number | Size | Price |
|-----------------|----------|-------|
| SOL/CLEARCAL/30 | 30"x150' | |
| SOL/CLEARCAL/38 | 38"x150' | |
| SOL/CLEARCAL/54 | 54"x150' | |
| SOL/CLEARCAL/62 | 62"x150' | |

Roland ESM-CCVP VINYL

- 3 Mil clear calendered vinyl
- 5 Year unprinted durability
- Clear permanent adhesive
- Ideal for window graphics POP displays

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-CCVP-50-20 | 20"x50' | |
| ESM-CCVP-150-30 | 30"x150' | |
| ESM-CCVP-150-54 | 54"x150' | |

CALENDERED SIGN VINYL - 6 MIL & RIGID

ColorSense 6 MIL PERMANENT

- 6 Mil gloss or matte white calendered vinyl
- Clear Permanent Adhesive
- Uses include outdoor signage, promotional and point of purchase graphics

| Part Number | Size | Price |
|-----------------|----------|-------|
| SOL/6GWHCAL/54P | 54"x100' | |

GLOSS FINISH

MATTE FINISH

| | |
|-----------------|-----------|
| SOL/6MATCAL/30P | 30"x 100' |
| SOL/6MWHCAL/54P | 54"x 100' |
| SOL/6MATCAL/60P | 60"x 100' |

GENERAL FORMULATIONS 219 CLEAR RIGID CAL

- 6 Mil gloss clear calendered vinyl
- Clear removable adhesive
- Thick, rigid and easy to apply, perfect For window application

| Part Number | Size | Price |
|-------------|----------|-------|
| 219-54 | 54"x100' | |

GENERAL FORMULATIONS 220 RIGID CALENDERED

- 6 Mil gloss white calendered vinyl
- Clear permanent adhesive
- Designed for interior or exterior signage, great for peel & stick decals

| Part Number | Size | Price |
|-------------|----------|-------|
| 220-54 | 54"x100' | |

GENERAL FORMULATIONS 221 RIGID CALENDERED

- 6 Mil gloss white calendered vinyl
- Clear removable adhesive
- Designed for interior or exterior signage, great for peel & stick decals

| Part Number | Size | Price |
|-------------|----------|-------|
| 221-54 | 54"x100' | |

GENERAL FORMULATIONS 222 RIGID CALENDERED

- 6 Mil matte white calendered vinyl
- Clear permanent adhesive
- Designed for interior or exterior signage, great for peel & stick decals

| Part Number | Size | Price |
|-------------|----------|-------|
| 222-54 | 54"x100' | |

GENERAL FORMULATIONS 223 RIGID CALENDERED

- 6 Mil matte white calendered vinyl
- Clear removable adhesive
- Designed for interior or exterior signage, great for peel & stick decals

| Part Number | Size | Price |
|-------------|----------|-------|
| 223-54 | 54"x100' | |

ColorSense 6 MIL REMOVABLE

- 6 Mil gloss or matte white calendered vinyl
- Clear Removable Adhesive
- Uses include outdoor signage, promotional and point of purchase graphics

| Part Number | Size | Price |
|----------------|----------|-------|
| SOL/6GWHCAL30R | 30"x100' | |
| SOL/6GWHCAL54R | 54"x100' | |
| SOL/6GWHCAL60R | 60"x100' | |

GLOSS FINISH

MATTE FINISH

| | |
|----------------|----------|
| SOL/6MWHCAL30R | 30"x100' |
| SOL/6MWHCAL54R | 54"x100' |
| SOL/6MWHCAL60R | 60"x100' |

ORAJET®

6 MIL SEMI-RIGID CALENDERED

- 6 Mil gloss white calendered vinyl
- Grey, Permanent Adhesive
- For short-term general signage, contour-cut decals and POP displays.

| Part Number | Size | Price |
|--------------|---------|-------|
| 3258G-20-010 | 20"x30' | |
| 3258G-2031M | 20"x99' | |
| 3258G-30-010 | 30"x99' | |
| 3258G-54-010 | 54"x99' | |
| 3258G-60-010 | 60"x99' | |



**SOLVENT
DIGITAL MEDIA**

CALENDERED AIR-RELEASE VINYL



3M™

**Controltac
Adhesive**



IJ35C - CALENDERED COMPLY VINYL

- 3.2 Mil gloss or matte white calendered vinyl
- Permanent gray Controltac™ Comply™ adhesive
- 5 Year unprinted durability
- Short to long term indoor and outdoor promo graphics

| Part Number | Size | Price |
|--------------|----------|-------|
| GLOSS | | |
| 72493015010 | 30"x150' | |
| 72495415010 | 54"x150' | |
| MATTE | | |
| 72493015020 | 30"x150' | |
| 72495415020 | 54"x150' | |



ARLON



DPF 4500GLX/MLX CALENDERED X-SCAPE

- 3 Mil gloss or matte white calendered vinyl
- 5 Year unprinted durability
- Repositionable permanent light grey PSA
- X-ScapE air release technology
- Ideal for flat surfaces and medium term graphics



| Part Number | Size | Price |
|---------------|----------|-------|
| GLOSS | | |
| 40X5-3015-122 | 30"x150' | |
| 40X5-4815-122 | 48"x150' | |
| 40X5-5415-122 | 54"x150' | |
| 40X5-6015-122 | 60"x150' | |
| MATTE | | |
| 40X5-3015-149 | 30"x150' | |
| 40X5-4815-149 | 48"x150' | |
| 40X5-5415-149 | 54"x150' | |

DPF 510GTX/MTX CALENDERED X-SCAPE

- 3 Mil gloss or matte white calendered vinyl
- 3 Year unprinted durability
- Repositionable permanent tinted PSA
- X-ScapE air release adhesive for flat surface applications

| Part Number | Size | Price |
|-----------------|----------|-------|
| GLOSS | | |
| 4051-5415-002TX | 54"x150' | |
| 4051-6015-002TX | 60"x150' | |
| MATTE | | |
| 4051-5415-202TX | 54"x150' | |
| 4051-6015-202TX | 60"x150' | |



CONCEPT 201OAPAE & 203OAPAE VINYL

- 3 Mil gloss or matte white calendered vinyl
- 3 Year unprinted outdoor durability
- Permanent gray air egress PSA
- Designed for large format interior and exterior signs

| Part Number | Size | Price |
|--------------|----------|-------|
| GLOSS | | |
| 203OAPAE-54 | 54"x150' | |
| MATTE | | |
| 201OAPAE-54 | 54"x150' | |

Roland **ESM-GC PRO VINYL**

- 3 Mil calendered vinyl
- 5 Year unprinted durability
- Gray removable adhesive with an air-release liner
- Ideal for stickers and decals, vehicle wrap markings, POP displays, outdoor signage and more



| Part Number | Size | Price |
|-------------------|----------|-------|
| ESM-GC PRO-50-20 | 20"x50' | |
| ESM-GC PRO-150-30 | 30"x150' | |
| ESM-GC PRO-150-54 | 54"x150' | |

CALENDERED AIR-RELEASE VINYL



ORAJET®      

3164XRA - CAL. RAPID AIR

- Economical, short- to medium-term indoor and outdoor applications
- 4 mil grey, water-based, permanent adhesive featuring advanced air release technology to facilitate quicker, easier application
- 4 year unprinted durability
- Flat applications, general signage, decals
- Die cut letters
- P.O.P. graphics
- **NOT** for vehicle graphics or wraps

| Part Number | Size | Price |
|----------------|----------|-------|
| 3164XRA-30-010 | 30"x150' | |
| 3164XRA-50-010 | 50"x150' | |
| 3164XRA-54-010 | 54"x150' | |
| 3164XRA-60-010 | 60"x150' | |

ORAJET®     

3165RA - CAL. RAPID AIR

- A versatile digital print media designed for indoor and outdoor graphics applications. Utilizes a thicker 4-mil blended-PVC construction with a solvent-based air-egress adhesive.
- 4 mil grey, solvent-based, permanent adhesive with gloss finish
 - Air release technology to facilitate easier application
 - Medium-term outdoor general signage
 - Window graphics
 - Long-term indoor general signage
 - Permanent wall graphics and murals

| Part Number | Size | Price |
|----------------|----------|-------|
| 3165GRA-30-010 | 30"x150' | |
| 3165GRA-54-010 | 54"x150' | |
| 3165GRA-60-010 | 60"x150' | |

TROUBLE SHOOTING PRINT & CUT GRAPHICS

Graphics that are trimmed or plotted directly through the ink within 24 hours after printing can begin to show signs of curling or shrinking around the perimeter once applied to the substrate.

Why does this occur?

The freshly printed (uncured) solvents used in the inks to print the graphic are migrating around the cut line and irritating the perimeter of the adhesive layer. This in turn causes the edges of the material to curl up or shrink either on the release liner or once applied to the substrate.

What should I do to reduce the risk of edge curling?

In a well-ventilated area away from the print room, stand the roll on end and loosely unwind the material from around the core. There should be adequate space between each wrap around the core for air to properly circulate. This will allow the solvent gasses to properly escape from the graphic.

DO NOT leave the graphic rolled up tightly around the core after printing. This will cause the solvent gasses in the inks to be trapped and potentially migrate to the adhesive layer of the material, resulting in poor adhesion properties once applied to the intended substrate. It is a good idea to allow a minimum of 24 hours at 70°F (48-72 hours preferred) for the inks to dry (outgas) before trimming or plotting through the ink.





ARLON 

DPF4500GT/MT

Designed for indoor and outdoor promotional graphics, DPF 4500GT / MT is made of a calendered facestock with a lay-flat polycoated liner. The special light gray adhesive system is designed for opacity to directly cover existing graphics or dark substrates.

- 3 Mil gloss or matte white cal. vinyl
- 5 Year unprinted durability
- Permanent gray opaque PSA
- Ideal for covering existing graphics and dark substrates requiring blackout adhesive

Finish Selection: -122 Gloss, -149 Matte

| Part Number | Size | Price |
|------------------|----------|-------|
| 040T5-3015-(XXX) | 30"x150' | |
| 040T5-4815-(XXX) | 48"x150' | |
| 040T5-5415-(XXX) | 54"x150' | |
| 040T5-6015-(XXX) | 60"x150' | |



ORAJET 

3641 CAL. VINYL

- 3 Mil gloss or matte white cal. vinyl
- 4 Year unprinted durability
- Permanent gray opaque PSA
- Economical, short- to medium-term general signage

| Part Number | Size | Price |
|-------------|----------|-------|
| 3641-30-010 | 30"x150' | |
| 3641-50-010 | 50"x150' | |
| 3641-54-010 | 54"x150' | |
| 3641-60-010 | 60"x150' | |



ORAJET 

3651 CAL. VINYL

- 2.75 Mil gloss or matte cal. vinyl
- 5 Year unprinted durability
- Permanent gray opaque PSA
- Economical, short- to medium-term general signage

| Part Number | Size | Price |
|-------------|----------|-------|
| 3651-15-010 | 15"x150' | |
| 3651-30-010 | 30"x150' | |
| 3651-36-010 | 36"x150' | |
| 3651-50-010 | 50"x150' | |
| 3651-54-010 | 54"x150' | |
| 3651-60-010 | 60"x150' | |

Colorsense 

TINTED CALENDERED

- 3 Mil gloss or matte white cal. vinyl
- Permanent opaque PSA
- Uses include outdoor signage, promotional graphics

| Part Number | Size | Price |
|---------------------|----------|-------|
| GLOSS FINISH | | |
| SOL/WHITECAL/T/30 | 30"x150' | |
| SOL/WHITECAL/T/54 | 54"x150' | |
| SOL/WHITECAL/T/60 | 60"x150' | |
| MATTE FINISH | | |
| SOL/MATCAL/T/30 | 30"x150' | |
| SOL/MATCAL/T/54 | 54"x150' | |
| SOL/MATCAL/T/60 | 60"x150' | |

GENERAL FORMULATIONS 

218-WINDOWMARK GLOSS

Designed to be 100% opaque and is excellent for window graphics & retail displays where total opacity and zero light transmission is required.

- 8.0 mil Dual-layer blackout vinyl
- Dual-layer engineering allows for 100% opaque applications where total blackout is required.

| Part Number | Size | Price |
|-------------|----------|-------|
| 218-54 | 54"x100' | |
| 218-60 | 60"x100' | |

GENERAL FORMULATIONS 

201/203-OAP CAL.

- 3.4 Mil matte white calendered vinyl
- 5 Year unprinted durability
- Grey opaque permanent adhesive
- Designed for indoor and outdoor signage, decals, nameplates, die-cut letters, and POP displays

Finish Selection: -201-Matte, 203-Gloss

| Part Number | Size | Price |
|---------------|----------|-------|
| 201/203OAP-30 | 30"x150' | |
| 201/203OAP-54 | 54"x150' | |
| 201/203OAP-60 | 60"x150' | |

WINDOW AND ETCH VINYL

SOLVENT
DIGITAL MEDIA



ARLON

DPF5200 ETCH VINYL

DPF 5200 is a premium decorative film that simulates an etched glass finish for interior or exterior applications. DPF 5200 is an ideal film to transform glass or clear substrates into elegant designs.

- 2 Mil standard, silver & sparkle cast vinyls
- 7 Year unprinted durability
- Great for window graphics, mirrors, partitions, interior and exterior glass

| Part Number | Size | Price |
|-------------|------|-------|
|-------------|------|-------|

SILVER ETCHED PATTERN

| | | |
|-----------------|----------|--|
| 5200-2415-207SL | 24"x150' | |
| 5200-4803-207SL | 48"x30' | |
| 5200-4815-207SL | 48"x150' | |
| 5200-6015-207SL | 60"x150' | |

STANDARD ETCH PATTERN

| | | |
|-----------------|----------|--|
| 5200-2415-314SL | 24"x150' | |
| 5200-4803-314SL | 48"x30' | |
| 5200-4815-314SL | 48"x150' | |
| 5200-6015-314SL | 60"x150' | |

SPARKLE ETCHED PATTERN

| | | |
|-----------------|----------|--|
| 5200-2415-334SL | 24"x150' | |
| 5200-4803-334SL | 48"x30' | |
| 5200-4815-334SL | 48"x150' | |
| 5200-6015-334SL | 60"x150' | |



ARLON FLITE TECHNOLOGY

EVER-ETCH CAL

Ever Etched Cal is a printable calendared etched glass vinyl with FLITE Technology®. Designed to be applied dry, the combined benefits of FLITE Technology and air channels will have installers experiencing repositionability while virtually eliminating bubbles and wrinkles from forming. A dry application technique promotes a mess-free environment during and post-application and eliminates the use of application fluid.

- 3 Mil calendared Etch-Glass Vinyl
- 5 Year unprinted durability
- Permanent clear opaque PSA
- FLITE Technology® allows repositionability of graphics with ease

| Part Number | Size | Price |
|-------------|------|-------|
|-------------|------|-------|

| | | |
|----------------|----------|--|
| 054X0-5407-314 | 54"x75' | |
| 054X0-5415-314 | 54"x150' | |
| 054X0-6007-314 | 60"x75' | |
| 054X0-6015-314 | 60"x150' | |

GENERAL FORMULATIONS



790AE - LIGHT ETCH VINYL

This film can either be applied printed or unprinted for etched glass visual effect or for use as a privacy film. The 90# AE liner offers easy dry application properties for large format graphics.

- 3 Mil polymeric calendared etch vinyl
- Clear removable adhesive
- 7 year unprinted durability
- Air-Egress adhesive for easy installs
- Digitally printable for colorful etch effect

| Part Number | Size | Price |
|-------------|------|-------|
|-------------|------|-------|

| | | |
|------------|----------|--|
| 790AE-5475 | 54"x75' | |
| 790AE-60 | 60"x150' | |

Roland



ESM-ETCH VINYL



3 mil pressure-sensitive vinyl that simulates frosted etched glass. It has a permanent adhesive and is supplied on an air-release liner for ease of application.

- 3 Mil calendared etch vinyl
- Clear permanent adhesive
- Air-release liner for easy application
- Digitally printable

| Part Number | Size | Price |
|-------------|------|-------|
|-------------|------|-------|

| | | |
|----------------|---------|--|
| ESM-ETCH-75-20 | 20"x75' | |
| ESM-ETCH-75-30 | 30"x75' | |

WINDOW & ETCH FILMS INSTALLATION CONSIDERATIONS


DO NOT wet apply or use application fluid to install

DO NOT use overlapping seams to panel graphics. Since etched glass is translucent, overlapping the vinyl will cause a noticeable opaque appearance on the overlapping areas.

AVOID installing with a hard edge squeegee without a protected edge. Hard edge squeegees can cause undesired scratches and damage to the surface of the media or printed graphic.

AVOID installing on very hot windows. Counter this by misting the surface with water to bring the temperature down. Very hot windows will cause the tack of the adhesive to increase and can create a challenging installation.





CONTINENTAL
GRAFIX



panoRama One Window Perf

- Economical perforated window film for short-term applications
- Universal liner for solvent, eco-solvent, UV, & latex inks
- Face Film - Printable white perforated PVC vinyl
- Back Side - Black for maximum contrast
- Removable semi-permanent clear adhesive
- Clean removing up to six months with no adhesive residue
- 5.7 mil vinyl, 6 mil liner
- Up to 1 year exterior durability
- Up to 3 year interior durability

CONTINENTAL
GRAFIX



panoRama Green


A PVC-free, self-adhesive, perforated, one-way vision window film especially developed for longterm applications.

100% PET face film offers a recyclable alternative to standard PVC perforated window film and offers excellent dimensional stability and longevity.


- Printable 5mil white PVC/black backside
- Removable semi-permanent clear acrylic adhesive
- 60/40 film/open ratio
- Application temp - +50F to +86F
- Repositionable - No
- Interior durability - up to 7 years
- Exterior durability - up to 5 years

| Part Number | Size | Price |
|---------------------|----------|-------|
| 50/50 Series | | |
| ONE5050-54164 | 54"x164' | |
| 60/40 Series | | |
| ONE6040-54164 | 54"x164' | |
| ONE6040-60164 | 60"x164' | |
| 70/30 Series | | |
| ONE7030-54164 | 54"x164' | |
| ONE7030-60164 | 60"x164' | |
| 80/20 Series | | |
| ONE8020-54164 | 54"x164' | |
| ONE8020-60164 | 60"x164' | |


| Part Number | Size | Price |
|-----------------|----------|-------|
| GREEN6040 | 54"x100' | |
| GREEN6040-54150 | 54"x150' | |




50/50



60/40



70/30



80/20

PERFORATED WINDOW VINYL

SOLVENT
DIGITAL MEDIA



CONTINENTAL
GRAFIX



panoRama Film8020

A PVC-free, non-adhesive, interior mount, perforated window film.

Use with panoRama Tape for an easy self-install window graphic.

No adhesive makes panoRama Film8020 a great solution for a wide variety of applications.

100% recyclable where accepted.

- Retail windowns
- Ceiling hung graphics
- Hanging backdrops
- Inside mount window applications
- Printable 6mil white PVC/black backside
- 80/20 film/open ratio
- Application temp - +50F to +86F
- Interior durability - up to 3 years

| Part Number | Size | Price |
|----------------|----------|-------|
| INNOVA20-60100 | 60"x100' | |

CONTINENTAL
GRAFIX




panoRama Innova Ice

panoRama Innova™ Ice - The only outside mount One-Way Vision film that can be applied in cold weather.

Available with a 60/40 film/hole pattern.

- Printable 6mil white PVC/black backside
- Removable semi-permanent clear acrylic adhesive
- 60/40 film/open ratio
- Application temp - +5F to +122F
- Repositionable - No
- Interior durability - up to 5 years
- Exterior durability - up to 2 years

| Part Number | Size | Price |
|-------------|----------|-------|
| INNOVAICE | 54"x100' | |



Mirror-like Finish Provides a Unique Base for Highly Visible, High-Value Window Graphics, Day and Night!

CONTINENTAL
GRAFIX



panoRama Silver

A metalized PET, self-adhesive, perforated one-way vision window film for specialty applications.

- Printable 6mil silver metalized PVC/black backside
- Removable semi-permanent clear acrylic adhesive
- 80/20 film/open ratio
- Application temp - +50F minnumum
- Repositionable - No
- Interior durability - up to 7 years
- Exterior durability - up to 5 years

| Part Number | Size | Price |
|-------------|----------|-------|
| PSILVER | 54"x100' | |



**SOLVENT
DIGITAL MEDIA**

PERFORATED WINDOW VINYL



CONCEPT 232 - 50/50 PERFORATED

- 6 Mil white calendered perforated vinyl
- Removable clear adhesive
- Removal for up to 1 year under normal outside conditions
- 50/50 Open area'

| Part Number | Size | Price |
|-------------|----------|-------|
| 232-54 | 54"x100' | |
| 232-60 | 60"x100' | |



260-60/40 PERFORATED

- 6 Mil white calendered perforated vinyl
- Removable clear adhesive
- Removal for up to 1 year under normal outside exposure conditions
- 60/40 Open area

| Part Number | Size | Price |
|-------------|----------|-------|
| 260-54 | 54"x100' | |
| 260-60 | 60"x100' | |



270-70/30 PERFORATED - UV DIGITAL

- 6 Mil white calendered perforated vinyl
- Removable clear adhesive
- Removal for up to 1 year under normal outside exposure conditions
- 70/30 Open area

| Part Number | Size | Price |
|-------------|----------|-------|
| 270-54 | 54"x100' | |
| 270-60 | 60"x100' | |



PERFORATED WINDOW VINYL

SOLVENT
DIGITAL MEDIA



3218 50/50 1Waze Perf Vinyl

- Removable clear acrylic adhesive
- 6.5 mil vinyl, 6 mil liner
- 1-2 outdoor durability under normal conditions

| Part Number | Size | Price |
|-------------|----------|-------|
| 321810054 | 54"x100' | |
| 321854164 | 54"x164' | |



3214 60/40 1Waze Perf Vinyl

- Removable clear acrylic adhesive
- 6.5 mil vinyl, 6 mil liner
- 1-2 outdoor durability under normal conditions

| Part Number | Size | Price |
|-------------|----------|-------|
| 321454100 | 54"x100' | |
| 321454164 | 54"x164' | |



3231 70/30 1Waze Perf (Non-Adhesive)

- 100% Polyester film
- Designed for interior glass installations
- Up to 5 years durability

| Part Number | Size | Price |
|-------------|---------|-------|
| 323154082 | 54"x82' | |



3226 70/30 UV 1Waze Perf Vinyl

- Removable clear acrylic adhesive
- 6.5 mil vinyl, 6 mil liner
- 1-2 outdoor durability under normal conditions

| Part Number | Size | Price |
|-------------|----------|-------|
| 322654164 | 54"x164' | |
| 322660164 | 60"x164' | |



3215 80/20 1Waze Perf Vinyl

- Removable clear acrylic adhesive
- 6.5 mil vinyl, 6 mil liner
- 1-2 outdoor durability under normal conditions

| Part Number | Size | Price |
|-------------|----------|-------|
| 321554100 | 54"x100' | |
| 321554164 | 54"x164' | |

CLEAR FOCUS Imaging, Inc.



CLASSICVUE PERFORATED VINYL

- 6 Mil white calendered 50/50 perf vinyl
- 2-3 Year durability, 1 year for clean removal
- Removable clear adhesive

| Part Number | Size | Price |
|----------------|----------|-------|
| CLASSICVUE18 | 18"x100' | |
| CLASSICVUE27S | 27"x100' | |
| CLASSICVUE36 | 36"x100' | |
| CLASSICVUE54 | 54"x100' | |
| CLASSICVUE5425 | 54"x25' | |

CLEAR FOCUS Imaging, Inc.



IMAGEVUE PERFORATED VINYL

- 6 Mil calendered 65/35 perf vinyl
- 2-3 Year unprinted durability, 3 months for clean removal
- Removable adhesive
- Exterior-mount window graphics for decals, POP, retail and commercial signage

| Part Number | Size | Price |
|--------------|----------|-------|
| IMAGEVUE5425 | 54"x25' | |
| IMAGEVUE54 | 54"x100' | |
| IMAGEVUE60 | 60"x100' | |

CLEAR FOCUS Imaging, Inc.



ECONOVUE PERFORATED VINYL

- 6 Mil white calendered perf vinyl
- 1 Year durability, 3 months for clean removal
- Removable adhesive
- Windows, glass doors or other transparent surfaces for short-term POP

| Part Number | Size | Price |
|-----------------------------|----------|-------|
| 60/40 - 40% RETAINED | | |
| ECONOVUE54S | 54"x100' | |
| ECONOVUE60 | 60"x100' | |
| 70/30 - 30% RETAINED | | |
| ECONOVUE547030 | 54"x100' | |
| ECONOVUE607030 | 60"x100' | |

Use an optically clear overlamine that's compatible with perforated window-graphics film.

TIPS

Use mild soap and water for installations - **NEVER** a solvent-based glass cleaner, such as Windex®, to wash the glass surface prior to installing the graphics. Use 85% isopropyl alcohol if desired; let it evaporate completely.



ARLON



DPF 6500 - CAST TRANSLUCENT

DPF 6500 is a gloss white, cast, translucent film with permanent pressure-sensitive adhesive. Designed for backlit graphics

- 2 Mil translucent white cast vinyl
- 7 Year unprinted durability
- Permanent clear adhesive
- Ideal for backlit illuminated signs

| Part Number | Size | Price |
|---------------|----------|-------|
| 4065-3015-020 | 30"x150' | |
| 4065-4815-020 | 48"x150' | |
| 4065-5406-020 | 54"x60' | |
| 4065-5415-020 | 54"x150' | |
| 4065-6015-020 | 60"x150' | |

CLEAR FILM



SCF-7 CLEAR FILM

- 6.5 mil clear polyester gloss film
- Ideal for proof overlays
- Print screen print film positives on your eco-solvent printer
- Great for window displays, trade show graphics, & POP displays

| Part Number | Size | Price |
|-------------|----------|-------|
| 70973 | 30"x100' | |
| 70974 | 54"x100' | |
| 70377 | 54"x200' | |
| 70289 | 60"x100' | |

TRANSLUCENT FILM



3850 CALENDERED TRANSLUCENT

Long-term use translucent calendered vinyl for use on rigid substrates in backlit indoor and outdoor applications

- 3 Mil calendered translucent
- 7 Year unprinted durability
- Permanent clear adhesive



| Part Number | Size | Price |
|---------------|----------|-------|
| 3850-30-010 | 30"x150' | |
| 3850-5410-010 | 54"x30' | |
| 3850-54-010 | 54"x150' | |
| 3850-60-010 | 60"x150' | |



CALENDERED TRANSLUCENT

- 3.2 Mil calendered translucent
- 5 Year unprinted durability
- Permanent clear adhesive

| Part Number | Size | Price |
|-----------------|----------|-------|
| SOL/CALTRANS/30 | 30"x150' | |
| SOL/CALTRANS/54 | 54"x150' | |
| SOL/CALTRANS/62 | 62"x150' | |



BACKLIT FILM

SOLVENT
DIGITAL MEDIA



Roland

ESM-GBF GLOSSY BACKLIT FILM

8 mil translucent polyester film with a glossy finish that produces high quality images with rich density.

- 8 Mil translucent polyester backlit film
- 7 Year unprinted durability
- Excellent solution for both lights-on and lights-off backlit signage applications

| Part Number | Size | Price |
|----------------|----------|-------|
| ESM-GBF-54-100 | 54"x100' | |



Roland

ESM-MBF MATTE BACKLIT FILM

8 mil translucent polyester film with a anti-glare matte finish that produces high quality images with rich density.

- 8 Mil translucent polyester backlit film
- 7 Year unprinted durability
- Excellent solution for both lights-on and lights-off backlit signage applications

| Part Number | Size | Price |
|----------------|----------|-------|
| ESM-MBF-54-100 | 54"x100' | |

SIHL



3364 GLOW SL BACKLIT FILM

3364 SL Backlit Film is a satin backlit film. The media has a thick polyester base that is dimensionally stable, rigid, and tear resistant which makes it easy to install, impervious to strong changes in temperature, and suitable for use in indoor or outdoor lightbox displays.

- 10.5 mil thick
- Satin finish
- Indoor/outdoor durable

| Part Number | Size | Price |
|-------------|----------|-------|
| 336454040 | 54"x40' | |
| 336454100 | 54"x100' | |
| 336460100 | 60"x100' | |

TWO-WAY FILM

CONTINENTAL GRAFIX


panoRama Two-Way Vision

A unique, clear PVC film embedded with a white prism technology. Don't let your branding to get lost in the dark! The white prism technology transmits ambient light through the film for vibrant day-to-night window graphics. Create stunning window graphics, viewed from both sides of the window, without the need for white ink.

- 5 mil clear, calendared film
- Removable clear solvent acrylic adhesive
- Printable clear film-30% clear/70% white
- Up to 3 years indoor durability and 2 years outdoor.

| Part Number | Size | Price |
|----------------|----------|-------|
| TWOWAYVISION54 | 54"x100' | |





ARLON



DPF 313 - SCRIM BANNER

Great value banner material with big potential - DPF 313 delivers high print resolution and outstanding image quality.

- 13 oz white polyester scrim banner
- 1000x1000 Denier
- Ideal for outdoor banner applications
- Smooth finish that will yield a high print resolution and image quality
- Available in Matte & Gloss finish

MATTE FINISH

| Part Number | Size | Price |
|-----------------|----------|-------|
| 4313-3012-002XF | 30"x120' | |
| 4313-3812-002XF | 38"x120' | |
| 4313-5412-002XF | 54"x120' | |
| 4313-6312-002XF | 63"x120' | |

GLOSS FINISH

| Part Number | Size | Price |
|-----------------|----------|-------|
| 4313-3012-222XF | 30"x120' | |
| 4313-3812-222XF | 38"x120' | |
| 4313-5412-222XF | 54"x120' | |
| 4313-6312-222XF | 63"x120' | |



LBV2 PREMIUM SCRIM BANNER

This coated premium banner product is an ideal solution for short-term and long-term signage. The product is non-curling and has a luster finish for an elevated graphic result.

Light Weight Banner is designed to produce color-saturated prints and dry fast for productivity and efficiency.

It is extremely durable and can be cut to edge, welded, or hemmed and sewn. Ideal for hanging and fitting with pole-pockets or grommets.

- 13oz premium white scrim banner
- Luster finish
- High quality banner with smooth print surface
- 96% opacity

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-LBV2-120-30 | 30"x120' | |
| ESM-LBV2-120-54 | 54"x120' | |



QUE MEDIA SCRIM BANNER

- 13oz gloss frontlet fire retardant scrim banner
 - 1000x1000 denier
 - Polyester & PVC composition
- Finish Selection X = G (Gloss) M (Matte)



| Part Number | Size | Price |
|-------------|----------|-------|
| QM-LX13X-38 | 38"x150' | |
| QM-LX13X-54 | 54"x150' | |
| QM-LX13X-63 | 63"x150' | |

SCRIM BANNER MEDIA

SOLVENT
DIGITAL MEDIA



Lumina™

LUMINA 7501 SCRIM BANNER

- 13 oz white polyester scrim banner
 - Matte & Gloss finish
 - 1000x1000 Denier
 - One side smooth printable
- Finish Selection: -(049) Matte, -(002) Gloss



| Part Number | Size | Price |
|---------------|----------|-------|
| 7501-3015-XXX | 30"x150' | |
| 7501-3815-XXX | 38"x150' | |
| 7501-5415-XXX | 54"x150' | |
| 7501-6315-XXX | 60"x150' | |

Lumina™

LUMINA 7504 SCRIM BANNER

- 13 oz white PVC scrim banner
 - 500x500 Denier
 - Available in matte or gloss finish
- Finish Selection: -(002) Gloss, -(049) Matte



| Part Number | Size | Price |
|-----------------|----------|-------|
| 7504-3015-(XXX) | 30"x150' | |
| 7504-3815-(XXX) | 38"x150' | |
| 7504-5415-(XXX) | 54"x150' | |
| 7504-6315-(XXX) | 63"x150' | |

Lumina™

LUMINA 7505 SCRIM BANNER

- 13 oz white super smooth PVC scrim banner
- Smooth matte finish
- 250x250 Denier
- Blockout, two-sided printable



| Part Number | Size | Price |
|-------------|----------|-------|
| 75053815049 | 38"x150' | |
| 75055415049 | 54"x120' | |

Lumina™

LUMINA 7506 SCRIM BANNER

- 15 oz white heavyweight scrim banner
- Matte finish
- 300x300 Denier - **Indoor use only**
- Two side smooth printable with blockout layer



| Part Number | Size | Price |
|---------------|----------|-------|
| 7506-3815-049 | 38"x120' | |
| 7506-5415-049 | 54"x150' | |
| 7506-6315-049 | 60"x150' | |

Lumina™

LUMINA 7508 SCRIM BANNER

- 18 oz white heavyweight scrim banner
- Matte finish
- 1000x1000 Denier
- Two side smooth printable with blockout layer



| Part Number | Size | Price |
|---------------|----------|-------|
| 7508-3815-049 | 38"x150' | |
| 7508-5415-049 | 54"x150' | |


FABRIC BANNER MEDIA

Roland SOFTSIGN FABRIC BANNER

RCM-SSFB is a 15-mil heavyweight banner made of 100% polyester. It has an Oxford weave and features curl-resistant edges.



- 15-mil, 10 oz polyester fabric banner
- Super high quality banner with smooth print
- Can be hemmed, sewn, & grommeted
- Opaque media, not meant for backlit-signage



| Part Number | Size | Price |
|-----------------|----------|-------|
| RCM-SSFB-75-20 | 20"x75' | |
| RCM-SSFB-150-30 | 30"x150' | |
| RCM-SSFB-150-54 | 54"x150' | |



FLAG FABRIC BANNER MEDIA

- 3oz polyester flag fabric media
- Removable paper liner for smooth printing
- Intended for banners & flags for short-term indoor and outdoor use



| Part Number | Size | Price |
|----------------|----------|-------|
| SOL/FLAGFAB/54 | 54"x100' | |

MESH BANNER MEDIA

Lumina™

LUMINA 7522 SCRIM BANNER

- 9 oz mesh PVC banner
- Mesh - 75% surface, 25% air flow
- 1000x1000 Denier
- Matte white
- Tear, curl and fire resistant (NFPA 701, B1, M2)



| Part Number | Size | Price |
|---------------|----------|-------|
| 7522-5412-509 | 54"x120' | |
| 7522-5415-509 | 54"x150' | |



Roland

ESM-RPBF ROLYPOLY FILM

RolyPoly is a premium quality, 10-mil polyester film with a white backer that's ideal for a variety of applications. This film images beautifully and will not curl or tear making it an excellent option for roll-up banners. Highly scratch- and water-resistant, Roly-

Poly is intended for both indoor and outdoor use.

- 10 mil tear resistant, polypropylene display film
- Gloss level Semibrillante
- Scratch resistant coating
- Ideal for high quality, photo realistic POS & signage

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-RPBF-100-20 | 20"x100' | |
| ESM-RPBF-100-30 | 30"x100' | |
| ESM-RPBF-100-36 | 36"x100' | |
| ESM-RPBF-100-54 | 54"x100' | |



NEKOOSA

SYNAPS OM

SYNAPS OM is a high grade opaque synthetic polyester film with a double sided matte white finish - PVC free.

- Rigid and lays flat
- Writable with pencil, ball point pen or marker

• Limitless applications including retractable banner graphics, tradeshow panels, hole punched tags, door hangers, and pop displays

- Available in 5, 8, 10 and 14 mil wide format rolls

| Part Number | Size | Price |
|----------------|----------|-------|
| 8 MIL | | |
| SYNAPS-836100 | 36"x100' | |
| SYNAPS-854100 | 54"x100' | |
| 10 MIL | | |
| SYNAPS-1036100 | 36"x100' | |
| SYNAPS-1054100 | 54"x100' | |



SIHL



POLYSOL FILMS

3515 PolySOL™ Roll-up is a polyester display film with a "low glare," satin finish and an instant dry, water resistant coating. The durable, 7 mil construction is intended to be used unlaminated to create a retractable banner. It can also be overlaminated with both pressure sensitive and hot laminates to create a durable trade show panel engineered to withstand repeated rolling in portable display units without cupping, warping or scratching.

- 7 mil or 12 mil white display film
- Satin finish
- Blockout layer
- Low glare finish with instant dry, water resistant coating

| Part Number | Size | Price |
|---------------|---------|-------|
| 7 MIL | | |
| 351536066 | 36"x66' | |
| 35154266 | 42"x66' | |
| 35155466 | 54"x66' | |
| 12 MIL | | |
| 35163666 | 36"x66' | |
| 35165466 | 54"x66' | |

Allow solvent prints to dry and outgas thoroughly before handling. For extra protection against fingerprints and scuff marks, wear gloves when handling printed media during the first 12 hours. We do not recommend using the take-up reel with these products.



TRADESHOW & DISPLAY FILMS

SOLVENT
DIGITAL MEDIA



DURASOL PVC DISPLAY FILM

The DURASOL construction features tear resistant PVC intended to be used un laminated to create a durable roll-up panel engineered to withstand repeated rolling in portable display units without cupping, warping or scratching.

- 12 mil or 17 mil white rigid display film
- Satin finish
- Low glare finish with instant dry, scratch resistant coating

| Part Number | Size | Price |
|---------------|----------|-------|
| 12 MIL | | |
| 360836100 | 36X100' | |
| 360842100 | 42"x100' | |
| 360854100 | 54"x100' | |
| 17 MIL | | |
| 350836066 | 36"x66' | |
| 350854066 | 54"x66' | |



3629 LOW GLARE FILM

The 3629 series is a tear resistant, smooth polypropylene display film with a "low glare" satin finish, water resistant, scratch resistant coating. The SyntiSOL™ family of products lay extremely flat, both on the printer and in final application

- 7 mil tear resistant, smooth polypropylene display film
- Water resistant low glare satin finish
- Scratch resistant coating
- Ideal for outdoor promotions, outdoor construction signs
- Works well for high quality, photo realistic signage


| Part Number | Size | Price |
|-------------|----------|-------|
| 362936100 | 36"x100' | |
| 362954100 | 54"x100' | |

GTS FILMS AND SHEETS



Roland DGA's new Graphic Transfer System (GTS) makes it quick and easy to apply stunning pre-printed UV ink graphics to irregularly shaped objects that are difficult or impossible to print on directly, or not suitable for decals.

- Print graphics on GTS Print Sheets with any VersaUV LEF2 Series benchtop flatbed UV printer.
- NOTE: Only works with Roland UV V-BOND Inks.**
- Produce vibrant, detailed transfer graphics with unique special effects that adhere well to a wide range of materials.



| Part Number | Size | Price |
|------------------------------|-----------------|-------|
| GTS PRINT SHEETS | | |
| GTS-PS25-A3 | 12"X17" (25PK) | |
| GTS-PS100-A3 | 12"X17" (100PK) | |
| GTS TRANSFER FILM | | |
| GTS-TFLM-82-12 | 12"X82' | |
| GTS-TFLM-164-12 | 12"X164' | |
| GTS TRANSFER FILM KIT | | |
| GTS-PSTFLM-SM-K | Small Kit * | |
| GTS-PSTFLM-LG-K | Large Kit ** | |

* Kit includes Print Sheet - A3 (11.7" x 16.5")/25 sheets per pack and Transfer Film - 12" x 82'

** Kit includes Print Sheet - A3 (11.7" x 16.5")/100 sheets per pack and Transfer Film - 12" x 164'



ESM-SGP3 - GLOSS PHOTO PAPER

A heavy weight paper, with an advanced inkjet receptive coating that is perfect for high-resolution full-color printing with excellent opacity and white point characteristics.

- 8 mil heavy weight glossy paper
- Advanced inkjet solvent receptive coating
- Perfect for high-resolution full-color printing with excellent opacity and white point characteristics

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-SGP3-50-20 | 20"x50' | |
| ESM-SGP3-100-30 | 30"x100' | |
| ESM-SGP3-100-54 | 54"x100' | |
| ESM-SGP3-100-63 | 63"x100' | |



3699 TRISOLV GLOSS PHOTOART PAPER

3699 Series is a smooth, glossy photo paper that delivers maximum image performance, black density, and color vibrancy on both solvent and latex printers.

- 9 mil, smooth, glossy photo paper that delivers maximum image performance
- Outdoor durable wet strength paper
- Water resistant surface

| Part Number | Size | Price |
|-------------|----------|-------|
| 369936150 | 36"x150' | |
| 369954150 | 54"x150' | |



3686 SEMI-GLOSS PAPER

A premium weight, bright white, wet strength paper that features outdoor durability and excellent scratch resistance

- 8 mil semi-gloss paper
- Great outdoor durability and excellent scratch resistance

| Part Number | Size | Price |
|-------------|----------|-------|
| 368630165 | 30"x165' | |
| 368642165 | 42"x165' | |
| 368654165 | 54"x165' | |
| 368660165 | 60"x165' | |
| 368663165 | 63"x165' | |



SCM-GPP2 - GLOSS PHOTO PAPER

A premium quality, specially treated photobase paper. This media is a heavy-weight, super smooth, high gloss paper that yields vivid color reproductions, excellent color contrasts and exceptional image clarity

- 10.5 mil solvent high gloss paper
- Ideal for photographic images, as well as any graphics printed with metallic inks.

| Part Number | Size | Price |
|-----------------|----------|-------|
| SCM-GPP2-100-20 | 20"x100' | |
| SCM-GPP2-100-30 | 30"x100' | |
| SCM-GPP2-100-54 | 54"x100' | |

POSTER & PHOTO PAPERS

SOLVENT
DIGITAL MEDIA



3689 SATIN PAPER

- Economical 6 mil, bright white, satin wet strength paper that features outdoor durability and excellent scratch resistance
- Water & scratch resistant coating
- Folds in any direction without cracking

| Part Number | Size | Price |
|-------------|----------|-------|
| 368930200 | 30"x200' | |
| 368942200 | 42"x200' | |
| 368954200 | 54"x200' | |
| 368963200 | 63"x200' | |



3357 MATTE PAPER

- 7 mil, super smooth, high performance, matte photo paper designed for premium quality on solvent printers

| Part Number | Size | Price |
|-------------|----------|-------|
| 335730150 | 30"x150' | |
| 335736150 | 36"x150' | |
| 335754150 | 54"x150' | |
| 335760150 | 60"x150' | |



ESM-PMP5 MATTE PAPER



Intended for high-resolution, full color printing and features excellent opacity and white point characteristics

- 8 mil solvent matte "Paparazzi" paper
- Excellent choice for a variety of applications

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-PMP5-100-30 | 30"x100' | |
| ESM-PMP5-100-54 | 54"x100' | |



ESM-SGPA - GLOSS ADHESIVE PAPER

A productive and cost-effective solution for mounted graphics, it also achieves excellent results for print and cut graphics applications



- 135 gsm solvent glossy paper
- Permanent water-based acrylic adhesive
- Advanced inkjet solvent receptive coating

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-SGPA-50-20 | 20"x50' | |
| ESM-SGPA-100-30 | 30"x100' | |
| ESM-SGPA-100-54 | 54"x100' | |



3683 GLOSS ADHESIVE PAPER

The media features a blueback to block show-through of mounting surfaces or materials

- 9 mil wet strength paper
- Permanent acrylic adhesive
- Outdoor durability & excellent scratch resistance

| Part Number | Size | Price |
|-------------|----------|-------|
| 368354164 | 54"x164' | |



3670 PEARL FINISH ADHESIVE PAPER

This media features a permanent adhesive to allow for easier application to a variety of mounting surfaces

- Instant dry photo paper with a "pearl" finish
- A pressure sensitive adhesive
- Can fold without edge cracking

| Part Number | Size | Price |
|-------------|----------|-------|
| 367036100 | 36"x100' | |
| 367042100 | 42"x100' | |
| 367050100 | 50"x100' | |



3145 PHOTO BOARD

- 12 mil, semi-rigid photo board that delivers premium photo quality on solvent inkjet printers



| Part Number | Size | Price |
|-------------|----------|-------|
| 314554100 | 54"x100' | |



Roland

ESM-WSC/CSC - WHITE/CLEAR STATIC CLING

- 7 mil white or clear static cling
- Specifically formulated for eco-solvent ink printing
- Requires no adhesive, applies quickly to glass and most smooth polished surfaces & is easily removed

| Part Number | Size | Price |
|---------------|-----------|-------|
| WHITE | | |
| ESM-WSC-50-20 | 20" x 50' | |
| ESM-WSC-75-30 | 30" x 75' | |
| ESM-WSC-75-54 | 54" x 75' | |
| CLEAR | | |
| ESM-CSC-50-20 | 20" x 50' | |
| ESM-CSC-75-30 | 30" x 75' | |
| ESM-CSC-75-54 | 54" x 75' | |

GENERAL FORMULATIONS

207/208 WHITE/CLEAR CLING

- 7 mil white or clear static cling
- Designed for repositionable window decals, temporary product markings
- For temporary applications to exterior glass, up to 3 months

| Part Number | Size | Price |
|------------------|------------|-------|
| 207-CLEAR | | |
| 207-27 | 27" X 75' | |
| 207-54 | 54" X 75' | |
| 207-5415 | 54" X 150' | |
| 208-WHITE | | |
| 208-27 | 27" X 75' | |
| 208-54 | 54" X 75' | |
| 208-5415 | 54" X 150' | |

NEKOOSA

WHITE/CLEAR HI-STAT STATIC CLING

- 8 mil white or clear static cling
- Repositionable
- Suitable for indoor and outdoor use (<3 months outdoors)
- Effortless removal without leaving a trace of residue behind
- No solvents needed for application or removal
- Can be wet applied

| Part Number | Size | Price |
|--------------|------------|-------|
| WHITE | | |
| WSC5450 | 54" X 150' | |
| WSC6050 | 60" X 150' | |
| CLEAR | | |
| CSC5450 | 54" X 150' | |
| CSC6050 | 60" X 150' | |

HOW DO I KNOW IF MY SURFACE IS PREPARED PROPERLY BEFORE A STATIC CLING INSTALLATION?



The surface must be clean, smooth, and as close to room temperature as possible.

Cold surfaces reduce the cling of the vinyl. Use a roller or wet-edged squeegee to apply the decal onto the substrate.

EXTERIOR WALL GRAPHIC VINYL

SOLVENT
DIGITAL MEDIA



ARLON



DPF 6700 - CAST EXTERIOR WALL WRAP VINYL

DPF 6700 is a highly conformable film for interior and exterior wall wraps. Apply with heat to provide your graphic with a paint like finish

- 2 Mil white cast vinyl
- Permanent clear aggressive adhesive
- Wall Murals, Hard-to-Stick Surfaces, Unpainted Brick, Concrete & Stucco Walls

| Part Number | Size | Price |
|---------------|----------|-------|
| 4670-3015-002 | 30"x150' | |
| 4670-4815-002 | 48"x150' | |
| 4670-5415-002 | 54"x150' | |
| 4670-6015-002 | 60"x150' | |



ARLON



DPF 8200X - HIGH TACK VINYL

With the combination of a unique low-shrink, high tack adhesive system and bubble releasing X-Scape Technology®, DPF 8200X High Tack will adhere especially well to smooth surfaces along with slightly textured wall substrates such as brick, tile, and concrete. Graphic application is now easier and more efficient minimizing the potential for bubbles during installation.

- 3.5 Mil satin white vinyl
- 7 Year unprinted durability
- Low Profile X-scape Technology for easy bubble-free installations
- Low shrink adhesive system
- Strong adhesion for demanding applications

| Part Number | Size | Price |
|--------------|----------|-------|
| 04L825415002 | 54"x150' | |
| 04L826015002 | 60"x150' | |



ARLON



DPF 8200 - HIGH TACK VINYL


- 3.5 Mil satin white vinyl
- 7 Year unprinted durability
- High Tack permanent clear PSA
- Great solution for hard to stick surfaces
- Enhanced dimensional stability will not "gum" up printers

| Part Number | Size | Price |
|---------------|----------|-------|
| 4082-3015-002 | 30"x150' | |
| 4082-4915-002 | 49"x150' | |
| 4082-5415-002 | 54"x150' | |
| 4082-6015-002 | 60"x150' | |



**SOLVENT
DIGITAL MEDIA**

EXTERIOR WALL GRAPHIC VINYL



CONCEPT 285 ROUGHMARK

- 3.5 mil matte high tack wall vinyl
- Thick HTR adhesive aggressively bonds yet provide clean removability for 6 months from most surfaces
- Designed for moderately textured surfaces, this high opacity film conforms with heat to Brick, Cement, & Cinder Block Walls
- Safe for all spaces with its E84 Class A Fire rating and compliance with REACH, RoHS and Prop 65

| Part Number | Size | Price |
|-------------|----------|-------|
| 285-54 | 54"x150' | |
| 285-60 | 60"x150' | |

CONCEPT 287 ROUGHMARK

- 3 mil clear high tack wall vinyl
- Thick HTR adhesive aggressively bonds yet provides clean removability for 6 months from most surfaces
- Matte Clear film provides a painted-on look
- Designed for moderately textured surfaces, this high opacity film conforms with heat to Brick, Cement, & Cinder Block Walls
- Safe for all spaces with its E84 Class A Fire rating and compliance with REACH, RoHS and Prop 65

| Part Number | Size | Price |
|-------------|----------|-------|
| 287-54 | 54"x150' | |
| 287-60 | 60"x150' | |

Can I use GF 285 & 287 on other surfaces?

GF 285 & 287 RoughMark™ can be used in applications where a conformable removable vinyl is desired. These films conform well with controlled heat and features clean removability from a variety of moderately textured substrates including brick, block, and concrete surfaces (vertical application only).





NEKOOSA

Nekoosa's Wall Graphics® product portfolio is a comprehensive offering of repositionable, removable vinyl films for a wide range of indoor and outdoor wall applications.

- High opacity films with an excellent white point
- Stable 90# layflat polycoated paper liner for ease of printing and installation
- ASTM Class 1 or A rating
- Made in the U.S.A.
- Wall decals & décor
- Point-of-purchase wall signage
- Wayward signage
- Posters

NEKOOSA

WALL GRAPHICS MATTE WHITE MICROSPHERE REMOVABLE

Suitable for short term indoor and outdoor applications, and will remove cleanly within 1 year from smooth, flat painted walls, wall paper, wood paneling and others.

- Matte white finish
- Microsphere removable adhesive
- Available in 4 mil and 6 mil

4 mil

| Part Number | Size | Price |
|-------------|------------|-------|
| SPMWGW5450 | 54" X 150' | |
| SPMWGW6050 | 60" X 150' | |

6 mil

| Part Number | Size | Price |
|-------------|------------|-------|
| SPMWG65450 | 54" X 150' | |
| SPMWG66050 | 60" X 150' | |

NEKOOSA

WALL GRAPHICS MATTE WHITE HIGH-PEEL REMOVABLE

Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces)

- Matte white finish
- High-peel adhesive properties allow for a broader range of application surfaces - painted plywood, textured walls and low-to-no VOC paints
- Available in 6 mil



| Part Number | Size | Price |
|-------------|------------|-------|
| SPM600FW | 54" X 150' | |

NEKOOSA

AUGUSTA WALL GRAPHICS 6 MIL EMBOSSED MATTE WHITE MICROSPHERE REMOVABLE

- 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner
- Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass
- **Not** suitable for overlaminates

| Part Number | Size | Price |
|-------------|------------|-------|
| SPMAUG5450 | 54" X 150' | |





ARLON



DPF 4200 - MATTE WALL VINYL

DPF 4200 is an interior rigid wall film with a strong tack. The registration of panels is easy and the bond formed in hard-to-reach areas will give you confidence in your wall application

- 6 mil matte white rigid wall wrap
- Strong ultimate tack level

| Part Number | Size | Price |
|---------------|----------|-------|
| 4042-5407-222 | 54"x75' | |
| 4042-5415-222 | 54"x150' | |
| 4042-6007-222 | 60"x75' | |



ESM-WFRV REMOVABLE MATTE WALL VINYL

WallFlair Removable Vinyl is a premium-quality, 6-mil matte calendered vinyl with a special, removable acrylic adhesive that's ideal for interior graphics applications. The material adheres to flat, painted wall surfaces and most types of wallpaper and wood panels. With its clear, ultra-removable adhesive, WallFlair can be taken down easily without leaving a messy residue.

- 6 mil matte white calendered vinyl
- Removable repositionable adhesive
- Designed for wall coverings & murals
- Print/Cut to bleed is not recommended

| Part Number | Size | Price |
|-----------------|----------|-------|
| ESM-WFRV-50-20 | 20"x50' | |
| ESM-WFRV-100-30 | 30"x100' | |
| ESM-WFRV-100-54 | 54"x100' | |



3529 ADHESIVE SATIN WALL FILM


3529 series is a tear resistant, smooth polypropylene display film with a "low glare" satin, water resistant, scratch resistant coating and a proprietary low tack self-adhesive.

- 13 mil polypropylene film
- Low tack removable adhesive
- Generous print/cut bleed is recommended
- Great alternative to vinyl for interior wall graphics

| Part Number | Size | Price |
|-------------|----------|-------|
| 352936100 | 36"x100' | |
| 352942100 | 42"x100' | |
| 352950100 | 50"x100' | |

INTERIOR WALL GRAPHIC VINYL

SOLVENT
DIGITAL MEDIA



CONCEPT 229 WALLMARK EMBOSSED CANVAS VINYL

This product has a specially formulated microsphere acrylic pressure sensitive adhesive designed for ease of removal and repositioning. The combination of vinyl and adhesive is designed for use on smooth wall surfaces.

- 6 mil embossed canvas wall vinyl
- Removable wall adhesive
- ASTM E84 Class 1 or A Rating
- Designed for temporary application of decals and graphics to most types of painted interior walls

| Part Number | Size | Price |
|-------------|----------|-------|
| 229-54 | 54"x100' | |
| 229-60 | 60"x100' | |



CONCEPT 234 GRAPHITEX WALL FABRIC

A premium matte white coated polyester fabric with an acrylic removable pressure sensitive adhesive. The combination of fabric and adhesive allows removability of this product from normal wall surfaces.

- 7 mil matte white woven fabric
- Removable wall adhesive
- Designed for temporary application of decals and graphics to most types of painted interior walls

| Part Number | Size | Price |
|-------------|----------|-------|
| 234-54 | 54"x100' | |
| 234-60 | 60"x100' | |



CONCEPT 229HTR WALLMARK CANVAS VINYL

A unique and innovative pressure sensitive adhesive that is specially formulated to be both high-tack and removable (HTR). The combination of vinyl and adhesive is designed to stick aggressively to most surfaces, but is specially formulated to remove cleanly for up to a year

- 6.0 mil matte white semi-rigid vinyl
- Removable wall adhesive
- ASTM E84 Class 1 or A Rating

| Part Number | Size | Price |
|-------------|----------|-------|
| 229HTR-54 | 54"x100' | |



CONCEPT 226 WALLMARK MATTE VINYL

A white semi rigid calendared vinyl film with specially formulated microsphere removable acrylic adhesive. The combination of vinyl and adhesive allows for ease of repositioning the graphic during installation and superior removability of this product from normal wall surfaces.

- 6 mil matte rigid wall vinyl
- Microsphere acrylic removable adhesive


| Part Number | Size | Price |
|-------------|----------|-------|
| 226-54 | 54"x100' | |
| 226-60 | 60"x100' | |



DreamScape. TEXTURED WALL MEDIA

The original, premier wallcovering and mural media, featuring 15 unique textured surface, an optimized white point for superior inkjet imaging. The best option when critical wall installs or long term decoration is needed.

- 20 oz high performance strippable commercial grade Type II wallcovering media
- Meets all CCCW 408D Mildew and Fungal Resistance for wallcovering media based on ASTM G21 testing mounting and commercially available adhesives
- Available patterns Criss Cross, Canvas, Cabretta, Artist Canvas, Silk, Suede, Mystical, Pueblo, Plaster, Pique, Beads, Sandblast
- P/N DS+Media Finish



| Part Number | Size | Price |
|-------------|----------|-------|
| DS+Finish | 54"x75' | |
| DS+Finish | 54"x150' | |
| DS+Finish | 54"x300' | |

DreamScape. ADHESIVE & PRIMER

- DreamGUARD Protex 3 is a water based clear liquid laminate that will create the ultimate in abrasion and scuff resistance.
- Formulated especially for DreamScape wallcovering products but can be applied to any vinyl surface.
- Available in satin, gloss, and matte finishes
- P/N DSPROTEX3 + FINISH

| Part Number | Size | Price |
|------------------|-----------|-------|
| DSPROTEX3+Finish | Pint | |
| DSPROTEX3+Finish | Gallon | |
| DSPROTEX3+Finish | 5 Gallon | |
| DSPROTEX3+Finish | 55 Gallon | |

PRINTABLE MAGNET



Magnum Magnetics

DIGIMAXX® SUPER WIDE PRINTABLE MAGNET

- 20 mil matte finish printable magnet material
- Designed for super-wide applications (40"+)
- Runs smoothly on UV flatbed and other wide format printers (testing advised)
- Superb ink adhesion and image quality
- Can be cut, perforated or die-cut
- Suitable for both indoor and outdoor use

| Part Number | Size | Price |
|-------------|---------|-------|
| 48MW2025 | 48"x25' | |
| 48MW2050 | 48"x50' | |

Remove the magnet at regular intervals to guard against moisture and dirt buildup between the magnet and the metal surface (particularly on outdoor applications). Clean both the magnet and metal surface with mild detergent; wipe with a soft cloth or allow to air-dry. **(For vehicle-mounted signs, remove and clean DAILY.)**



FLOOR GRAPHICS

SOLVENT
DIGITAL MEDIA



NEKOOSA TRIFECTA

Trifecta® by Nekoosa can be applied in just one simple step without the need for overlaminates. With a universally removable adhesive that leaves no mess or residue behind, Trifecta® is a multipurpose pressure-sensitive vinyl that is versatile, easy to use, and designed for a variety of surface applications.



- 6 mil semi-rigid matte white textured facestock rated for up to 5 years of outdoor use
- High opacity film with an excellent white point
- Universal removable adhesive that will cleanly remove from indoor and outdoor application surfaces for up to 6 months
- Stable 90# layflat polycoated paper liner for ease of printing and installation
- UL 410 slip resistance certified
- ASTM E84 Class 1 or A rating

| Part Number | Size | Price |
|-------------|----------|-------|
| TRIFECTA54 | 54"x100' | |



SIHL

3235 SPEEDY VINYL - NO SLIP FLOOR GRAPHIC

- Slip Proof (Conforms to UL 410 and ANSI standards)
- Scrim reinforcement for additional stability
- Use with smooth surfaces / Easy to install
- Indoor or Outdoor short term use (Approx. 1 month outdoor / 3 months indoor)
- No lamination needed
- Scrim / Nylon reinforced

| Part Number | Size | Price |
|-------------|---------|-------|
| 323554082 | 54"x82' | |

GENERAL FORMULATIONS

210 TRAFFIC GRAFFIC VINYL

- 3.4 mil matte white calendered
- High performance removable adhesive
- Temporary floor signs, decals, and point of purchase advertising on tile floors
- Removability Up to 6 months from most common commercial floors
- Pair with GFI laminates 109, 211, 213

| Part Number | Size | Price |
|-------------|----------|-------|
| 210-54 | 54"x150' | |

GENERAL FORMULATIONS

212 TRAFFIC GRAFFIC VINYL

- 3.4 mil matte white calendered
- High performance removable adhesive
- Temporary floor signs, decals, and point of purchase advertising on commercial carpets
- Removability Up to 6 months from most common commercial floors
- Pair with GFI laminates 109, 211, 213

| Part Number | Size | Price |
|-------------|----------|-------|
| 212-54 | 54"x150' | |



CONTINENTAL
GRAFIX

FoilWalk

A highly textured, printable, adhesive-backed, coated aluminum designed for short- to medium term exterior applications.

Non-slip ratings in both wet and dry environments allow you to safely create high visual impact graphics in a wide variety of exterior environments from pool decks to parade routes – no lamination required. Highly conformable – no need for a heat gun during application for a painted-on appearance.

- Retail entrances, stairways
- Temporary road markings
- Sporting events, marathons, auto racing events
- Printable 8.6mil highly textured coated, soft aluminum polyurethane
- Permanent solvent acrylic adhesive
- Exterior durability - 3-6 months dependent upon mechanical use of applied surface.
- FR certification ASTM E84, M1, F2, SF3
- Slip resistance ANSI A137.1/A326.3, R10

| Part Number | Size | Price |
|-------------|---------|-------|
| FW4850 | 48"x50' | |



CONTINENTAL
GRAFIX

FoilScope

A smooth, printable, adhesive-backed, coated aluminum designed for short- to medium-term exterior applications.

- Exterior feature walls
- Temporary building signage
- Printable 3mil coated, soft aluminum polyurethane
- Permanent solvent acrylic adhesive
- Exterior durability - Up to 2 years vertical exposure under normal conditions

| Part Number | Size | Price |
|-------------|----------|-------|
| FS48100 | 48"x100' | |

When the wall surface is a new construction or a fresh repaint, curing (outgassing) of the paint is critical for a successful wall graphic application. With new drywall and primer, two coats of a semigloss or satin finish paint is recommended. Follow the paint manufacturers' recommendation on minimum cure time of the paint as to when it can be washed as a guideline for wall graphic application. If no recommendation is given, a minimum of two weeks cure is recommended before wall graphic application. Please reference the directions on the product container for cleaning the surface. If there are not specific instructions to this affect, we recommend allowing a minimum of four weeks cure before wall graphic application. This same procedure should be followed when a fresh repaint is encountered.





CONTINENTAL GRAFIX

NatureWalk


Recyclable polyester textile backed with repositionable, removable adhesive.

Dimensionally stable and tear resistant, NatureWalk is an ideal environmental choice for a wide variety of applications.

The naturally non-skid face film is a great one-step solution for floor graphics or any project where a textured finish is desired.

- Wall & door murals
- Floor graphics
- Museum exhibits
- Leaves No or Almost No Adhesive Residue
- Polyester Film Is Recyclable Where Allowed
- Easy To Apply and Remove
- Print and Go - No Lamination Needed!
- Printable 7.5mil white polyester fabric, matte finish
- Removable grey solvent acrylic adhesive
- FR certification ASTM E84, M1, B1
- Slip resistance ANSI A137.1/A326.3, R10

| Part Number | Size | Price |
|-------------|----------|-------|
| NWALK54100 | 54"x100' | |



CONTINENTAL GRAFIX

WALK&WALL

A textured, non-slip vinyl with repositionable adhesive for interior and exterior floor and wall graphics.

NO lamination needed - just print and apply!

Fabric backing provides dimensional stability and strength.

- Tradeshows (Concrete, carpet & wall graphics)
- Floor & wall graphics
- Sidewalk graphics
- Interior & exterior directional floor & wall graphics
- Inherent textured surface means NO lamination
- Repositionable for easy install
- Removes cleanly up to 6 months without residue
- Printable 12mil white textured PVC
- Repositionable solvent acrylic adhesive
- Interior durability - up to 3 years vertical surfaces
- Interior durability - up to 3 months flooring, dependant on traffic
- Exterior durability - up to 1 year vertical application
- Exterior durability - up to 3 months flooring, dependant on traffic
- FR certification ASTM E84, M1, B1
- Slip resistance ANSI A137.1/A326.3, 67212F, R12

| Part Number | Size | Price |
|-------------|----------|-------|
| WW4882 | 48"x82' | |
| WW48164 | 48"x164' | |



SOLVENT DIGITAL MEDIA



Roland

SOLVENT CANVAS

Roland 22 mil canvas media. It is composed of a uniform 65% polyester/35% cotton Oxford weave blend that can be stretched without cracking. The canvases are natural white in color and have an improved white point, thus yielding excellent image definition - richer dark tones and more vivid brightness.



- Fine Art/Photographic
- Home Decor
- POP Displays
- Tradeshow Graphics
- Window Coverings
- Wall Coverings/Murals

GLOSS FINISH

| Part Number | Size | Price |
|----------------|---------|-------|
| ESM-SGC2-99-30 | 30"x99' | |
| ESM-SGC2-99-54 | 54"x99' | |

SATIN FINISH

| Part Number | Size | Price |
|----------------|---------|-------|
| ESM-SSC2-45-20 | 20"x45' | |
| ESM-SSC2-99-20 | 20"x99' | |
| ESM-SSC2-99-30 | 30"x99' | |
| ESM-SSC2-99-54 | 54"x99' | |

FINE ART CANVAS



SIHL

3609 SATIN CANVAS

Premium 17 mil, satin, bright white ink-jet coated canvas designed to produce solid blacks, vivid colors and smooth gradients.

- 65/35 Polyester/Cotton Blend
- Waterfast
- No edge cracking

| Part Number | Size | Price |
|-------------|---------|-------|
| 360936050 | 36"x50' | |
| 360954050 | 54"x50' | |
| 360960050 | 60"x50' | |

Magic by DIETZGEN

GFCVM MATTE CANVAS

15 mil acid free, matte finish, polyester/cotton blend, artist stretch inkjet canvas with a special coating, which produces superior color gamut and resolution. Designed for high volume production and stretching applications such as photos/portraits, fine art reproductions, photo displays, maps and banners.

| Part Number | Size | Price |
|-------------|---------|-------|
| 66016 | 30"x40' | |
| 66027 | 36"x75' | |
| 66028 | 50"x75' | |
| 66029 | 54"x75' | |
| 66030 | 60"x75' | |

BN SERIES INKJET MEDIA

**SOLVENT
DIGITAL MEDIA**



| Part Number | Description | Roll Size | Price |
|---------------|--|--|---|
| Roland | ADHESIVE VINYL ESM-CCVP-50-20 ESM-GCVP-50-20 ESM-MCVP-50-20 | Clear Cal Vinyl, Perm Adhesive Gloss Cal Vinyl, Perm Adhesive Matte Cal Vinyl, Perm Adhesive | 20in x 50ft 20in x 50ft 20in x 50ft |
| | CANVAS MEDIA ESM-SSC2-45-20 | Solvent Satin Canvas | 20in x 45ft |
| | FABRIC BANNER RCM-SSFB-75-20 | SoftSign Fabric Banner | 20in x 50ft |
| | HEAT TRANSFER MEDIA ESM-HTM3-75-20 ESM-HTMS-75-20 ESM-HTMP-75-20 | Gloss Heat Transfer Material Semi-Gloss Heat Transfer Material Matte Heat Transfer Material | 20in x 75ft 20in x 75ft 20in x 75ft |
| | PAPER MEDIA ESM-SGPA-50-20 ESM-SGP3-50-20 | Solvent Glossy Paper w/Adhesive Solvent Glossy Paper, 200 gsm | 20in x 50ft 20in x 50ft |
| | SPECIALTY VINYL ESM-HOLO-75-15 ESM-ETCH-75-20 | Holographic Prism Film w/Adhesive Frosted Etched Glass w/Air-release liner | 15in x 75ft 20in x 75ft |
| | STATIC CLING ESM-CSC-50-20 ESM-WSC-50-20 | Clear Static Cling White Static Cling | 20in x 50ft 20in x 50ft |
| | WALL VINYL ESM-WFRV-50-20 | WallFlair Removable Vinyl | 20in x 50ft |
| | DIRECT TO FILM MEDIA S-F164 <i>(BN-20D USE ONLY)</i> | Direct Transfer System Film | 20in x 164ft |



| Part Number | Description | Roll Size | Price | |
|---------------|---|--|--|----------------------------|
| ORAJET | ADHESIVE VINYL MATTE 3165M-20-010 3258M-20-010 3640M-20-010 3651M-20-000 | 3165 Matte Cal Vinyl 3258 Matte Cal Semi-Rigid Vinyl 3640 Matte White, Cal Vinyl 3651 Matte Transparent Cal Vinyl | 20in x 30ft 20in x 30ft 20in x 30ft 20in x 30ft | |
| | ADHESIVE VINYL GLOSS 3165G-20-010 3258G-20-010 3640G-20-010 3651G-20-000 3651G-20-010 3651M-20-010 | 3165 Gloss Cal Vinyl 3258 Gloss Cal Semi-Rigid Vinyl 3640 Gloss White, Cal Vinyl 3651 Gloss Transparent Cal Vinyl 3651 Gloss White Cal Vinyl 3651 Gloss White Cal Vinyl | 20in x 30ft 20in x 30ft 20in x 30ft 20in x 30ft 20in x 30ft 20in x 30ft | |
| | ADHESIVE VINYL CLEAR 3640G-20-000 3640M-20-000 | 3640 Transparent Gloss, Cal Vinyl 3640 Transparent Matte, Cal Vinyl | 20in x 30ft 20in x 30ft | |
| | ORAGUARD | LAMINATE 210G-20FW 210M-20FW | 210 Gloss Cal Overlamine 210 Matte Cal Overlamine | 20in x 30ft 20in x 30ft |



SIHL **TRUCOLOR MATTE PAPER**

The instant dry, matte finish provides "plug and play" printing when selecting standard "Coated paper" or "Heavyweight coated paper" mode on most printers.



- Bright white matte paper
- Available in 7 mil and 9 mil thickness
- Best in class high color density paper, ideal for posters



| Part Number | Size | Price |
|-------------|----------|-------|
| 7MIL | | |
| 333324100 | 24"x100' | |
| 333336100 | 36"x100' | |
| 333342100 | 42"x100' | |
| 333350100 | 50"x100' | |
| 333360100 | 60"x100' | |
| 9MIL | | |
| 333524100 | 24"x100' | |
| 333536100 | 36"x100' | |
| 333542100 | 42"x100' | |
| 333550100 | 50"x100' | |
| 333560100 | 60"x100' | |

SIHL **3257 MATTE PAPER**

- 7.5 mil, bright white, cockle-free, paper.
- Economical alternative to photopaper



| Part Number | Size | Price |
|-------------|----------|-------|
| 325736100 | 36"x100' | |
| 325742100 | 42"x100' | |

SIHL **MARANELLO GLOSS PAPER**

An instant dry, glossy photo paper. The 8 mil thickness is designed to maximize printing and post production work.



- 8 mil, instant dry, glossy photo paper.
- The neutral white, microporous coating means your prints will be instantly dry and water resistant

| Part Number | Size | Price |
|-------------|----------|-------|
| 399924100 | 24"x100' | |
| 399936100 | 36"x100' | |
| 399942100 | 42"x100' | |
| 399950100 | 50"x100' | |
| 399960100 | 60"x100' | |

SIHL **SUPERSORB SATIN PAPER**

A premium, instant dry, satin photo paper designed to maximize printing and post production work.



- 9 mil premium, instant dry, satin photo paper.
- The thickness is designed to maximize printing and post production work

| Part Number | Size | Price |
|-------------|----------|-------|
| 394424100 | 24"x100' | |
| 394436100 | 36"x100' | |
| 394442100 | 42"x100' | |
| 394444100 | 44"x100' | |
| 394450100 | 50"x100' | |
| 394460100 | 60"x100' | |

SIHL **MARANELLO SATIN PAPER**

An instant dry, satin photo paper designed to maximize printing and post production work. The neutral white, microporous coating means your prints will be instantly dry and water resistant.



- 8 mil instant dry, satin photo paper.
- Designed to maximize printing production work

| Part Number | Size | Price |
|-------------|----------|-------|
| 362036100 | 36"x100' | |
| 362042100 | 42"x100' | |
| 362050100 | 50"x100' | |
| 362060100 | 60"x100' | |

SIHL **IMOLA ADHESIVE PAPER**

An instant dry photo paper with a "pearl" finish and a pressure sensitive adhesive. 3670 features a proprietary, flexible design to allow for 90° folds without cracking, as well as a slow curing, permanent adhesive to allow for easier application to a variety of mounting surfaces.



- Instant dry photo paper with a "pearl" finish & a pressure sensitive adhesive

| Part Number | Size | Price |
|-------------|----------|-------|
| 367036100 | 36"x100' | |
| 367042100 | 42"x100' | |
| 367050100 | 50"x100' | |

AQUEOUS BANNER



- Magic by DIETZGEN PPM7 POLY BANNER**
- 9 mil, polypropylene indoor/outdoor banner with a matte finish.
 - Ideal for promotional banners, tradeshow graphics and POP displays

| Part Number | Size | Price |
|-------------|----------|-------|
| 64049 | 24"x60' | |
| 44836 | 36"x100' | |
| 70864 | 42"x100' | |
| 45836 | 50"x100' | |
| 49010 | 54"x100' | |
| 70857 | 54"x500' | |
| 44980 | 60"x60' | |
| 71332 | 60"x100' | |



- SIHL TEXBANNER 3275**
- TexBanner is the latest economic alternative to Tyvek®. 3275 is a bright, white, 100% synthetic non-woven universal outdoor banner material. The high quality water-fast inkjet coating and excellent opacity radiate the quality that Sihl is known for.
- Bright, white, 100% synthetic non-woven universal outdoor banner material
 - The high quality water-fast inkjet coating and excellent opacity

| Part Number | Size | Price |
|-------------|----------|-------|
| 327536125 | 36"x125' | |
| 327542125 | 42"x125' | |
| 327554125 | 54"x125' | |
| 327560125 | 60"x125' | |

AQUEOUS DIGITAL MEDIA



- SIHL SCRIM BANNER 3960 BLOCKPRO**
- A premium, opaque (Blockout), PVC banner. The embedded, tear resistant and flame retardant (B1 Certified) polyester fabric layer provides strength and durability. The ultra durable, water resistant coating provides a bright white, smooth surface for maximum print performance.
- 15 mil premium, opaque (Blockout), PVC banner.
 - Tear resistant and flame retardant (B1 Certified) polyester fabric
 - Water resistant coating provides a bright white, smooth surface for max print performance.

| Part Number | Size | Price |
|-------------|---------|-------|
| 396024040 | 24"x40' | |
| 396036040 | 36"x40' | |
| 396042040 | 42"x40' | |
| 396050040 | 50"x40' | |
| 396060040 | 60"x40' | |

AQUEOUS ADHESIVE VINYL



- SIHL CLASSIC VINYL 3988**
- 11 mil premium, outdoor, calendared vinyl for long lasting applications.
 - The bright white, inkjet coating provides universal compatibility on the most common dye and pigment ink printers

| Part Number | Size | Price |
|-------------|---------|-------|
| 398836060 | 36"x60' | |
| 398842060 | 42"x60' | |



- SIHL ADHESIVE VINYL 4378**
- 11 mil premium, instant dry, gloss self-adhesive vinyl offering unparalleled, print performance with most aqueous inkjets
 - The removable, acrylic adhesive is best used for flat surfaces such as windows & floors

| Part Number | Size | Price |
|-------------|----------|-------|
| 437850100 | 50"x100' | |

WALL FABRIC



- SIHL QUICKSTICK 3209**
- 7 mil, bright white, adhesive backed aqueous inkjet printable woven fabric that is designed to apply and remove cleanly from virtually any surface.
 - Easy and wrinkle free application combined with a repositionable adhesive makes QuickSTICK ideal for a variety of surfaces.

| Part Number | Size | Price |
|-------------|----------|-------|
| 320936100 | 36"x100' | |
| 320950100 | 50"x100' | |



AQUEOUS DIGITAL MEDIA



Magic by DIETZGEN




MAGIC TORINO17M MATTE CANVAS

- 17 mil, matte polyester/cotton blend artist stretch canvas featuring a subtle textured surface.
- Ideal for photo/portrait prints, fine art reproductions, museum art, maps and banners

| Part Number | Size | Price |
|-------------|---------|-------|
| 70935 | 17"x50' | |
| 70936 | 24"x50' | |
| 70937 | 36"x50' | |
| 70938 | 42"x50' | |
| 70939 | 44"x50' | |
| 70940 | 50"x50' | |
| 70941 | 54"x50' | |
| 70942 | 60"x50' | |

AQUEOUS CANVAS



SIHL



SIHL ARTISTIC 3857 MATTE CANVAS

- 19 mil, premium, matte canvas optimized for stretching without cracking.
- Designed to provide excellent print quality, instant dry times

| Part Number | Size | Price |
|-------------|---------|-------|
| 385724035 | 24"x35' | |
| 385736035 | 36"x35' | |
| 385742035 | 42"x35' | |
| 385744035 | 44"x35' | |
| 385750035 | 50"x35' | |
| 385754035 | 54"x35' | |



SIHL ARIANA 3365 BACKLIT



- 9 mil, matte, fast dry, front-print, polyester backlit film.
- The ultra-absorbent coating is designed for maximum image definition and line clarity

| Part Number | Size | Price |
|-------------|----------|-------|
| 336524100 | 24"x100' | |
| 336536100 | 36"x100' | |
| 336542100 | 42"x100' | |
| 336550100 | 50"x100' | |
| 336554100 | 54"x100' | |
| 336560100 | 60"x100' | |

AQUEOUS FILMS



Magic by DIETZGEN SBL-7 BACKLIT FILM



- 8 mil polyester backlit featuring a durable front print, front view film with a matte finish.
- This backlit material is suitable for indoor and outdoor light box graphics and kiosks applications such as trade shows and retail displays

| Part Number | Size | Price |
|-------------|----------|-------|
| 66629 | 36"x100' | |
| 67049 | 42"x100' | |
| 66630 | 50"x100' | |
| 66870 | 54"x100' | |
| 70853 | 54"x500' | |
| 66872 | 60"x100' | |

DYE SUBLIMATION MEDIA

AQUEOUS DIGITAL MEDIA



SMALL FORMAT SUBLIMATION PAPER

TexPrint[®] Desktop Sublimation Paper Desktop Sheets 120gsm. Desktop Sublimation Paper designed for use with RICOH Printers that handles the high speed output capabilities

| Part Number | Size | Sheets | 1-19 pks | 20-99 pks |
|-----------------|----------|----------------|----------|-----------|
| TP-R-4x9.5x110 | 4x9.5 | 110 Mug Sheets | | |
| TP-R-4x9.5x500 | 4x9.5 | 500 Mug Sheets | | |
| TP-R-8.5-11-110 | 8.5"x11" | 110 | | |
| TP-R-8.5-14-110 | 8.5"x14" | 110 | | |
| TP-R-11-17-110 | 11"x17" | 110 | | |
| TP-R-13-19-110 | 13"x19" | 110 | | |
| TP-R-A4-110 | A4 | 110 | | |
| TP-R-A3-110 | A3 | 110 | | |

TexPrint[®] Desktop Sublimation Paper Desktop Sheets or Roll 105 gsm. Recommended for Epson printers. Renders the richest colors and maintains truest tone, print to print.

| Part Number | Size | Sheets | 1-19 pks | 20-99 pks |
|-------------------------|----------|--------|----------|-----------|
| SHEETS - 105 gsm | | | | |
| TPXPS-8.5-11-110HR | 8.5"x11" | 110 | | |
| TPXPS-8.5-14-110HR | 8.5"x14" | 110 | | |
| TPXPS-11-17-110HR | 11"x17" | 110 | | |
| TPXPS-13-19-110HR | 13"x19" | 110 | | |
| TPXPS-17-22-110HR | 17"x22" | 110 | | |
| TPXPS-A4-110HR | A4 | 110 | | |
| TPXPS-A3-110HR | A3 | 110 | | |
| TPXPS-A2-110HR | A2 | 110 | | |

| Part Number | Width | Core | Length | Price |
|------------------------|-------|------|--------|-------|
| ROLLS - 105 gsm | | | | |
| TPXP-13-110-2HR | 13" | 2" | 110 ft | |
| TPXP-13-300-2HR | 13" | 2" | 300 ft | |
| TPXP-17-110-2HR | 17" | 2" | 110 ft | |
| TPXP-17-300-2HR | 17" | 2" | 300 ft | |
| TPXP-24-110-2HR | 24" | 2" | 110 ft | |
| TPXP-36-110-2HR | 36" | 2" | 110 ft | |
| TPXP-44-110-2HR | 44" | 2" | 110 ft | |

LARGE FORMAT SUBLIMATION PAPER

TexPrint[®] Desktop Sublimation Paper 58 gsm - Sublimation Paper for FASHION Textile Printing - Designed for High Speed Sublimation Printers


| Part Number | Width | Core | Length | Price |
|-------------------|-------|------|---------------|-------|
| TPMODA-24-740-3 | 24" | 3" | 740 ft - 225m | |
| TPMODA-36-740-3 | 36" | 3" | 740 ft - 225m | |
| TPMODA-42.5-740-3 | 42.5" | 3" | 740 ft - 225m | |
| TPMODA-52-740-3 | 52" | 3" | 740 ft - 225m | |
| TPMODA-61-740-3 | 61" | 3" | 740 ft - 225m | |
| TPMODA-64-740-3 | 64" | 3" | 740 ft - 225m | |
| TPMODA-72-740-3 | 72" | 3" | 741 ft - 225m | |

TexPrint[®] Desktop Sublimation Paper 72 gsm - Utility Grade Sublimation Paper for Textiles - Roll to Roll

| Part Number | Width | Core | Length | Price |
|-----------------|-------|------|---------------|-------|
| TPUT-24-460-3 | 24" | 3" | 460 ft - 140m | |
| TPUT-36-460-3 | 36" | 3" | 460 ft - 140m | |
| TPUT-42.5-460-3 | 42.5" | 3" | 460 ft - 140m | |
| TPUT-42.5-575-3 | 42.5" | 3" | 575 ft - 175m | |
| TPUT-52-575-3 | 52" | 3" | 575 ft - 175m | |
| TPUT-64-575-3 | 64" | 3" | 575 ft - 175m | |
| TPUT-72-575-3 | 72" | 3" | 575 ft - 175m | |
| TPUT-104-575-3 | 104" | 3" | 575 ft - 175m | |
| TPUT-126-1000-3 | 126" | 3" | 1000 ft/305m | |

TexPrint[®] Desktop Sublimation Paper 92 gsm - Mid-Grade Sublimation Paper for Textiles

| Part Number | Width | Core | Length | Price |
|----------------|-------|------|---------------|-------|
| TPEL-24-328-3 | 24" | 3" | 328ft - 100m | |
| TPEL-36-328-3 | 36" | 3" | 328ft - 100m | |
| TPEL-44-328-3 | 44" | 3" | 328ft - 100m | |
| TPEL-44-492-3 | 44" | 3" | 492 ft - 150m | |
| TPEL-52-492-3 | 52" | 3" | 492 ft - 150m | |
| TPEL-60-492-3 | 60" | 3" | 492 ft - 150m | |
| TPEL-64-492-3 | 64" | 3" | 492 ft - 150m | |
| TPEL-72-492-3 | 72" | 3" | 492 ft - 150m | |
| TPEL-104-492-3 | 104" | 3" | 492 ft - 150m | |
| TPEL-126-492-3 | 126" | 3" | 492 ft - 150m | |



BEAVER PAPER GROUP

TexPrint[®] Desktop Sublimation Paper 92 gsm - Supreme Tacky Paper for Apparel for flat-bed transfer machines

| Part Number | Width | Core | Length | Price |
|-----------------|-------|------|---------------|-------|
| TPSTT-24-328-3 | 24" | 3" | 328 ft - 100m | |
| TPSTT-36-328-3 | 36" | 3" | 328 ft - 100m | |
| TPSTT-44-328-3 | 44" | 3" | 328 ft - 100m | |
| TPSTT-24-492-3 | 24" | 3" | 492 ft - 150m | |
| TPSTT-36-492-3 | 36" | 3" | 492 ft - 150m | |
| TPSTT-44-492-3 | 44" | 3" | 492 ft - 150m | |
| TPSTT-54-492-3 | 54" | 3" | 492 ft - 150m | |
| TPSTT-60-492-3 | 60" | 3" | 492 ft - 150m | |
| TPSTT-64-492-3 | 64" | 3" | 492 ft - 150m | |
| TPSTT-72-492-3 | 72" | 3" | 492 ft - 150m | |
| TPSTT-75-492-3 | 75" | 3" | 492 ft - 150m | |
| TPSTT-94-492-3 | 94" | 3" | 492 ft - 150m | |
| TPSTT-126-492-3 | 126" | 3" | 492 ft - 150m | |

TexPrint[®] Desktop Sublimation Paper 100 gsm - Tacky Paper for Apparel - Designed for flat-bed /clam-shell transfer machines

| Part Number | Width | Core | Length | Price |
|----------------|-------|------|--------|-------|
| TPTKY-24-275-3 | 24" | 3" | 275 ft | |
| TPTKY-36-275-3 | 36" | 3" | 275 ft | |
| TPTKY-44-275-3 | 44" | 3" | 275 ft | |
| TPTKY-24-393-3 | 24" | 3" | 393 ft | |
| TPTKY-36-393-3 | 36" | 3" | 393 ft | |
| TPTKY-44-393-3 | 44" | 3" | 393 ft | |
| TPTKY-54-393-3 | 54" | 3" | 393 ft | |
| TPTKY-60-393-3 | 60" | 3" | 393 ft | |
| TPTKY-64-393-3 | 64" | 3" | 393 ft | |
| TPTKY-72-393-3 | 72" | 3" | 393 ft | |

TexPrint[®] Desktop Sublimation Paper 105gsm - Multi-Purpose paper ideal for all Substrates - Quick-dry - No Tack

| Part Number | Width | Core | Length | Price |
|------------------|-------|------|--------|-------|
| TPXP-24-275-3HR | 24" | 3" | 275 ft | |
| TPXP-36-275-3HR | 36" | 3" | 275 ft | |
| TPXP-44-275-3HR | 44" | 3" | 275 ft | |
| TPXP-24-393-3HR | 24" | 3" | 393 ft | |
| TPXP-36-393-3HR | 36" | 3" | 393 ft | |
| TPXP-44-393-3HR | 44" | 3" | 393 ft | |
| TPXP-54-393-3HR | 54" | 3" | 393 ft | |
| TPXP-60-393-3HR | 60" | 3" | 393 ft | |
| TPXP-64-393-3HR | 64" | 3" | 393 ft | |
| TPXP-72-393-3HR | 72" | 3" | 393 ft | |
| TPXP-74-393-3HR | 74" | 3" | 393 ft | |
| TPXP-101-393-3HR | 101" | 3" | 393 ft | |
| TPXP-104-393-3HR | 104" | 3" | 393 ft | |

TexPrint[®] Desktop Sublimation Paper 140gsm - Multi-Purpose paper ideal for all Substrates - Quick-dry - No Tac

| Part Number | Width | Core | Length | Price |
|------------------|-------|------|--------|-------|
| TPXP+24-200-3HR | 24" | 3" | 200 ft | |
| TPXP+36-200-3HR | 36" | 3" | 200 ft | |
| TPXP+44-200-3HR | 44" | 3" | 200 ft | |
| TPXP+24-250-3HR | 24" | 3" | 250 ft | |
| TPXP+36-250-3HR | 36" | 3" | 250 ft | |
| TPXP+44-250-3HR | 44" | 3" | 250 ft | |
| TPXP+54-250-3HR | 54" | 3" | 250 ft | |
| TPXP+60-250-3HR | 60" | 3" | 250 ft | |
| TPXP+64-250-3HR | 64" | 3" | 250 ft | |
| TPXP+72-250-3HR | 72" | 3" | 250 ft | |
| TPXP+74-250-3HR | 74" | 3" | 250 ft | |
| TPXP+87-250-3HR | 87" | 3" | 250 ft | |
| TPXP+98-250-3HR | 98" | 3" | 250 ft | |
| TPXP+101-250-3HR | 101" | 3" | 250 ft | |
| TPXP+104-250-3HR | 104" | 3" | 250 ft | |

PREMIUM LAMINATES



ARLON

SERIES 3210 - CAST WRAP LAMINATE

Series 3210 overlamine is constructed of a 1.3-mil (35 micron) gloss cast vinyl film with clear, permanent pressure-sensitive adhesive. PA CLEAR

- 1.3 mil gloss cast laminate
- Designed for vehicle wraps
- Protective overlamine for SLX™ Cast Wrap, DPF 6100XLP, DPF 6000XRP, DPF 6000RP White, DPF 6000RP Clear, DPF 6500, DPF 6700, IllumiNITE Wrap™, DPF 2400, DPF 4600LX, DPF 4500GT/MT, DPF 8000™ Ultra Tack, DPF 8200 High Tack, DPF 9000, DPF 4000, DPF 4300.

| Part Number | Size | Price |
|---------------|------------|-------|
| 3210-4815-000 | 48" X 150' | |
| 3210-5415-000 | 54" X 150' | |
| 3210-6015-000 | 60" X 150' | |



ARLON

SERIES 3310 - POLY LAMINATE

- 1.5 mil gloss polyurethane vinyl laminate PA CLEAR
- Removable wall adhesive
- 1 year unprinted durability
- 10 year durability with vertical exposure, 4 year durability with horizontal exposure
- Protective overlamine for SLX®+, SLX® Cast Wrap, DPF 6100XLP, DPF 6000XRP, DPF 6000RP White, DPF 6500, and DPF 6700

| Part Number | Size | Price |
|---------------|------------|-------|
| 3310-5415-000 | 54" X 150' | |
| 3310-6015-000 | 60" X 150' | |



ARLON

SERIES 3220 - CAST WRAP LAMINATE

- 2 mil cast laminate
- Ideal for fleet and vehicle wraps, wall wraps PA CLEAR
- Protective Overlamine for SLX™ Cast Wrap, DPF 6100XLP, DPF 6000XRP, DPF 6000RP White, DPF 6500, DPF 6700, IllumiNITE Wrap™, DPF 2400, DPF 4600LX, DPF 4500GT/MT, DPF 8000™ Ultra Tack, DPF 8200 High Tack, DPF 9000, DPF 4000 and DPF 4300



Finish selection: Replace (XXX) with finish number
Gloss=(000) Luster=(100) Satin=(200) Matte=(800)

| Part Number | Size | Price |
|-----------------|------------|-------|
| 3220-3015-(XXX) | 30" X 150' | |
| 3220-4807-(XXX) | 48" X 25' | |
| 3220-4815-(XXX) | 48" X 150' | |
| 3220-5406-(XXX) | 54" X 60' | |
| 3220-5415-(XXX) | 54" X 150' | |
| 3220-6015-(XXX) | 60" X 150' | |



ARLON

SERIES 3270 - CAST WRAP LAMINATE

- 1.3 mil gloss cast laminate PA CLEAR
- Designed for vehicle wraps
- Pair with SLX Cast Vinyl for easy long lasting wrap installs
- Protective overlamine for SLX™ Cast Wrap, DPF 6100XLP, DPF 6000XRP and DPF 6000RP White, for vehicle and fleet applications.

| Part Number | Size | Price |
|--------------|------------|-------|
| 032703015000 | 30" X 150' | |
| 032704815000 | 48" X 150' | |
| 032705415000 | 54" X 150' | |
| 032706015000 | 60" X 150' | |

PREMIUM LAMINATES

LAMINATES



SERIES 3200 OPTICALLY CLEAR

This is your ideal overlamine for window applications, or graphics that demand perfect clarity.



- 2 mil cast optically clear laminate
- Ideal for windows, glass or transparent surface applications
- Use for laminating perforated window film
- Enhance vehicle wraps color clarity
- Protective overlamine for DPF 45WF, 47WF and 2400 series films
- Also compatible with cast print media DPF 6100XLP, 6000XRP, 6000RP White, 6000RP Clear, 6500, 6700, 4500G Clear and 50WD Clear/White.

| Part Number | Size | Price |
|---------------|----------|-------|
| 3200-3003-000 | 30"x30' | |
| 3200-3015-000 | 30"x150' | |
| 3200-5403-000 | 54"x30' | |
| 3200-5410-000 | 54"x100' | |
| 3200-5415-000 | 54"x150' | |
| 3200-6015-000 | 60"x150' | |



SERIES V3370 PREMIUM LAMINATE



- 1.5 mil high gloss non-PVC cast laminate
- Extended durability of up to 12 years
- Clear permanent adhesive
- Protective overlamine recommended for DPF V9700, SLX+, 4600GLX/MLX, 8200, 8000, and Fusion Wrap

| Part Number | Size | Price |
|----------------|------------|-------|
| 033705415000PU | 54" X 150' | |
| 033706015000PU | 60" X 150' | |



ORAGUARD® 290 CAST LAMINATE



- 2 mil cast laminate (Gloss or Matte)
- Protection of long-term indoor and outdoor digital print applications
- Pair with ORAJET® Series 3951, 3951RA, 3951HT, 3850, 3751RA, 3551, 3551RA, 3551DT, 3109, 3105HT

Gloss=(G) Matte=(M)

| Part Number | Size | Price |
|-------------|----------|-------|
| 290(X)-30 | 30"x150' | |
| 290(X)-36 | 36"x150' | |
| 290(X)-40 | 40"x150' | |
| 290(X)-54 | 54"x150' | |
| 290(X)-60 | 60"x150' | |



ORAGUARD® 293 ULTRA CAST LAM



- 1 mil gloss cast laminate
- Indoor and outdoor protection of large format digital prints
- Because of its extra flexibility ORAGUARD® 293 is recommended for vehicle wrapping in combination with ORAJET® Series 3551, 3551RA, or ORALITE® 5600.

| Part Number | Size | Price |
|-------------|----------|-------|
| 293G-30 | 30"x150' | |
| 293G-54 | 54"x150' | |
| 293G-60 | 60"x150' | |



LAMINATES



ORAGUARD® 290G CAST LAMINATE

- 2 mil cast gloss, optically clear laminate
- Protection of long-term indoor and outdoor digital print applications
- Pair with ORAJET® Series 3951, 3951RA, 3951HT, 3850, 3751RA, 3551, 3551RA, 3551DT, 3109, 3105HT and ORALITE® Series 5600, 5650RA

| Part Number | Size | Price |
|-------------|----------|-------|
| 290G-30 | 30"x150' | |
| 290G-36 | 36"x150' | |
| 290G-50 | 50"x150' | |
| 290G-54 | 54"x150' | |
| 290G-60 | 60"x150' | |



CONCEPT 231/240 - WRAP LAMINATE

A Premium 2.4 mil calendared clear laminate with a clear permanent acrylic adhesive.

The laminate offers protection from ultra violet radiation, moisture and other environmental exposures. It is can be laminated by using a cold laminating process without the addition of heat.

- 2.4 Mil matte or gloss laminate available in matte or gloss
- It is intended to be paired with GF 230 AutoMark™ vinyl for wrap applications.

| Part Number | Size | Price |
|--------------|----------|-------|
| GLOSS | | |
| 231-54 | 54"x150' | |
| 231-60 | 60"x150' | |
| MATTE | | |
| 240-54 | 54"x150' | |
| 240-60 | 60"x150' | |

PREMIUM LAMINATES

3M SCOTCHCAL 8518 CAST LAMINATE

- 2 Mil cast vinyl laminate
- These cast laminates are designed to enhance the printed image and provide additional ultraviolet and durable physical protection for selected digitally imaged 3M graphics

| Part Number | Size | Price |
|----------------------|------------|-------|
| GLOSS - 8518 | | |
| 70013015000 | 30"x150' | |
| 70013615000 | 36"x150' | |
| 70014815000 | 48.5"x150' | |
| 70015415000 | 54"x150' | |
| 70016015000 | 60"x150' | |
| LUSTER - 8519 | | |
| 70013015100 | 30"x150' | |
| 70013615100 | 36"x150' | |
| 70014815100 | 48.5"x150' | |
| 70015415100 | 54"x150' | |
| 70016015100 | 60"x150' | |
| MATTE - 8520 | | |
| 70013615200 | 36"x150' | |
| 70014815200 | 48.5"x150' | |
| 70015415200 | 54"x150' | |
| 70016015200 | 60"x150' | |



GF 242 OPTIMARK™ CAST

- 2 mil optically clear gloss lam
- Pair with WINDOWMARK perforated vinyl
- Recommended laminate for perforated window vinyl
- GF 242 is designed specifically for perforated window films like GF 280 and is also recommended for GF 830, GF 270, GF 260 and GF 232 or applications where a high-quality cast clear laminate is required.

| Part Number | Size | Price |
|-------------|------------|-------|
| 242-54 | 54" X 150' | |
| 242-60 | 60" X 150' | |

INTERMEDIATE LAMINATES

LAMINATES



ARLON SERIES 3420 CALENDERED LAM

With one of the most consistent high-gloss levels in the industry, Series 3420 overlaminate will add outstanding clarity while providing excellent protection to your graphic.



- 3 mil calendered vinyl laminate
- Available in gloss, satin & matte finishes
- Series 3420 Gloss and Matte are UL 410 approved for slip resistance for interior floor graphics
- Ideal for promotional graphics, short-term signage
- Compatible with Arlon DPF 4600GLX/MLX, DPF 4500GLX / MLX, DPF 4500GT / MT, DPF 8000, DPF 9000, DPF 4000, DPF 50WD White, DPF 4500G White

Finish selection: Replace (XXX) with finish number
Gloss=(100), Satin=(200), Matte=(800)

GLOSS

| Part Number | Size | Price |
|---------------|------------|-------|
| 3420-3015-100 | 30" X 150' | |
| 3420-4815-100 | 48" X 150' | |
| 3420-5415-100 | 54" X 150' | |
| 3420-6015-100 | 60" X 150' | |


SATIN

| Part Number | Size | Price |
|---------------|------------|-------|
| 3420-3015-200 | 30" X 150' | |
| 3420-4815-200 | 48" X 150' | |
| 3420-5415-200 | 54" X 150' | |
| 3420-6015-200 | 60" X 150' | |

MATTE


| Part Number | Size | Price |
|---------------|------------|-------|
| 3420-3015-800 | 30" X 150' | |
| 3420-4815-800 | 48" X 150' | |
| 3420-5415-800 | 54" X 150' | |
| 3420-6015-800 | 60" X 150' | |

ARLON SERIES 3510 CALENDERED LAM


- 3.2 mil calendered promotional vinyl laminate 
- Available in gloss, & matte finishes
- Ideal for promotional films such as DPF 510

Finish selection: Replace (XXX) with finish number
Gloss=(100), Matte=(800)

| Part Number | Size | Price |
|-----------------|----------|-------|
| 4051-5415-(XXX) | 54"x150' | |
| 4051-6015-(XXX) | 60"x150' | |



ORAGUARD® 210 CALENDERED LAM

- 2.5 mil calendered laminate 
- Protection of medium-term indoor and outdoor digital print applications.
- Flat application ONLY
- Available in gloss, semi-gloss or matte finish



Finish selection: Replace (X) with finish number
Gloss=(G), Semi-Gloss=(SG), Matte=(M)

| Part Number | Size | Price |
|-------------|----------|-------|
| 210-30(X) | 30"x150' | |
| 210-36(X) | 36"x150' | |
| 210-40(X) | 40"x150' | |
| 210-50(X) | 50"x150' | |
| 210-54(X) | 54"x150' | |
| 210-60(X) | 60"x150' | |

INTERMEDIATE LAMINATES



ARLON SERIES 3170 WRAP LAM

Series 3170 overlamine is a 1.3 mil (35 micron) gloss intermediate cast overlamine with clear, permanent pressure-sensitive adhesive. Designed to protect printed graphics, the thinner facestock of Series 3170 provides a higher conformability for your vehicle wraps, intermediate signage, and graphics.

- 1.3 mil intermediate gloss cast vinyl laminate
- Protective overlamine for Fusion Wrap, DPF 4600LX, DPF 4500GLX/MLX
- Vehicle and fleet graphics, intermediate signage, kiosks and POP displays
- Five year warranty for vehicle applications

PA
CLEAR

| Part Number | Size | Price |
|--------------|----------|-------|
| 031705415000 | 54"x150' | |
| 031706015000 | 60"x150' | |

ARLON SERIES 3510 LAMINATE

Series 3510 overlamine is an excellent protective overlamine for all promotional monomeric products.

- 3.2 mil calendered overlamine
- Short-term signage, kiosks, and POP displays
- Flat surface application only
- Series 3510 Matte is approved for EN 14041 slip resistance for interior floor graphics

PA
CLEAR

| Part Number | Size | Price |
|---------------------|----------|-------|
| GLOSS FINISH | | |
| 040515415100 | 54"x150' | |
| 040516015100 | 60"x150' | |
| MATTE FINISH | | |
| 040515415800 | 54"x150' | |
| 040516015800 | 60"x150' | |

ORAGUARD® 200 CALENDERED LAM

- 2.5 mil gloss calendered laminate
- Protection of indoor and outdoor digital print applications. Flat application ONLY

PA
CLEAR

| Part Number | Size | Price |
|-------------|----------|-------|
| 200-54G | 54"x150' | |



CONCEPT SOLUTIONS 100 SERIES

- 3 mil calendered vinyl laminate
- Designed to protect digital image prints and screen printed images for exhibit and display graphics

PA
CLEAR

Gloss=(0) Luster=(1) Matte=(2)

* Available in Luster & Matte only

| Part Number | Size | Price |
|-------------|----------|-------|
| 10(X)-38 | 38"x150' | |
| 10(X)-51 | 51"x150' | |
| 10(X)-514* | 51"x400' | |
| 10(X)-54 | 54"x150' | |
| 10(X)-61 | 61"x150' | |



CONCEPT SOLUTIONS 400 SERIES

- 3 mil calendered vinyl laminate
- Available in gloss, luster & matte finishes
- This vinyl film protects the graphics from abrasion, moisture and ultra violet radiation

PA
CLEAR

Finish selection: Replace (X) with finish number

Gloss=(0) Luster=(1) Matte=(2)

| Part Number | Size | Price |
|-------------|----------|-------|
| 40(X)-30 | 30"x150' | |
| 40(X)-38 | 38"x150' | |
| 40(X)-54 | 54"x150' | |
| 40(X)-60 | 60"x150' | |



CAL. VINYL LAMINATE

- 3 Mil calendered vinyl laminate
- Available in gloss, luster, satin & matte finishes
- Economical laminate for indoor & outdoor applications

PA
CLEAR



Finish selection: Replace (X) with finish letter (G)=Gloss, (L)=Luster, (M)=Matte, (S)=Satin,


| Part Number | Size | Price |
|-------------|----------|-------|
| KJXLAM/30 | 30"x150' | |
| KJXLAM/38 | 38"x150' | |
| KJXLAM/51 | 51"x150' | |
| KJXLAM/54 | 54"x150' | |
| KJXLAM/61 | 61"x150' | |

DRY ERASE LAMINATES

LAMINATES




DRY ERASE LAMINATE

- 1 mil clear dry erase polypropylene laminate 
- Write on / Wipe off capability
- For use with dry erase type markers
- Laminate may be written on repeatedly; wipes clean with dry tissue or dry erase cleaning fluid
- Readily laminates to any smooth sealed surface
- Test markers for compatibility
- **Recommended markers:**
 - SRX Brand - The Board Dudes Series
 - Tul Brand - OMO4112 Series
 - Universal Brand - 43651 Series
 - Wipe-Off Brand - Trend Enterprises Series

| Part Number | Size | Price |
|---------------|----------|-------|
| KJERASELAM/38 | 38"x150' | |
| KJERASELAM/51 | 51"x150' | |
| KJERASELAM/54 | 54"x150' | |

POLYCARB LAMINATES


POLYCARBONATE LAM

- 5, 10 or 15 Mil polycarbonate laminate 
- Velvet matte finish
- 2 year outdoor rating
- Brilliant clarity

| Part Number | Size | Price |
|---------------|----------|-------|
| 3 MIL | | |
| 5044290LM | 38"x150' | |
| 5044550LM | 51"x150' | |
| 5 MIL | | |
| 5044292LM | 38"x150' | |
| 5044552LM | 51"x150' | |
| 10 MIL | | |
| 5044293LM | 38"x150' | |
| 5044553LM | 51"x150' | |

ANTI-GRAFFITI LAM

ARLON SERIES 3350 ANTI-GRAFFITI LAM

- 2 Mil anti-graffiti laminate 
- Satin finish
- Protecting your graphics in vandalism prone areas
- Easy to Clean with Most Traditional Cleaning Methods
- Not recommended for overlaminating over flexible substrates
- Fleet and vehicle applications (flat surfaces only)

| Part Number | Size | Price |
|---------------|----------|-------|
| 3350-4915-000 | 49"x150' | |
| 3350-5415-000 | 54"x150' | |

POLYCARBONATE LAM

- 5, 10 or 15 Mil polycarbonate laminate 
- Non-glare, high clarity velvet finish
- Outstanding laminate for displays & POP graphics

| Part Number | Size | Price |
|---------------|----------|-------|
| 5 MIL | | |
| KJ5VPC/38/75 | 38"x75' | |
| KJ5VPC/51/75 | 51"x75' | |
| KJ5VPC/51 | 51"x150' | |
| 10 MIL | | |
| KJ10VPC38/75 | 38"x75' | |
| KJ10VPC/51/75 | 51"x75' | |
| KJ10VPC/51 | 51"x150' | |
| 15 MIL | | |
| KJ15VPC/38 | 38"x150' | |
| KJ15VPC/51/75 | 51"x75' | |
| KJ15VPC/51 | 51"x150' | |



CONCEPT 108 TEDLAR LAM

- 1 mil clear anti-graffiti laminate 
- Stands up to the harshest cleaners
- UV Protection up to 10 years

| Part Number | Size | Price |
|-------------|----------|-------|
| 108-54 | 54"x150' | |

POWERSPORT LAMINATES



PA
CLEAR



GENERAL FORMULATIONS

MOTO-MARK 238 ARMOR LAM

Concept MEDIA SOLUTIONS PA CLEAR

- 12 mil heavy duty gloss laminate
- Designed for racing & dirt bike graphics
- Pair with Concept MotoMark 235 vinyl for powersport vehicles

SERIES 3960 PROTEC 12MIL LAMINATE

- 12 mil heavy duty clear laminate
- Gloss finish
- Ideal for racing and dirt bike graphics
- Pair with DPF8000 or DPF8200 for durability

| Part Number | Size | Price |
|---------------|---------|-------|
| 3960-5403-000 | 54"x30' | |
| 3960-5407-000 | 54"x75' | |

| Part Number | Size | Price |
|-------------|---------|-------|
| 238-24 | 24"x75' | |
| 238-30 | 30"x75' | |
| 238-54 | 54"x75' | |
| 238-60 | 60"x75' | |

PAINT PROTECTION FILM

ORAGUARD® 270 STONE GUARD FILM

PA
CLEAR

Medium-term paint protection for automotive fenders, rear bumpers, and deck or side skirts, and other outdoor applications.

- Use only on flat and slightly curved surfaces
- 6 mil gloss finish
- Up to 5 year durability
- Clear, solvent-based, permanent adhesive
- 84# Kraft paper, siliconized on one side



| Part Number | Size | Price |
|-------------|---------|-------|
| 270-2410 | 24"x30' | |
| 270-3025 | 30"x75' | |
| 270-50 | 50"x75' | |
| 270-6010 | 60"x30' | |

FLOOR LAMINATES

GENERAL FORMULATIONS



GENERAL FORMULATIONS



GENERAL FORMULATIONS

HAVE YOUR CAKE & EAT IT TOO!

INDIRECT FOOD CONTACT SOLUTION
TABLETOP, COUNTER MAT & FLOOR LAMINATE

- 3.75 Matte Textured Polypropylene Laminate
- Meets US Slip Resistance Standards
- Indirect Food Contact Solution
- Greener Floor Graphic Laminate Solution



CONCEPT 109 - FLOOR LAMINATE

- 5 mil matte velvet textured laminate
- Scratch resistant vinyl for laminating film to produce mouse pads, counter mats, decal, floor & display overlay

| Part Number | Size | Price |
|-------------|----------|-------|
| 109-38 | 38"x150' | |
| 109-51 | 51"x150' | |
| 109-54 | 54"x150' | |

211 TRAFFIC GRAFFIC LAMINATE

- 6 mil gloss non-slip laminate
- Short Term laminating film to produce mouse pads, counter mats, decal, floor & display overlay

| Part Number | Size | Price |
|-------------|----------|-------|
| 211-54 | 54"x150' | |

213 TRAFFIC GRAFFIC LAMINATE

- 3.75 mil embossed polypropylene lam
- Short Term laminating film to produce mouse pads, counter mats, decal, floor & display overlay

| Part Number | Size | Price |
|-------------|----------|-------|
| 213-54 | 54"x150' | |

MOUNTING ADHESIVES

LAMINATES



CONCEPT 106 MOUNTING ADHESIVE

- 1 Mil polyester transparent mounting film
- Optically clear permanent/permanent adhesive
- Transparent mounting film is designed to mount backlit transparencies to glass, Plexiglas or other clear substrates in light box applications



| Part Number | Size | Price |
|-------------|----------|-------|
| 106-31 | 31"x150' | |
| 106-38 | 38"x150' | |
| 106-51 | 51"x150' | |
| 106-54 | 54"x150' | |



CONCEPT 107 MOUNTING ADHESIVE

- 1.5 mil white polypropylene mounting adhesive
- Permanent/permanent adhesive
- Designed to mount photographic, digital, screen printed, and other printed images to a variety of substrates



| Part Number | Size | Price |
|-------------|----------|-------|
| 107-31 | 31"x150' | |
| 107-38 | 38"x150' | |
| 107-51 | 51"x150' | |
| 107-54 | 54"x150' | |
| 107-61 | 61"x150' | |



CONCEPT 116 MOUNT FILM (AE)

- 1 mil double coated clear polyester film
- High-tack adhesive on one side, removable adhesive on other side
- This product is designed for laminating thin flexible plastic films and papers commonly found in graphics for temporary application to glass.



| Part Number | Size | Price |
|-------------|----------|-------|
| 116-54 | 54"x150' | |

LAMINATING PAPER



Colorsense LAMINATING PAPER

- White coated kraft paper
- Use on back side (bottom roller) of prints to avoid adhesive transfer to rollers while laminating

| Part Number | Size | Price |
|-----------------|----------|-------|
| KAPCOLAMPAPER | 38"x450' | |
| KJLAMPAPER/51 | 51"x450' | |
| KJLAMPAPER/54 | 54"x450' | |
| KAPCOLAMPAPER61 | 61"x450' | |

Colorsense MOUNTING ADHESIVE

- 2.3 Mil white or clear mounting adhesive
- Permanent or removable adhesives
- Ideal for general purpose mounting applications



| Part Number | Size | Price |
|-------------|------|-------|
|-------------|------|-------|

WHITE - PERMANENT/PERMANENT

| | |
|----------------|------------|
| KJMOUNT/WHT/38 | 38" X 200' |
| KJMOUNT/WHT/43 | 43" X 200' |
| KJMOUNT/WHT/54 | 54" X 200' |
| KJMOUNT/WHT/60 | 60" X 200' |

CLEAR - PERMANENT/PERMANENT

| | |
|------------------|------------|
| KJMOUNTCLR/PP/38 | 38" X 200' |
| KJMOUNTCLR/PP/51 | 51" X 200' |
| KJMOUNTCLR/PP/54 | 54" X 200' |
| KJMOUNTCLR/PP/60 | 60" X 200' |

OPTICALLY CLEAR - PERMANENT/PERMANENT

| | |
|-----------------|------------|
| KJMOUNTOPCLR/38 | 38" X 164' |
| KJMOUNTOPCLR/54 | 54" X 164' |
| KJMOUNTOPCLR/60 | 60" X 164' |

OPTICALLY CLEAR - PERMANENT/REMOVABLE

| | |
|-----------------|------------|
| KJMOUNTOPCPR/38 | 38" X 164' |
| KJMOUNTOPCPR/54 | 54" X 164' |
| KJMOUNTOPCPR/60 | 60" X 164' |

THERMAL LAMINATE



Colorsense THERMAL LAMINATE

- 3 mil gloss or matte low-melt thermal laminate
- High quality film that offers superior clarity and durability

| Part Number | Size | Price |
|-------------|------|-------|
|-------------|------|-------|

GLOSS

| | |
|-------------|------------|
| KJ3GTLAM/25 | 25" X 250' |
| KJ3GTLAM/38 | 38" X 250' |
| KJ3GTLAM/43 | 43" X 250' |
| KJ3GTLAM/54 | 54" X 250' |
| KJ3GTLAM/62 | 62" X 250' |

MATTE

| | |
|-------------|------------|
| KJ3MTLAM/25 | 25" X 250' |
| KJ3MTLAM/38 | 38" X 250' |
| KJ3MTLAM/43 | 43" X 250' |
| KJ3MTLAM/51 | 51" X 250' |




HOW TO BUILD A VINYL PART NUMBER

1. The *first four digits* in our part number identify the *Series of product* and the converting process. All perforated products are identified by increasing the non-perforated product number by 50. (The only exception to this numbering is that 2100 represents non-perforated and 2200 represents the perforated product in the same series).
2. The *second four digits* identify the *material size*. The first two indicate the width and the last two indicate the length.
3. The *final three digits identify the Color*, all colors contain only three digits.

PART NUMBER DIAGRAMS

2100-1515-003



5000-2403-186



| | | | | |
|-------------------------|-------------------------------|-----------------------------|-----------------------------|---------------------------|
| 002 White | 008 Brown | 083 Bright Orange | 076 Magenta | 011 Dark Blue |
| 003 Black | 068 Beige | 014 Tomato Red | 074 Royal Purple | 071 Teal |
| 028 Dove Grey | 067 Primrose Yellow | 042 Cardinal Red | 214 Medium Blue | 069 Apple Green |
| 007 Silver | 006 Yellow | 056 Hot Pink | 005 Blue | 061 Kelly Green |
| 004 Gold | 096 Tangerine | 012 Burgundy | 017 Sapphire Blue | 024 Dark Green |

* COLORS ARE ONLY APPROXIMATE DUE TO PRINTING PROCESS. WE DO NOT GUARANTEE EXACT COLORS.

HIGH PERFORMANCE CAST



2100/2200 HIGH PERFORMANCE CAST VINYL

- 2 Mil cast premium colored vinyl
- 10 years black/white, 8 years color, 6 years metallic outdoor durability
- Conforms exceptionally well to rivets, corrugations and channel structures

Part # 2100 - unpunched

i.e. 21002403003 = (24" x 10yd black)

i.e. 21002415003 = (24" x 50yd black)

| Size/Color | 10 yd | 50yd |
|-------------------------|-------|------|
| 15" Black, White, Clear | | |
| 15" Colors | | |
| 24" Black, White, Clear | | |
| 24" Colors | | |
| 30" Black, White, Clear | | |
| 30" Colors | | |
| 48" Black, White, Clear | | |
| 48" Colors | | |



751C HIGH PERFORMANCE CAST VINYL

- 2 mil cast film
- High quality vehicle and fleet graphics
- 8 years outdoor durability B&W
- 7 years colors/transparent
- 5 years outdoor durability metallic
- 3 years outdoor durability brilliant blue & new gold metallic

Part # 751+width+color number

i.e. 75124070 = 24" black

| Size/Color | 10 yd | 50yd |
|-------------------------|-------|------|
| 15" Black, White, Clear | | |
| 15" Colors | | |
| 24" Black, White, Clear | | |
| 24" Colors | | |
| 30" Black, White, Clear | | |
| 30" Colors | | |
| 36" Black, White, Clear | | |
| 48" Black, White, Clear | | |
| 48" Colors | | |

| | | |
|-------------------|---------------------|---------------------|
| 000 - TRANSPARENT | 010M - MATTE WHITE | 211 - SUN YELLOW |
| 010 - WHITE | 020 - GOLDEN YELLOW | 019 - SIGNAL YELLOW |

ARLON STANDARD COLORS

| | | |
|---------------------------|----------------------------|-------------------------|
| 026 - OYSTER | 066 - MEDIUM BLUE | 086 - FOREST GREEN |
| 067 - PRIMROSE YELLOW | 250 - INTENSE BLUE | 081 - TITANIUM |
| 006 - YELLOW | 037 - MEDIUM BLUE METALLIC | 028 - DOVE GRAY |
| 097 - LIGHT ORANGE | 005 - BLUE | 050 - MEDIUM GREY |
| 083 - BRIGHT ORANGE | 017 - SAPPHIRE BLUE | 007 - SILVER METALLIC* |
| 223 - PEACOCK RED | 011 - DARK BLUE | 021 - SMOKE METALLIC** |
| 014 - TOMATO RED | 093 - LIGHT NAVY | 052 - DARK GREY |
| 221 - GERANIUM | 065 - MIDNIGHT BLUE | 080 - GRAPHITE |
| 060 - BRIGHT CARDINAL RED | 004 - GOLD METALLIC* | 023 - CHARCOAL METALLIC |
| 001 - RED | 008 - BROWN | 040 - MATTE BLACK |
| 012 - BURGUNDY | 079 - KIWI | 003 - BLACK # |
| 051 - ARUBA BLUE | 069 - APPLE GREEN | 059 - IMITATION GOLD |
| 031 - OCEAN BLUE | 061 - KELLY GREEN | 049 - MATTE WHITE |
| 018 - OLYMPIC BLUE | 106 - MEDIUM GREEN | 002 - WHITE # |
| 032 - AZURE BLUE | 024 - DARK GREEN | 000 - CLEAR |

CUT VINYL



ARLON 6,000 SQ FT MINIMUM ORDER COLORS

| | | | |
|-------------------------|-----------------------|--------------------|------------------------|
| 027 - FAWN | 058 - DARK MAGENTA | 084 - EGGHELL | 089 - AQUA BLUE |
| 165 - CHROME YELLOW | 056 - HOT PINK | 068 - BEIGE | 071 - TEAL |
| 096 - TANGERINE | 074 - ROYAL PURPLE | 280 - TERRA COTTA | 053 - DARK BAHAMA BLUE |
| 073 - POPPY | 099 - BRIGHT PURPLE | 085 - COCOA | 070 - PALM OYSTER GREY |
| 220 - PERFECT MATCH RED | 092 - WEDGE-WOOD BLUE | 230 - BOTTLE GREEN | |
| 042 - CARDINAL RED | 120 - PEARL* | 087 - AQUA GREEN | |

* Select colors 5-yr durability
 + Color uses silver-tinted adhesive
 # Available in 60"x50 yd rolls

| | | |
|-----------------------|------------------------|------------------------|
| 209 - MAIZE YELLOW | 077 - TELEMAGENTA | 617 - EMERALD |
| 021 - YELLOW | 044 - MAGENTA | 607 - TURQUOISE GREEN |
| 022 - LIGHT YELLOW | 045 - SOFT PINK | 061 - GREEN |
| 025 - BRINSTONEYELLOW | 532 - BLACK BLUE | 068 - GRASS GREEN |
| 023 - CREAM | 518 - STEEL BLUE | 062 - LIGHT GREEN |
| 018 - LIGHT IVORY | 050 - DARK BLUE | 064 - YELLOW GREEN |
| 026 - PURPLE RED | 058 - ULTRAMARINE BLUE | 063 - LIME TREE GREEN |
| 030 - DARK RED | 537 - DEEP BLUE | 080 - BROWN |
| 031 - RED | 065 - COBALT BLUE | 079 - RED BROWN |
| 027 - TOMATO RED | 049 - KING BLUE | 083 - NUT BROWN |
| 028 - CARDINAL RED | 086 - BRILLIANT BLUE | 824 - IMITATION GOLD |
| 032 - LIGHT RED | 536 - MIDDLE BLUE | 081 - LIGHT BROWN |
| 324 - BLOOD RED | 067 - BLUE | 070 - BLACK |
| 325 - MIDDLE RED | 057 - TRAFFIC BLUE | 070M - MATTE BLACK |
| 326 - SIGNAL RED | 051 - GENTIAN BLUE | 720 - KOMATSU GREY |
| 047 - ORANGE RED | 052 - AZURE BLUE | 073 - DARK GREY |
| 033 - RED ORANGE | 517 - EURO BLUE | 713 - IRON GREY |
| 034 - ORANGE | 053 - LIGHT BLUE | 071 - GREY |
| 035 - PASTEL ORANGE | 056 - ICE BLUE | 721 - SLATE GREY |
| 048 - BORDEAUX | 608 - PETROL | 076 - TELEGREY |
| 040 - VIOLET | 066 - TURQUOISE BLUE | 074 - MIDDLE GREY |
| 403 - LIGHT VIOLET | 054 - TURQUOISE | 072 - LIGHT GREY |
| 043 - LAVENDER | 055 - MINT | 093 - ANTHRACITE MET. |
| 042 - LILAC | 060 - DARK GREEN | 090 - SILVER GREY MET. |
| 041 - PINK | 078 - FOLIAGE GREEN | 930 - NEW GOLD MET. |



HIGH PERFORMANCE CAST

Lumina™

By FDC

2100/2200 HIGH PERFORMANCE CAST VINYL

- 2 Mil cast premium colored vinyl
- 10 years black/white, 8 years color, 6 years metallic outdoor durability
- Ideal for flat and simple curves, rivets and corrugations

Part # 2100 - unpunched

2200 - punched (15" and 30" only)


i.e. 21002403003 = (24" x 10yd Black)

i.e. 21002415003 = (24" x 50yd Black)



| Size/Color | 10 yd | 50yd |
|-------------------------|-------|------|
| 15" Black, White, Clear | | |
| 15" Colors | | |
| 15" Metallic | | |
| 24" Black, White, Clear | | |
| 24" Colors | | |
| 24" Metallic | | |
| 30" Black, White, Clear | | |
| 30" Colors | | |
| 30" Metallic | | |
| 48" Black, White, Clear | | |
| 48" Colors | | |

| | | | | | |
|--|---------------------------|--|-----------------------|--|------------------------------|
| | 400 - CLEAR | | 441 - MAJESTIC BLUE | | 407 - SILVER METALLIC |
| | 051 - MATTE WHITE | | 017 - SAPPHIRE BLUE | | 496 - PEWTER METALLIC |
| | 002 - GLOSS WHITE | | 013 - DARK BLUE | | 322 - CHARCOAL METALLIC |
| | 103 - CRYSTAL WHITE | | 336 - LIGHT NAVY BLUE | | 431 - DARK CHARCOAL METALLIC |
| | 423 - LIGHT GREY | | 419 - REAL TEAL | | 212 - BRIGHT BLUE METALLIC |
| | 029 - DOVE GREY | | 346 - VIBRANT GREEN | | 267 - ELECTRIC BLUE METALLIC |
| | 351 - MEDIUM GREY | | 469 - APPLE GREEN | | 451 - DARK GREEN METALLIC |
| | 352 - DARK GREY | | 183 - WILLOW GREEN | | 285 - CHAMPAGNE METALLIC |
| | 040 - MATTE BLACK | | 064 - KELLY GREEN | | 043 - LIGHT GOLD METALLIC |
| | 003 - GLOSS BLACK | | 410 - MEDIUM GREEN | | 321 - BRIGHT GOLD METALLIC |
| | 476 - ROYAL PURPLE | | 326 - DARK GREEN | | 004 - GOLD METALLIC |
| | 415 - ARREST ME RED | | 143 - FOREST GREEN | | 422 - COPPER METALLIC |
| | 416 - TOMATO RED | | 027 - OYSTER | | 262 - LIGHT BROWN METALLIC |
| | 062 - BRIGHT CARDINAL RED | | 070 - BEIGE | | |
| | 409 - RED | | 280 - SADDLE | | |
| | 125 - WILD CARDINAL RED | | 066 - PRIMROSE YELLOW | | |
| | 435 - SPECTRA RED | | 307 - YELLOW | | |
| | 335 - APPLE RED | | 523 - DARK YELLOW | | |
| | 015 - BURGUNDY | | 361 - IMITATION GOLD | | |
| | 018 - OLYMPIC BLUE | | 010 - ORANGE | | |
| | 140 - INTENSE BLUE | | 535 - TANGERINE | | |
| | 304 - BLUE | | | | |



7125/7175 HIGH PERFORMANCE CAST VINYL

- 2 Mil cast premium colored vinyl
- 5-7 years durability

Part # 7125 - unpunched

7175 - punched (15" and 30" only)

i.e. 71252403012 = (24" x 10yd Black)



| Size/Color | 10 yd | 50yd |
|-------------------------|-------|------|
| 15" Black, White, Clear | | |
| 15" Colors | | |
| 24" Black, White, Clear | | |
| 24" Colors | | |
| 30" Black, White, Clear | | |
| 30" Colors | | |
| 48" Black, White, Clear | | |


| | | | | | | | |
|--|--------------------------|--|-------------------------|--|-----------------------|--|------------------------------|
| | 065 - LIGHT LEMON YELLOW | | 293 - ATOMIC RED | | 038 - ROYAL PURPLE | | 091 - DOVE GREY |
| | 015 - BRIGHT YELLOW | | 263 - PERFECT MATCH RED | | 078 - PLUM | | 061 - MID GREY |
| | 025 - SUNFLOWER | | 063 - GERANIUM | | 048 - PURPLE | | 041 - DARK GREY |
| | 105 - HARVEST GOLD | | 093 - IMPERIAL RED | | 027 - INDIGO | | 101 - NIMBUS GREY |
| | 064 - APRICOT | | 053 - CARDINAL RED | | 127 - BOAT BLUE | | 022 - MATTE BLACK |
| | 054 - LIGHT ORANGE | | 023 - DEEP RED | | 187 - WEDGE WOOD BLUE | | 012 - BLACK |
| | 014 - BRIGHT ORANGE | | 058 - BURGUNDY | | 086 - ROBIN EGG BLUE | | 243 - STEAMPUNK RED METALLIC |
| | 024 - TERRA COTTA | | 103 - MAGENTA | | 077 - PEACOCK BLUE | | 229 - COPPER METALLIC |
| | 074 - RED ORANGE | | 273 - PROCESS MAGENTA | | 097 - SOFT BLUE | | 241 - GOLD METALLIC |
| | 013 - TOMATO RED | | 098 - DARK VIOLET | | 107 - LIGHT BLUE | | 131 - SATIN GOLD METALLIC |
| | | | | | 057 - OLYMPIC BLUE | | 276 - BOTTLE GREEN |
| | | | | | 117 - PERSIAN BLUE | | 099 - FAWN |
| | | | | | 047 - INTENSE BLUE | | 049 - BEIGE |
| | | | | | 017 - VIVID BLUE | | 089 - SANDSTONE |
| | | | | | 037 - SAPPHIRE BLUE | | 039 - TAN |
| | | | | | 397 - DARK BLUE | | 059 - DAVID PUTTY |
| | | | | | 197 - LIGHT NAVY | | 069 - DURANODIC |
| | | | | | 177 - SHADOW BLUE | | 029 - RUSSET BROWN |
| | | | | | 307 - DARK AQUA | | 019 - DEEP MAHOAGANY |
| | | | | | 096 - TEAL | | 020 - MATTE WHITE |
| | | | | | 357 - BERMUDA BLUE | | 010 - WHITE W/BUE LINER |
| | | | | | 136 - LIME GREEN | | 090 - ANTIQUE WHITE |
| | | | | | 196 - APPLE GREEN | | 114 - TRANSPARENT |
| | | | | | 186 - BRIGHT GREEN | | 121 - LIGHT GREY |
| | | | | | 046 - KELLY GREEN | | 011 - PEARL GREY |
| | | | | | 056 - DARK GREEN | | 081 - STONE GREY |
| | | | | | 066 - FOREST GREEN | | 031 - MEDIUM GREY |
| | | | | | 016 - KHAKI GREEN | | 151 - TRAFFIC GRAY |

HIGH PERFORMANCE CAST



| Size/Color | 10yds | 50yds |
|-----------------|-------|-------|
| 15" Black/White | | |
| 15" Colors | | |
| 15" Metallic | | |
| 24" Black/White | | |
| 24" Colors | | |
| 24" Metallic | | |
| 30" Black/White | | |
| 30" Colors | | |
| 30" Metallic | | |
| 48" Black/White | | |
| 48" Colors | | |
| 48" Metallic | | |
| 60" Black/White | | |
| 60" Colors | | |

180MC CONTROLTAC COLORED WRAP FILM

- 2 mil cast Controltac Plus gloss vinyl 
- Pressure-activated, slideable, repositionable, air release channels / Gray and Clear
- 7 years outdoor durability
- Designed for Flat, rivets, simple curves, moderate compound curves & corrugations

Part # 180MC - Unpunched
 185MC - Punched
 I.e. 180MC2403012 (24"x10yd Black)
 185MC2415012 (24"x50yd Black)

STANDARD STOCK - ALL SIZES AVAILABLE

24" & 48" ONLY - (15" & 30" SPECIAL ORDER)

131 - SATIN GOLD



HIGH PERFORMANCE CAST - METALLIC



951 PREMIUM METALLIC CAST

- 2 Mil gloss cast vinyl
- Long-term lettering and high-quality vehicle and fleet graphics
- 6 years metallic durability
- 3 years durability for Gold Metallic, Foliage Green Metallic, and Steppe Green Metallic



Part # 951+width+color number

Length selection:

Replace (X) with length number 10 yards=1 50 yards=5

i.e. 95124906 = 24" Silver Metallic

| Size | 10 yd | 50yd |
|------|-------|------|
| 15" | | |
| 24" | | |



By FDC

3710 PREMIUM ULTRA-METALLIC CAST VINYL

- 4 Mil cast colored vinyl
- 2 years outdoor durability
- Ideal for automotive, general signage, marine, RV, striping
- Conformable for flat, simple, and compound curves
- Clear permanent/various* adhesive
- Dry apply only



Part # + Roll Size + Color #

| Size | 41' |
|------|-----|
| 24" | |

| | | | | | |
|--|----------------------|--|-----------------------------|--|-------------------------|
| | 002 - WHITE | | 071 - TEAL | | 030 - DARK BLUE * |
| | 195 - ONYX | | 261 - DIAMOND DUST *** | | 017 - SAPPHIRE BLUE * |
| | 003 - BLACK | | 113 - CORAL ** | | 206 - BREAKFAST BLUE ** |
| | 009 - ORANGE | | 242 - MEDIUM BURGUNDY * | | 193 - SEA FOAM * |
| | 001 - RED | | 125 - WILD CARDINAL RED *** | | 024 - DARK GREEN * |
| | 057 - RASPBERRY | | 224 - ROSE GOLD * | | 008 - DARK BROWN * |
| | 076 - BUBBLEGUM PINK | | 260 - DESERT TAUPE * | | |
| | 074 - ROYAL PURPLE | | 075 - LAVENDER * | | |

*w/ non-air egress liner gray
 **w/ non-air egress liner white
 ***w/ non-air egress liner clear

| | | | |
|--|-------------------------------|--|-------------------------------|
| | 936 - SILICON METALLIC | | 196 - NIGHT BLUE METALLIC |
| | 937 - CHARCOAL METALLIC | | 193 - NAVY METALLIC |
| | 093 - ANTHRACITE METALLIC | | 189 - MIDNIGHT METALLIC |
| | 091 - GOLD METALLIC | | 192 - DEEP BLUE METALLIC |
| | 919 - GOLDEN METALLIC | | 190 - MOONLIGHT METALLIC |
| | 926 - PYRITE METALLIC | | 406 - VIOLET METALLIC |
| | 925 - PALE GOLD METALLIC | | 369 - RED BROWN METALLIC |
| | 920 - BRONZE METALLIC | | 368 - DARK RED METALLIC |
| | 092 - COPPER GREEN METALLIC | | 367 - RED METALLIC |
| | 904 - SILVER LAKE METALLIC | | 944 - RED GOLD GREEN METALLIC |
| | 090 - SILVER GREEN | | 921 - BRONZE ANTIQUE METALLIC |
| | 933 - TIN METALLIC | | 923 - LIGHT BROWN METALLIC |
| | 906 - SILVER METALLIC | | 924 - CHAMPAGNE METALLIC |
| | 908 - ALUMINUM METALLIC | | 922 - BRASS METALLIC |
| | 905 - GREY METALLIC | | 195 - DOVE BLUE METALLIC |
| | 934 - ZINC METALLIC | | 194 - BLUE GREY METALLIC |
| | 935 - GREY CAST IRON METALLIC | | 580 - BEAVER BLUE METALLIC |
| | 932 - GRAPHITE METALLIC | | 197 - AZURE BLUE METALLIC |
| | | | 681 - GREY GREEN METALLIC |
| | | | 674 - MINT METALLIC |
| | | | 675 - SEA GREEN METALLIC |
| | | | 199 - TURQUOISE METALLIC |
| | | | 637 - TEAL METALLIC |
| | | | 680 - STEPPE GREEN METALLIC |
| | | | 677 - FIR TREE GREEN METALLIC |
| | | | 679 - FOLIAGE GREEN METALLIC |
| | | | 704 - BLACK METALLIC |



By FDC

3700 PREMIUM ULTRA-METALLIC CAST VINYL

- 3 Mil cast colored vinyl
- 5 years outdoor durability
- Ideal for automotive, general signage
- Conformable for flat, simple curves
- Clear permanent adhesive



Part # + Roll Size + Color #

| Size | 10yd | 50yd |
|------|------|------|
| 24" | | |
| 30" | | |

| | | | |
|--|--------------|--|------------|
| | 007 - SILVER | | 004 - GOLD |
|--|--------------|--|------------|

Surfaces to which the material will be applied must be thoroughly cleaned from dust, grease or any contamination which could affect the adhesion of the material. Freshly lacquered or painted surfaces should be completely cured. The compatibility of selected lacquers and paints should be tested by the user, prior to application of the material.



HIGH PERFORMANCE CAST - METALLIC



AVERY DENNISON

SC-950 SUPERCASST ULTIMATE CAST METALLIC VINYL

- 2 Mil gloss cast metallic vinyl
- 5-7 years outdoor durability*
- Ideal for rivets, corrugation, compound curves
- Screenprint and thermal transfer printable



Part # A12 + Color & Roll Size

| | | | | | |
|--|--|--|--|--|---|
| | ULTRA WHITE SPARKLE 15"x10yd A120333 15"x50yd A134607 24"x10yd A120305 24"x50yd A120430 30"x10yd A120485 30"x50yd A120476 | | ULTRA BLUE 15"x10yd A120338 15"x50yd A134772 24"x10yd A120310 24"x50yd A120435 30"x10yd A120490 30"x50yd A120481 | | ULTRA GOLD 15"x10yd A120335 15"x50yd A134709 24"x10yd A120307 24"x50yd A120432 30"x10yd A120487 30"x50yd A120478 |
| | ULTRA BLACK 15"x10yd A120334 15"x50yd A120513 24"x10yd A120306 24"x50yd A120431 30"x10yd A120486 30"x50yd A120477 | | ULTRA ROSE QUARTZ 15"x10yd A120337 15"x50yd A134743 24"x10yd A120309 24"x50yd A120434 30"x10yd A120489 30"x50yd A120480 | | ULTRA SILVER 15"x10yd A120360 15"x50yd A134809 24"x10yd A120312 24"x50yd A120453 30"x10yd A120492 30"x50yd A120483 |
| | ULTRA RED 15"x10yd A120336 15"x50yd A134734 24"x10yd A120308 24"x50yd A120433 30"x10yd A120488 30"x50yd A120479 | | | | |

| Size | 10 yd | 50yd |
|------|----------|----------|
| 15" | *Punched | *Punched |
| 24" | | |
| 30" | *Punched | |



851 SPARKLING GLITTER METALLIC

- 4 Mil high gloss cast PVC film
- Up to 5 years outdoor durability
- Ideal for application to smooth sealed/painted boards, aluminum, automotive paint, etc.



| | | | | | |
|--|-----------------------|--|-----------------------|--|-----------------------|
| | 985 - GHOSTLY WHITE | | 988 - OBSIDIAN SILVER | | 993 - GOLDEN BELL |
| | 987 - INTENSE SILVER | | 990 - GOLDEN NAVAL | | 983 - DAFFODIL YELLOW |
| | 995 - SWEET ALMOND | | 981 - DYNAMIC BLUE | | 984 - EXPLOSIVE RED |
| | 994 BRIDAL PINK LACE | | 991 - FROSTED LAGOON | | 997 - ELECTRIC ORANGE |
| | 977 - SINISTER ORANGE | | 982 - ENVY GREEN | | 996 - BLOOMING CORAL |
| | 989 - GOLDEN KNIGHT | | 992 - CHIFFON MINT | | 986 - CRYSTAL CLEAR |

| Size | 10 yd | 50yd |
|------|-------|------|
| 12" | | |
| 24" | | |
| 48" | | |

INTERMEDIATE CALENDERED



@designs.by.lauren2



651 INTERMEDIATE CAL. VINYL

- 2.5 mil calendered film
- Medium-term indoor and outdoor lettering
- 6 years outdoor durability B&W
- 4 years outdoor durability metallic
- 3 years outdoor durability brilliant blue

Part # 651+width+color number
i.e. 65124070 = 24" black

| Size/Color | 10 yd | 50yd |
|-------------------------|-------|------|
| 15" Black, White, Clear | | |
| 15" Colors | | |
| 24" Black, White, Clear | | |
| 24" Colors | | |
| 30" Black, White, Clear | | |
| 30" Colors | | |
| 48" Black, White, Clear | | |
| 48" Colors | | |

| | | | | | | | |
|--|------------------------|--|----------------------|------------------------|----------------------------|---------------------|------------------------------|
| | 000 - TRANSPARENT | | 045 - SOFT PINK | | 068 - GRASS GREEN | MATTE COLORS | |
| | 010 - WHITE | | 562 - DEEP SEA BLUE | | 062 - LIGHT GREEN | | 070M - MATTE BLACK |
| | 020 - GOLDEN YELLOW | | 518 - STEEL BLUE | | 064 - YELLOW GREEN | | 010M - MATTE WHITE |
| | 019 - SIGNAL YELLOW | | 050 - DARK BLUE | | 063 - LIME TREE GREEN | | 022M - MATTE LIGHT YELLOW |
| | 021 - YELLOW | | 065 - COBALT BLUE | | 080 - BROWN | | 312M - MATTE BURGUNDY |
| | 022 - LIGHT YELLOW | | 049 - KING BLUE | | 083 - NUT BROWN | | 031M - MATTE RED |
| | 025 - BRIMSTONE YELLOW | | 086 - BRILLIANT BLUE | | 824 - IMITATION GOLD | | 034M - MATTE ORANGE |
| | 026 - PURPLE RED | | 067 - BLUE | | 081 - LIGHT BROWN | | 040M - MATTE VIOLET |
| | 312 - BURGUNDY | | 057 - TRAFFIC BLUE | | 082 - BEIGE | | 041M - MATTE PINK |
| | 030 - DARK RED | | 051 - GENTIAN BLUE | | 023 - CREAM | | 045M - MATTE SOFT PINK |
| | 031 - RED | | 098 - GENTIAN | | 070 - BLACK | | 050M - MATTE DARK BLUE |
| | 032 - LIGHT RED | | 052 - AZURE BLUE | | 073 - DARK GREY | | 084M - MATTE SKY BLUE |
| | 047 - ORANGE RED | | 084 - SKY BLUE | | 071 - GREY | | 054M - MATTE TURQUOISE |
| | 034 - ORANGE | | 053 - LIGHT BLUE | | 076 - TELEGREY | | 061M - MATTE GREEN |
| | 036 - LIGHT ORANGE | | 056 - ICE BLUE | | 074 - MIDDLE GREY | | 080M - MATTE BROWN |
| | 035 - PASTEL ORANGE | | 066 - TURQUOISE BLUE | | 072 - LIGHT GREY | | 073M - MATTE DARK GREY |
| | 040 - PURPLE | | 054 - TURQUOISE | | 071M - MATTE DARK GREY | | 071M - MATTE DARK GREY |
| | 040 - VIOLET | | 055 - MINT | METALLIC COLORS | | | 090M - MATTE SILVER METALLIC |
| | 043 - LAVENDER | | 060 - DARK GREEN | | 090 - SILVER GREY METALLIC | | 091M - MATTE GOLD METALLIC |
| | 042 - LILAC | | 613 - FOREST GREEN | | 091 - GOLD METALLIC | | 092 - MATTE GOLD METALLIC |
| | 041 - PINK | | 061 - GREEN | | 092 - COPPER METALLIC | | |



INTERMEDIATE CALENDERED

ARLON 5000 INTERMEDIATE CALENDERED

- 2.8 Mil high gloss calendered colored vinyl
 - 6 years outdoor durability
 - Ideal for flat and simple curves
- Part # 5000 = unpunched
i.e. 50002415103 - (24" x 50yd Black)



Size/Color 10 yd 50yd

15" Black, White, Clear
15" Colors
24" Black, White, Clear
24" Colors
48" Black, White, Clear
48" Colors

| | | |
|---------------------------|----------------------|-------------------|
| 168 - DAISY YELLOW | 176 - DARK PURPLE | 108 - BROWN |
| 116 - LEMON YELLOW | 118 - OLYMPIC BLUE | 182 - BEIGE |
| 106 - YELLOW | 198 - MEDIUM BLUE | 104 - GOLD MEDAL* |
| 119 - LIGHT ORANGE | 105 - BLUE | 107 - SILVER* |
| 109 - ORANGE | 137 - BLUEBERRY | 150 - DARK GREY |
| 114 - TOMATO RED | 193 - VIKING BLUE | 140 - GREY |
| 133 - FIRE RED | 130 - DARK BLUE | 134 - CLOUD GREY |
| 101 - RED | 171 - TEAL | 149 - LIGHT GREY |
| 160 - BRIGHT CARDINAL RED | 164 - SPRING GREEN | 103 - BLACK |
| 173 - DARK RED | 111 - GREEN | 102 - WHITE |
| 112 - BURGUNDY | 135 - IMPERIAL GREEN | 100 - CLEAR |
| 110 - PURPLE | 186 - FOREST GREEN | |

* 4 year durability



- 3 Mil gloss calendered color vinyl
- Permanent clear adhesive
- 5 years colors, 3 years gold and silver outdoor durability
- Ideal for general purpose interior/exterior signs and window graphics



Part # K60 + COLOR + 15 - 15" Unpunched
K60 + COLOR + 24 - 24" Unpunched
K60 + COLOR + 30 - 30" Unpunched
i.e. K607224 - (24" x 50yd Black)

Size/Color 10 yd 50yd

15" Colors - Available in marked colors (*)
24" Black, White, Clear
24" Colors
30" Black, White, Clear
30" Colors

| | | |
|-------------------|----------------------|----------------------|
| 6074 - WHITE | 6079 - ORANGE* | 6080 - BLUE* |
| 6072 - BLACK | 6022 - SUN-FLOWER | 6023 - SAPPHIRE BLUE |
| 6009 - GREY | 6078 - YELLOW | 6062 - LIGHT NAVY |
| 6073 - SILVER | 6017 - CANARY YELLOW | 6068 - PINK |
| 6000 - CLEAR | 6063 - LIME GREEN | 6013 - PURPLE* |
| 6070 - BURGUNDY | 6077 - GREEN* | 6075 - BROWN |
| 6058 - APPLE RED | 6028 - DARK GREEN | 6071 - GOLD |
| 6076 - RED | 6066 - AQUA | |
| 6065 - TOMATO RED | 6030 - OLYMPIC BLUE* | |

Lumina™

By FDC

4200/4250 INTERMEDIATE CALENDERED VINYL

- 2.8 Mil calendered colored vinyl
 - 5 years outdoor durability
 - Ideal for flat and simple curves
- Part # 4200 - unpunched
4250 - punched (15" and 30" only)
i.e. 42002403003 = (24" x 10yd Black)
i.e. 42002415003 = (24" x 50yd Black)



Size/Color 10 yd 50yd

15" Black, White, Clear
15" Colors
24" Black, White, Clear
24" Colors
30" Black, White, Clear
30" Colors

| | | |
|----------------------|-------------------------|---------------------|
| 000 - CLEAR | 067 - PRIMROSE YELLOW | 011 - DARK BLUE |
| 200 - MATTE CLEAR | 025 - SUNFLOWER | 266 - PATRIOT BLUE |
| 002 - GLOSS WHITE | 006 - YELLOW | 017 - SAPPHIRE BLUE |
| 049 - MATTE WHITE | 133 - TANGERINE | 005 - BLUE |
| 102 - CRYSTAL WHITE | 014 - TOMATO RED | 032 - AZURE BLUE |
| 007 - SILVER | 125 - WILD CARDINAL RED | 018 - OLYMPIC BLUE |
| 050 - MEDIUM GREY | 172 - POPPY RED | 108 - PEACOCK BLUE |
| 003 - GLOSS BLACK | 001 - RED | 071 - TEAL |
| 268 - FLAT BLACK | 012 - BURGUNDY | 142 - FOREST GREEN |
| 040 - MATTE BLACK | 076 - MAGENTA | 024 - DARK GREEN |
| 008 - BROWN | 124 - FIESTA PINK | 126 - EMERALD GREEN |
| 004 - GOLD | 063 - VIOLET | 061 - KELLY GREEN |
| 068 - BEIGE | 075 - LAVENDER | 257 - LIME GREEN |
| 182 - SUNBEAM YELLOW | 074 - ROYAL PURPLE | |
| 080 - MATTE YELLOW | 168 - PLUM | |



- 3 Mil calendered colored vinyl
- 5 years outdoor durability
- Ideal for flat and simple curves
- Screen & thermal transfer printable



Size/Color 10 yd 50yd

CC1550 - 15"
CC2450 - 24"
CC3050 - 30"
CC4850 - 48"

| | | |
|--------------------|-------------------|---------------------|
| 503 - CLEAR | 537 - CHERRY | 508 - SAPPHIRE BLUE |
| 501 - WHITE | 534 - BURGUNDY | 506 - MIDNIGHT BLUE |
| 505 - GREY | 536 - CRANBERRY | 516 - TEAL |
| 502 - BLACK | 540 - HOT PINK | 517 - FOREST GREEN |
| 509 - MATTE BLACK | 541 - PINK | 518 - DARK GREEN |
| 523 - LEMON YELLOW | 546 - PURPLE | 519 - GREEN |
| 524 - DAFFODIL | 549 - LAVENDER | 520 - KELLY GREEN |
| 522 - DARK YELLOW | 552 - LILAC | 521 - LIME GREEN |
| 544 - ORANGE | 515 - SKY BLUE | 551 - SILVER |
| 531 - BEIGE | 514 - ARCTIC BLUE | 550 - GOLD |
| 530 - BROWN | 513 - OCEAN BLUE | |
| 538 - TOMATO RED | 510 - VIVID BLUE | |

TRANSLUCENT VINYL



ARLON 2500 TRANSLUCENT CAST FILM

- 2 mil cast translucent vinyl
- Permanent clear adhesive
- 7 years outdoor durability
- Synthetic Liner for Superior Thermoform ability and Wet Application

Part # 2500 - unpunched
 i.e. 25002403022 = (24" x 10yd Black)
 i.e. 25002415022 = (24" x 50yd Black)

| Size | 10yd | 50yd |
|------------|------|------|
| 24" Black | | |
| 24" Colors | | |
| 48" Black | | |
| 48" Colors | | |

| | | | | | | | |
|--|------------------------|--|---------------------|--|-----------------------|--|-----------------------|
| | 020 - WHITE | | 015 - YELLOW | | 049 - BURGUNDY | | 2940 - BLUE |
| | 1090 - YELLOW | | 128 - PLUM | | 3238 - EUROPEAN BLUE | | 036 - DARK BLUE |
| | 125 - GOLDEN YELLOW | | 2856 - PURPLE | | 2114 - BLUE | | 236 - TURQUOISE |
| | 025 - SUNFLOWER | | 063 - RUST BROWN * | | 246 - TEAL | | 307 - DARK AQUA |
| | 084 - TANGERINE | | 069 - DURANODIC | | 106 - BRILLIANT GREEN | | 2586 - GREEN |
| | 2119 - ORANGE | | 022 - BLACK | | 156 - VIVID GREEN | | 026 - GREEN |
| | 044 - ORANGE | | 057 - OLYMPIC BLUE | | 076 - HOLLY GREEN | | 2108 - GREEN |
| | 2662 - RED | | 337 - PROCESS BLUE | | 112 - OLIVE GREEN | | 051 - SILVER GREY |
| | 143 - POPPY RED | | 127 - INTENSE BLUE | | 525 - BRIGHT YELLOW * | | 169 - MARIGOLD * |
| | 043 - LIGHT TOMATO RED | | 2930 - BLUE | | 2885 - FOX RED * | | 2283 - RED * |
| | 083 - REGAL RED | | 067 - BRIGHT BLUE | | 078 - VIVID ROSE * | | 133 - RASPBERRY * |
| | 033 - RED | | 097 - BRISTOL BLUE | | 059 - DARK BROWN * | | 2051 - BLUE * |
| | 2510 - RED | | 157 - SULTAN BLUE | | 087 - ROYAL BLUE * | | 3227 - BRIGHT GREEN * |
| | 073 - DARK RED | | 2870 - BLUE | | 005 - IVORY * | | 131 - GOLD METALLIC * |
| | 253 - CARDINAL RED | | 557 - IMPERIAL BLUE | | | | |

* ARLON 6,000 SQ FT MN ORDER COLORS

3M 3630 SCOTCHCAL TRANSLUCENT VINYL

- 2 mil cast low surface gloss
- Permanent, clear adhesive
- 6 years outdoor durability
- Designed for flat surface applications

Part # 3630 - unpunched
 i.e. 36302403022 = (24" x 10yd Black)
 i.e. 36302415022 = (24" x 50yd Black)

| Size | 10yd | 50yd |
|------------|------|------|
| 15" White | | |
| 15" Colors | | |
| 24" White | | |
| 24" Colors | | |
| 30" White | | |
| 30" Colors | | |
| 48" White | | |
| 48" Colors | | |

| | | | | | | | |
|--|------------------------|--|------------------------|--|---------------------------|--|--------------------------|
| | 020 - WHITE | | 015 - YELLOW | | 133 - RASPBERRY | | 317 - EVENING BLUE |
| | 121 - SILVER | | 125 - GOLDEN YELLOW | | 118 - INTENSE MAGENTA | | 246 - TEAL GREEN |
| | 051 - SILVER GREY | | 075 - MARIGOLD | | 078 - VIVID ROSE | | 236 - TURQUOISE |
| | 071 - SHADOW GREY | | 025 - SUNFLOWER | | 108 - PINK | | 126 - DARK EMERALD GREEN |
| | 061 - SLATE GREY | | 074 - KUMQUAT ORANGE | | 068 - ROSE MAUVE | | 076 - HOLLY GREEN |
| | 069 - DURANODIC | | 084 - TANGERINE | | 087 - ROYAL BLUE | | 026 - GREEN |
| | 022 - BLACK | | 044 - ORANGE | | 036 - BLUE | | 116 - BRIGHT JADE GREEN |
| | 059 - DARK BROWN | | 043 - LIGHT TOMATO RED | | 137 - EUROPEAN BLUE | | 146 - LIGHT KELLY GREEN |
| | 063 - RUST BROWN | | 143 - POPPY RED | | 157 - SULTAN BLUE | | 156 - VIVID GREEN |
| | 109 - LIGHT RUST BROWN | | 083 - REGAL RED | | 097 - BRISTOL BLUE | | 136 - LIME GREEN |
| | 129 - BRONZE | | 033 - RED | | 167 - BRIGHT BLUE | | 106 - BRILLIANT GREEN |
| | 131 - GOLD METALLIC | | 073 - DARK RED | | 127 - INTENSE BLUE | | 115 - LIGHT LEMON YELLOW |
| | 141 - GOLD NUGGET | | 053 - CARDINAL RED | | 337 - PROCESS BLUE | | |
| | 149 - LIGHT BEIGE | | 049 - BURGUNDY | | 057 - OLYMPIC BLUE | | |
| | 005 - IVORY | | 128 - PLUM PURPLE | | 147 - LIGHT EUROPEAN BLUE | | |



GF 790 - LIGHT ETCH FILM

- 3 Mil decorative light etch polymeric film
- Clear permanent adhesive



| Part # | Width | 50 yd |
|----------|-------|-------|
| 79024150 | 24" | |
| 79030150 | 30" | |
| 79048150 | 48" | |
| 79060150 | 60" | |

GF 791 - DEEP ETCH FILM

- 3 Mil decorative deep etch polymeric film
- Clear permanent adhesive

| Part # | Width | 50 yd |
|--------|-------|-------|
| 791-24 | 24" | |
| 791-30 | 30" | |
| 791-48 | 48" | |
| 791-60 | 60" | |



8500 TRANSLUCENT CALENDERED VINYL

- 3 mil calendered film
- Clear, solvent-based, permanent adhesive
- 7 years outdoor durability colors
- Other colors available upon request

| Size/Color | PART# | 50yd |
|------------|--------------|------|
| 15" White | 8500-1550010 | |



CUT VINYL



REFLECTIVE VINYL

ORAFOL 5500 ENG. GRADE REFLECTIVE

- 4.25 mil reflective vinyl
- Clear, solvent based, permanent adhesive
- Up to 7 years outdoor durability
- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting
- **Not rated for solvent printing**

Part # 5500-15XX - 15" unpunched
 5500-24XX - 24" unpunched
 5500-30XX - 30" unpunched
 5500-48XX - 48" unpunched

i.e. 5500-2515-010 = (24" x 50yd White)

| Size | 10yd | 50yd |
|------|------|------|
| 15" | | |
| 24" | | |
| 30" | | |
| 48" | | |



SEE PAGE 12 FOR DIGITALLY PRINTABLE REFLECTIVE


ORAFOL 5600 FLEET ENG. GRADE REFLECTIVE

- 5 mil reflective vinyl
- Clear, solvent based, permanent adhesive
- Up to 7 years outdoor durability
- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting
- **Can be digitally printed with most solvent, UV, UV-Gel, & Laytex printers**
- **Film must be tested to confirm printability prior to production**
- Recommended Laminates - 289F, 290, 290F, or 293

Part # 5600-30-XXX - 30"
 i.e. 5600-30-010 = (30" x 50yd White)

| Size | 10yd | 25 yd | 50yd |
|------|------|-------|------|
| 24" | | | |
| 30" | | | |
| 48" | | | |
| 54" | | | |
| 60" | | | |

White only
White only



universal PRODUCTS 4615/4625 ENG. GRADE REFLECTIVE

- 7 mil reflective vinyl
- Permanent acrylic adhesive
- Up to 7 years outdoor durability
- Flat surface applications only
- **Can be digitally printed with most solvent printers. Film must be tested to confirm printability prior to production**

Part # 4615X - 15" unpunched
 4616X - 15" punched
 4624X - 24" unpunched
 4630X - 30" unpunched
 4648X - 48" unpunched

Series + X + Color#
 Replace (X) with (1) for 10yd and (5) for 50yd
 i.e. 46245602 = (24" x 50yd Black)

| Size | 10yd | 50yd |
|------|------|------|
| 15" | | |
| 24" | | |
| 30" | | |
| 48" | | |



* NOT AVAILABLE IN 15"X10 YD
 # NOT AVAILABLE IN 15"X 50YD

FLUORESCENT VINYL

ORAFOL 6510 FLUORESCENT VINYL

- 4 mil fluorescent cast vinyl
- 1 year durability
- 6 months durability pink & orange

Length selection:

Replace (X) with length number 10 yards=1 50 yards=5

i.e. 651024037 = 24" Yellow Fluorescent

| Size | 10yd | 50yd |
|------|------|------|
| 24" | | |




universal PRODUCTS 2915/2924 FLUORESCENT VINYL

- 2.3 Mil fluorescent vinyl
- Permanent opaque adhesive
- Up to 6 months outdoor durability
- Flat and simple curve surfaces
- **Not recommended for permanent exterior applications**

Part # 2915X - 15" punched
 2924X - 24" unpunched
 2930X - 30" unpunched
 2948X - 48" unpunched
 i.e. 29241159 = (24" x 10yd Orange)
 i.e. 29245159 = (24" x 50yd Orange)

| Size | 10yd | 50yd |
|------|------|------|
| 24" | | |
| 48" | | |



GRAPHIC SHEETING

ORAFOL V98 CONFORMABLE GRAPHIC SHEETING

Prismatic Reflective Film ideal for vehicles that require increased visibility such as utility, telecom, DOT, fire, EMS, and police vehicles.

- High-tack adhesive
- Superior conformability
- No edge sealing required!
- 5-year Oralite warranty
- Meets requirements for ASTM D4956 | NFPA 1901



SOLID COLOR

| Size | 10yd | 50yd |
|------|------|------|
| 1" | NA | |
| 2" | NA | |
| 6" | | |
| 30" | | |

PRE-STRIPED CHEVRON

| Size | 50yd |
|------|------|
| 6" | |
| 15" | |
| 30" | |
| 48" | |

Part # V98 + Roll Size & Color




SPECIALTY METALIZED VINYL



VINYLEFX INDOOR & OUTDOOR PRINTABLE METALIZED VINYL

- Metalized vinyl film
- Permanent adhesive
- OUTDOOR - 3 years outdoor durability
- INDOOR - Intended for indoor application only



SMOOTH SILVER


FINE BRUSH SILVER

RAINBOW BRITE OVERALL


METAL FLAKE SILVER

DIAMOND PLATE SILVER

| PATTERN | COLOR | 15" PART #'S | | 24" PART #'S | | 48" PART #'S | |
|-----------------------|--------|--|---------------------|--------------|---------------------|--------------|---------------------|
| | | OUTDOOR DURABLE | DECORATIVE (INDOOR) | DURABLE | DECORATIVE (INDOOR) | DURABLE | DECORATIVE (INDOOR) |
| SMOOTH | SILVER | 4826XX (Unpunched) 4876XX (Punched) | 2826XX | 3101XXD | 2826XX | 3101XXD | 2826XX |
| | GOLD | 4826XX | 2826XX | 3102XXD | 2826XX | 3102XXD | 2826XX |
| FINE BRUSH | SILVER | 4826XX (Unpunched) 4876XX (Punched) | 2826XX | 6501XXD | 2826XX | 6501XXD | 2826XX |
| | GOLD | 4826XX (Unpunched) 4876XX (Punched) | 2826XX | 6502XXD | 2826XX | 6502XXD | 2826XX |
| RAINBOW BRITE OVERALL | SILVER | NA | 2831XX | 7901XXD | 2831XX | NA | NA |
| LARGE ENGINE TURN | GOLD | 4826XX (Unpunched) 4876XX (Punched) | NA | 196724XX | NA | 4826XX | NA |
| DIAMOND PLATE | SILVER | 4827XX (Unpunched) 4877XX (Punched) | 2827XX | K301XXD | 2827XX | K301XXD | 2827XX |
| METAL FLAKE | SILVER | NA | 2824XX | NA | 2824XX | NA | 2824XX |
| | GOLD | NA | 2824XX | NA | 2824XX | NA | 2824XX |
| FLORENTINE LEAF | GOLD | 4826XX (Unpunched) | 2826XX | 4402XXD | 2826XX | NA | NA |




SMOOTH GOLD



FINE BRUSH GOLD



LARGE ENGINE TURN GOLD



METAL FLAKE GOLD



FLORENTINE LEAF GOLD

HOLOGRAPHIC VINYL



HOLOGRAPHIC PRISMATIC FILM ESM-HOLO

A Holographic Prismatic Film with Adhesive (ESM-HOLO) is a 6 mil holographic printable prismatic film that has a general-purpose adhesive. It is an excellent choice for eye-catching, attention-grabbing graphics. This is good for indoor and outdoor applications.

- 6 Mil gloss finish
- 5 years durability (vertical application)
- Clear acrylic adhesive
- Ideal for labels, stickers, and decals

| Part Number | Size | Price |
|----------------|---------|-------|
| ESM-HOLO-75-15 | 15"x75' | |
| ESM-HOLO-75-30 | 30"x75' | |





SPECIALTY METALIZED VINYL

Lumina™
By FDC

2800 METALIZED MIRROR FINISH

- 2 mil PET metalized mirror
- Permanent clear adhesive
- 2 years durability, gold interior use only silver interior or exterior use
- Recommended for flat surfaces



Part # 2800 - unpunched
2850 - punched

i.e. 28002403007 = (24" x 10yd Silver)

i.e. 28002415007 = (24" x 50yd Silver)



| Size/Color | 10 yd | 50yd |
|----------------------|-------|------|
| GOLD FINISH | | |
| 15" | | |
| 24" | | |
| 30" | | |
| SILVER FINISH | | |
| 15" | | |
| 24" | | |
| 30" | | |
| 48" | | |

Lumina™
By FDC

2801/2851 BRUSHED METAL FINISH

- 2 mil PET metalized mirror
- Permanent clear adhesive
- 2 years durability
- Interior and exterior use
- Recommended for flat surfaces



Part # 2801 - unpunched
2851 - punched

i.e. 28012403007 = (24" x 10yd Silver)

i.e. 28012415007 = (24" x 50yd Silver)



| Size/Color | 10 yd | 50yd |
|----------------------|-------|------|
| GOLD FINISH | | |
| 15" | | |
| 24" | | |
| SILVER FINISH | | |
| 15" | | |
| 24" | | |

Lumina™
By FDC

3300/3350 IMITATION LEAF


- 4 mil polymeric cast
- Permanent clear adhesive
- 5 years durability
- Interior and exterior use
- Recommended for flat surfaces



Part # 3300 - unpunched
3350 - punched

i.e. 33002403007 = (24" x 10yd Silver)

i.e. 33002415007 = (24" x 50yd Silver)



| Size/Color | 10 yd | 50yd |
|------------|-------|------|
| 15" | | |
| 24" | | |



351 Polyester Film

- 1 mil metalized polyester film
- Clear, solvent-based, permanent adhesive
- Decorative labels, name and technical plates
- 2 years durability chrome, matte chrome
- 1 year durable gold coated



| Size/Color | 10 yd | 50yd |
|------------|-------|------|
| 15" | | |
| 24" | | |
| 30" | | |
| 48" | | |



22 KARAT GOLD VINYL

- Genuine 22 karat gold, vaporized and sealed into the

"underside" of a clear, 1 mil Tedlar™ PVF with a permanent acrylic pressure-sensitive adhesive

- 10-14 year durability
- Standard/thermal printable
- Flat and simple curves



| Part # | 2yd | 5 yd | 10yd |
|--------|-----|------|------|
|--------|-----|------|------|

SG1FS+Size

- 15" Punched Florentine Swirl
- 24" Unpunched Florentine Swirl

SG1SS+Size

- 15" Punched Satin Surface Gild
- 24" Unpunched Satin Surface Gild

SG1SET+Size


- 15" Punched Small Engine Turn
- 24" Unpunched Small Engine Turn

SG1LET +Size

- 15" Punched Large Engine Turn
- 24" Unpunched Large Engine Turn

SG1XLET+Size

- 15" Punched Extra Large Engine
- 24" Unpunched Extra Large Engine



PAINT MASK FILMS



Lumina™

By FDC

2901/2951 PROMOTIONAL PAINT MASK

- 3.4 mil white low luster calendered paint mask
- Removable clear adhesive
- Recommended for flat surfaces

Part # 2901 - unpunched
2951 - punched

i.e. 29012403002 = (24" x 10yd White)
i.e. 29012415002 = (24" x 50yd White)



| Size | 10 yd | 50yd |
|------|-------|------|
| 15" | | |
| 24" | | |
| 30" | | |
| 48" | | |
| 60" | | |



ARLON 2900/2950 PAINT MASK

- 4 Mil calendered vinyl
 - Low tack, low shear, and clean removing acrylic adhesive
 - Excellent resistance to heat and humidity and very good resistance to UV
- 2900 Perforated - 2950 Non Perforated



| Part Number | Size | Price |
|-------------|------------|-------|
| 029003015 | 30" x 150 | |
| 029004815 | 48" x 150 | |
| 029006015 | 60" x 150 | |
| 029501503 | 15" x 30' | |
| 029501515 | 15" x 150' | |
| 029503015 | 30" x 150' | |

SANDBLAST MASK

Hartco 425

REGULAR GRIP ADHESIVE (S)
For all painted wood, raw wood, and wood alternative surfaces, primed foam, glass, plexiglass, cast concrete, tile, Avonite, Corian, and some types of stone. For hand cutting or computer plotters.

HIGH GRIP ADHESIVE (HGS)
For industrial applications, as well as all stone, brick, concrete, raw wood, and monument substrates having porous surfaces.

400 SERIES SANDBLAST MASK

- 22.5 mil vinyl
 - 2.5 mil water based acrylic adhesive
 - Withstands up to 90 PSI air pressure & 60° blade
- Part # S425S - Regular grip
HGS425S - High Grip

S425 - REGULAR GRIP



- Painted wood, raw wood and wood alternatives
- Primed foam, glass, Plexiglas, Cast concentrate, tile, Avonite, Corian and some stones

| Part # | Size | 10yd |
|-------------|------------------------|------|
| S425S-15 | 15" - Non-Perf | |
| S425SP-15 | 15" - Perf Roll | |
| S42525 | 25" - Non-Perf | |
| S425S30 | 30" - Non-Perf | |
| S425SP-30/M | 30" - Masked & Punched | |

HGS425 - HIGH GRIP



- Industrial Applications
- Stone, brick, concrete, raw wood and monument substrates having porous surfaces
- For friction plotters

| Part # | Size | 10yd |
|-------------|----------------|------|
| HGS425SP-15 | 15" - Punched | |
| HGS425S-15 | 15" - Non-Perf | |
| HGS42520 | 20" - Non-Perf | |
| HGS42525 | 25" - Non-Perf | |
| HGS42530 | 30" - Non-Perf | |

Hartco 930

REGULAR GRIP ADHESIVE (S)
For sandblasting on smooth concrete, glazed brick, polished stone, and other smooth surface substrates that require high blasting pressure. As well as all painted wood, raw wood, and wood alternatives, primed foam, glass, plexiglass, Avonite, and Corian.

HIGH GRIP ADHESIVE (HGS)
For industrial applications, as well as all stone, brick, concrete, and monument substrates having porous surfaces.

900 SERIES SANDBLAST MASK

- 27.5 mil vinyl
 - 2.5 mil water based acrylic adhesive
 - Withstands up to 90-100 PSI air pressure & 60° blade
- Part # S930S - Regular grip
HGS930S - High Grip

S930 - REGULAR GRIP



- Painted wood, raw wood and wood alternatives
- For sandblasting on smooth concrete, glazed brick, polished stone, and other smooth surface substrates that require high blasting pressure. As well as all painted wood, raw wood, and wood alternative surfaces, primed foam, glass, plexi glass, Avonite, and Corian.

| Part # | Size | 10yd |
|-----------|----------------|------|
| S930SP-15 | 15" - Non-Perf | |

HGS930 - HIGH GRIP



- Industrial Applications
- Stone, brick, concrete, raw wood and monument substrates having porous surfaces

| Part # | Size | 10yd |
|-------------|----------------|------|
| HGS930S-25M | 25" - Non-Perf | |



CLING, DRY ERASE, RUBY FILM

Lumina™

By FDC

1203/1253 STATIC CLING

- 7.5 mil gloss white static cling
- Removable cling adhesive
- 3 months durability
- Flat surface only
- Ideal for producing temporary graphics, signage and decals

Part # 1203 unpunched
1253 punched

i.e. 12032403002 = (24" x 10yd White)

| Size | 10 yd | 50yd |
|------|-------|------|
| 15" | | |
| 24" | | |
| 30" | | |
| 48" | | |



rtape CHALK-TALK VINYL



- 6 mil non-PVC slate gray chalkboard film
- Repositionable removable adhesive
- Flat interior surfaces only
- Can be written on with chalk and wipes clean with eraser

| Part Number | Size | Price |
|-------------|--------------|-------|
| 43102408040 | 24" X 25 yds | |
| 43105408040 | 54" X 25 yds | |



General FORMULATIONS 290 - CHALKMARK VINYL

- 5 Mil black chalkboard vinyl
- For use with Soft Chalk & Fluorescent Liquid Chalk Markers
- High Performance removable adhesive with exceptional bond (removes cleanly from most surfaces)

| Part Number | Size | Price |
|-------------|------------|-------|
| 290-24 | 24" X 150' | |
| 290-48 | 48" X 150' | |
| 290-4875 | 48" X 75' | |
| 290-60 | 60" X 150' | |
| 290-6075 | 60" X 75' | |

Lumina™

By FDC

4305/4335 DRY ERASE




- 4 mil white & clear matte dry erase vinyl
- Permanent clear adhesive
- Interior flat surfaces only
- Can be written on repeatedly, and then wiped clean with a dry tissue or dry erase cleaning fluid

Part # 4305 unpunched
4335 punched

i.e. 43052403002 = (24" x 10yd White)

i.e. 43052415002 = (24" x 50yd White)

| Size | 10 yd | 50yd |
|------|-------|------|
| 15" | | |
| 24" | | |
| 30" | | |
| 48" | | |



RUBY MASKING FILM

Super-Strip masking film products are engineered specifically for both electronic cutting equipment and hand cut graphic arts applications. The unique emulsion allows stripping of the unwanted matrix at a speed unmatched by current competitive products. The coating is attached to an optically clear polyester base using a special adhesive layer. Its self healing formula allows cutting mistakes to be corrected by firmly rubbing the emulsion flat into the clear polyester base and re-cutting as required.

| Part # | Width | 10 yd | 50yd |
|--------|-------|-------|------|
| RUBY | 15" | | |
| RUBY24 | 24" | | |
| RUBY30 | 30" | | |

Surfaces to which the material will be applied must be thoroughly cleaned from dust, grease or any contamination which could affect the adhesion of the material. Freshly lacquered or painted surfaces should be completely cured. The compatibility of selected lacquers and paints should be tested by the user, prior to application of the material.



COLORED WRAP VINYL



AVERY SUPREME WRAPPING FILM

- 3.2 mil dual-layer premium cast vinyl
- Permanent, transparent acrylic, long term removable with Easy Apply RS technology
- Very high gloss or matte finish
- 12 years black/white vertical exposure (3 years horizontal) durability
- 10 years color vertical exposure (2 years horizontal) durability
- 5 years metallic vertical exposure (2 years horizontal) durability
- Superior conformability to irregular substrates including deeply concave and convex shapes
- Easily applied cost-effective film solution to accent, update or completely alter the appearance of a vehicle's finish while protecting the original paint surface



Part Number is below color swatch (5YDS - 25YDS)

| Size | 5yds | 25yds |
|--|------|-------|
| BRUSHED METALLIC 60" Colors | | |
| CARBON FIBER 60" Colors | | |
| BLACK, WHITE, STD. COLORS 60" Colors | | |
| DIAMOND LINE 60" Colors | | |
| COLORFLOW 60" Colors | | |

| | | | | | | | | | | | | | |
|---|---------------------------------------|---|---|---|---|--------------------------------------|--------------------------------------|--|---|---|--|---|--------------------------------------|
| 5961 - 5956 BRUSHED BLACK | 5959 - 5954 BRUSHED TITANIUM | 5960 - 5955 BRUSHED ALUMINUM | 5963 - 5958 BRUSHED STEEL | 5962 - 5957 BRUSHED BRONZE | 5984 - 5983 CARBON FIBER WHITE | 5982 - 5981 CARBON FIBER BLACK | 5809 - 5286 GLOSS WHITE | 5843 - 5734 MATTE WHITE | 5831 - 5710 WHITE PEARL | 6117 - 6116 SATIN WHITE | 6119 - 6118 SATIN WHITE PEARL | 5841 - 5730 MATTE BLACK | 5810 - 5288 GLOSS BLACK |
| 5830 - 5708 GLOSS MET. BLACK | 6115 - 6114 SATIN BLACK | 6660 - 6659 GLOSS ECLIPSE | 6310 - 6309 MATTE MET. YELLOW GREEN | 5828 - 5704 GLOSS MET. GOLD | 6536 - 6535 SATIN YELLOW | 5811 - 5290 GLOSS YELLOW | 5812 - 5292 GLOSS DK. YELLOW | New - New SAND SPARKLE | New - New SATIN SAFARI GOLD | 6245 - 6071 MATTE ORANGE | 6241 - 6065 PEARL GOLD ORANGE | 6012 - 6010 MATTE MET. BLAZE ORANGE | 5813 - 5294 GLOSS ORANGE |
| 6534 - 6533 SATIN ORANGE | 5815 - 5298 GLOSS RED | 6662 - 6661 GLOSS SPARK | 5814 - 5296 GLOSS SOFT RED | 5834 - 5716 GLOSS CARDINAL RED | 5835 - 5718 GLOSS CARMINE RED | 6024 - 6022 PEARL RED | 6113 - 6112 SATIN CARMINE RED | 6247 - 6073 MATTE MET. CHERRY | 5914 - 5912 MATTE MET. GARNET RED | 5816 - 5300 GLOSS BURGUNDY | 6257 - 6212 SATIN AWE. ORCHID | 6111 - 6110 SATIN BUB. PINK | 6246 - 6072 MATTE MET. PINK |
| 5908 - 5906 MATTE MET. PURPLE | 6544 - 6543 SATIN MET. PURPLE | New - New GLOSS SMOKY BLUE | 6248 - 6074 MATTE MET. POWDER BLUE | 6317 - 6318 MATTE MET. BLUE | 5917 - 5915 MATTE MET. NIGHT BLUE | 5819 - 5306 GLOSS LIGHT BLUE | 6540 - 6539 SATIN LIGHT BLUE | 5920 - 5918 MATTE MET. FROSTY BLUE | 5832 - N/A GLOSS MET. BRIGHT BLUE | NEW - N/A GLOSS SEA BREEZE BLUE | 5836 - 5712 GLOSS MET. DARK BLUE | NEW - NEW GLOSS CLOUDY BLUE | 5839 - 5726 GLOSS INTENSE BLUE |
| 5911 - 5909 MATTE MET. BRILLIANT BLUE | 5820 - 5308 GLOSS BLUE | 6664 - 6663 GLOSS MAG. BURST | 5821 - 5310 GLOSS DARK BLUE | 6542 - 6541 SATIN DARK BLUE | 5838 - 5724 GLOSS INDIGO BLUE | 6255 - 6210 MATTE KHAKI GREEN | 6256 - 6211 SATIN KHAKI GREEN | NEW - NEW GLOSS LIGHT PISTACHIO | 5817 - 5302 GLOSS LIME GREEN | NEW - NEW MATTE OLIVE GREEN | 5929 - 5927 MATTE MET. APPLE GREEN | 6244 - 6070 MATTE EME. GREEN | 5837 - 5722 GLOSS GRASS GREEN |
| 6538 - 6537 SATIN GRASS GREEN | 6666 - 6665 GLOSS RADIOACTIVE | 6250 - 6076 MATTE MET. EME. GREEN | 6240 - 6069 GLOSS EME. GREEN | 6243 - 6067 PEARL LIGHT GREEN | 5818 - 5304 GLOSS DARK GREEN | 6027 - 6025 PEARL DARK GREEN | 5825 - 5702 GLOSS MET. SILVER | 6546 - 6545 SATIN SILVER MET. | 5829 - 5706 GLOSS MET. GREY | 6021 - 6019 GLOSS MET. QUICK SILVER | NEW - NEW GLOSS ROCK GREY | 5823 - 5314 GLOSS GREY | 6548 - 6547 SATIN GREY |
| 5923 - 5921 MATTE MET. GUNMETAL | 5926 - 5924 MATTE MET. CHARCOAL | 5842 - 5732 MATTE DARK GREY | 6252 - 6078 MATTE MET. SILVER | 6253 - 6079 MATTE MET. ANTHRACITE | 5824 - 5700 GLOSS DARK GREY | NEW - NEW SATIN DARK BASALT | 5833 - 5714 GLOSS MET. BROWN | 6312 - 6311 MATTE MET. BROWN | 6322 - 6321 DIAMOND WHITE | 6324 - 6323 DIAMOND AMBER | 6326 - 6325 DIAMOND RED | 6328 - 6327 DIAMOND PURPLE | 6330 - 6329 DIAMOND BLUE |
| 6332 - 6331 DIAMOND SILVER | 6524 - 6523 GLOSS FRESH SPRING | 6504 - 6503 SATIN FRESH SPRING | 6526 - 6525 GLOSS RISING SUN | 6506 - 6505 SATIN RISING SUN | 6528 - 6527 GLOSS ROAR THUNDER | 6508 - 6507 SATIN ROAR THUNDER | 6559 - 6558 GLOSS LIGHT. RIDGE | 6557 - 6556 SATIN LIGHT. RIDGE | 6530 - 6529 GLOSS RUSH. RIPTIDE | 6510 - 6509 SATIN RUSH. RIPTIDE | 6532 - 6531 GLOSS URBAN JUNGLE | 6512 - 6511 SATIN URBAN JUNGLE | N/A - 6068 GLOSS AMB. YELLOW |



HEAT PRESS MEDIA

PLOTTER CUT HEAT PRESS MEDIA



Heat Transfer Material for Textiles



XCUT

XCut is an exclusive heat transfer flex film! Designed for cutting plotters. 100% polyurethane XCut ensures fine, elastic and resistant designs, with an extremely soft touch. Its adhesive liner allows very fine cutting and fast weeding.



Transfer Temperature Transfer Time

275°F

12 Seconds

320°F

4 Seconds

Fabrics

Cotton, Polyester, Polycotton, Blends

Application

Hot Peel

Washing

140°F

Part# 55111 + Color + Width + Length

STANDARD COLORS

| | | | | | |
|--|---------------|--|----------------|--|-----------|
| | WHITE | | MOONBERRY | | BEIGE |
| | DENT-DE-LION | | LAVENDER | | DUNE |
| | LEMON YELLOW | | PLUM | | CHOCOLATE |
| | SUNNY YELLOW | | PURPLE | | COOL GREY |
| | SODA ORANGE | | SKY BLUE | | GREY |
| | ORANGE | | HAWAII BLUE | | DARK GREY |
| | FIRE RED | | ATOLL BLUE | | BLACK |
| | PASSION RED | | PACIFIC BLUE | | |
| | ELECTRIC RED | | REFLEX BLUE | | |
| | RED | | ROYAL BLUE | | |
| | BABY PINK | | NAVY BLUE | | |
| | CANDY PINK | | MINT GREEN | | |
| | FUCHSIA | | APPLE GREEN | | |
| | BURGUNDY | | LIGHT GREEN | | |
| | LAVENDER BLUE | | MILITARY GREEN | | |

NEON

| | |
|--|-------------|
| | NEON YELLOW |
| | NEON ORANGE |
| | NEON PINK |
| | NEON GREEN |

METALLIC

| | |
|--|-----------------|
| | SILVER METALLIC |
| | GOLD METALLIC |

| Colors/Size | 5 yd | 10 yd | 25 yd | 50 yd |
|-------------|------|-------|-------|-------|
| 12" | | | | |
| 19.7" | | | | |

LAYERING SEF HEAT TRANSFER FILMS

When layering SEF films it is important to first check the surface of the fabric and make sure it will handle the extra heat and is free of any repellent. Flex on flock is not recommended, but flock on flex is no problem. Reduce time for the first layers (3 or 4 seconds). Use recommended time settings on the last top layer.



PLOTTER CUT HEAT PRESS MEDIA

HEAT PRESS MEDIA



METALFLEX

Featuring a shiny metal look, a superior alternative to foils. MetalFlex is the most sustainable metalized film on the market with excellent washing resistance

- 100% polyurethane, PVC Free with a metallic coating
- provides for a shiny look
- Super thin and very elastic featuring a low tack sticky carrier
- Fabrics: Cotton, cotton poly blends. Not suited for nylon or coated textiles
- Transfer Temperature: 340°F
- Transfer Time: 20 seconds
- Pressure: Medium/High
- Tip - Waiting for the product to cool down 20 seconds before removing the liner after pressing will give a shinier finish



Part# FCSSG + Color + 155

| Part # | 5 yd | 10yd | 25 yd | 50yd |
|-----------------|------|------|-------|------|
| FCSSG+Color+155 | | | | |



FLEXCUT NYLON

Designed for nylon, heat sensitive fabrics and coated fabrics where other standard flex films do not work, i.e, nylon jackets, umbrellas, athletic & tote bags, (testing recommended).

- Featuring a 240°F / 115°C low temperature activated polyamide hot melt adhesive
- 100% polyurethane, PVC Free, water-based film construction
- Excellent color fastness & washing resistance
- Fabrics: Nylon
- Transfer Temperature: 240°F
- Transfer Time: 15 seconds
- Pressure: Medium
- Cold peel



Part# FCSNY+COLOR+LENGTH

| Part # | 5 yd | 10yd | 25 yd | 50yd |
|--------------------|-----------------|----------------------|-------|------|
| FCSNY+Color+Length | | | | N/A |
| 01 - WHITE | 21 - ROYAL BLUE | 31 - SILVER METALLIC | | |
| 05 - LEMON YELLOW | 25 - GREEN | 32 - GOLD METALLIC | | |
| 10 - RED | 02 - BLACK | | | |



FLEXCUT SBB MAXIMA

Sublimation Blocking Barrier for plotter cut; features an integrated film blocking layer designed to block ink migration from coming up through to the first surface when heat applied to dyed polyester textiles

- 100% polyurethane first layer for eco-solvent & solvent inks
- Excellent color fastness and washing resistance
- Available in White Only
- Fabrics: Cotton, Polyester. Suitable for temperature sensitive and migrating textiles. (sports jersey types)
- Not suited for nylon or coated textiles.
- Transfer Temperature: 266°F
- Transfer Time: 10 seconds
- Pressure: Medium/High
- Cold peel



| Part # | Size | Price |
|--------------|------------|-------|
| FCSSB-01195 | 19.7"x5yd | |
| FCSSB-011910 | 19.7"x10yd | |
| FCSSB-011925 | 19.7"x25yd | |





PLOTTER CUT HEAT PRESS MEDIA



VELCUT EVO

A high quality flock film for plotter cutting. VelCut is very user friendly, while providing a very rich look to enhance any textile application from hats to business shirts.

- When cut properly, weeding is easy to attain the finest of detail
- Velvet soft to the touch, excellent color fastness & washing resistance
- Fabrics: Cotton, cotton poly blends.
- Not suited for nylon or coated textiles
- Transfer Temperature: 320-340°F
- Transfer Time: 10-15 seconds
- Pressure: low/Medium



Part# Standard = VCE+COLOR+Width+Length

Part# Neon = VCEP+COLOR+ Width+Length

| Part # | 5yd | 10yd |
|-------------------------|-------------------|--------------------|
| VCE+Color+Width+Length | | |
| VCEP+Color+Width+Length | | |
| 01 - WHITE | 31 - DARK PURPLE | 16 - BEIGE |
| 02 - LEMON YELLOW | 34 - MINT | 22 - BROWN |
| 03 - SUNNY YELLOW | 15 - SKY BLUE | 14 - CHOCOLATE |
| 12 - ORANGE | 20 - TURQUOISE | 19 - LIGHT GREY |
| 04 - ELECTRIC RED | 32 - BLUE | 11 - COOL GREY |
| 05 - RED | 08 - PACIFIC BLUE | 39 - DARK GRAY |
| 26 - DARK RED | 07 - NAVY BLUE | 18 - ANTHRACITE |
| 17 - BORDEAUX | 09 - ROYAL BLUE | 06 - BLACK |
| 27 - PINK | 35 - ANIS | NEON YELLOW |
| 21 - MAGENTA | 23 - LIME GREEN | NEON BRIGHT ORANGE |
| 28 - DARK PINK | 36 - LIGHT GREEN | NEON ORANGE |
| 29 - LAVENDER | 10 - GREEN | NEON PINK |
| 30 - PURPLE | 37 - KHAKI | NEON BLUE |
| | | NEON GREEN |



9000 HEAT PRESS MEDIA

DC 9000 Series is an opaque colored heat transfer film designed for application to textiles. This HTV product features excellent weeding capability for detailed designs, hot or cold peel for fast applications and opacity for multi layer jobs.

- Fabrics: 100% cotton, 100% polyester and poly/cotton blends.
- Testing required on all other fabrics.
- Transfer Temperature: 302°F
- Transfer Time: 10 seconds
- Pressure: Medium



Part#

15" UnPunched 9000 + Length + Color

15" Punched 9050 + Length + Color

| Width | 5 yd | 10yd | 25yd | 50yd |
|-------------------------|------------------------|-----------------------------|------|------|
| 15" | | | | |
| 003 - BLACK * | 002 - WHITE | 006 - YELLOW * | | |
| 008 - BROWN * | 011 - DARK BLUE * | 018 - OLYMPIC BLUE * | | |
| 025 - SUNFLOWER* | 028 - DOVE GREY* | 047 - TAN | | |
| 048 - CAMEL | 056 - HOT PINK * | 060 - BRIGHT CARDINAL RED * | | |
| 076 - MAGENTA | 106 - MEDIUM GREEN | 108 - PEACOCK | | |
| 036 - LITE GREEN (GLOW) | 113 - SALMON PINK * | 130 - TEAL BLUE * | | |
| 133 - TANGERINE * | 139 - PALE BLUE * | 170 - DARK FOREST GREEN | | |
| 174 - CHOCOLATE BROWN | 182 - SUNBEAM YELLOW * | 190 - COOL WATER | | |
| 247 - VIBRANT GREEN * | 253 - LILAC | 257 - LIME GREEN * | | |
| 268 - FIREWORKS | 280 - LIGHT PINK | 001 - RED | | |
| 005 - BLUE * | 007 - SILVER * | 012 - BURGUNDY | | |
| 023 - DEEP RED | 074 - ROYAL PURPLE * | 137 - DEEP PURPLE | | |
| 159 - WINEBERRY | 260 - DESERT TAUPE | 004 - GOLD * | | |

* ALSO AVAILABLE IN 20"

PLOTTER CUT HEAT PRESS MEDIA

HEAT PRESS MEDIA



Lumina™ 9105 GLITTER

FDC Series 9105 is a glitter heat transfer film designed for application to textiles. This Thermal Advantage™ product has an attention grabbing glitter look that adds sparkle to your graphic. Easy to cut and weed based

- Fabrics: 100% cotton, 100% polyester and poly/cotton blends.
- Testing required on all other fabrics.
- Transfer Temperature: 320°F
- Transfer Time: 10 seconds
- Pressure: Medium



Part# - 15" Punched - 9105 + Length + Color

| Width | 5 yd | 10yd | 25yd | 50yd |
|-------|------|------|------|------|
| 15" | | | | |



Lumina™ PATTERN SERIES

FDC's collection of patterned heat transfer films are a great way for designers to add some spice to your designs. Media comes in an array of camouflage, animal prints and geometric patterns..

- Fabrics: 100 percent cotton, 100 percent polyester and poly/cotton blends
- Transfer Temperature: 315°F
- Transfer Time: 15 seconds
- Pressure: Medium



Part# - 15" Punched - Series# + 1502 + Pattern #

- 9201 Animal Series
- 9202 Camo Series
- 9203 Geometric Series

| Width | 5yd |
|-------|-----|
| 15" | |



MIGRATION/RESUBLIMATION

Heat transferring films on polyester or polyamide fabrics can result in "migration". The heat of the press can re-activate the inks and start migration (change the color) on the heat-transferred graphic. This migration, or re-sublimation, phenomenon can take 48 to 72 hours to happen, sometimes even 2 to 3 weeks.



- If you transfer on fabrics other than polyester or polyamide there is no actual migration risk, you can therefore use any of our standard heat transfer films.
- If you transfer on sublimated polyester fabrics (the back of the fabrics is white or lighter shade of color) a low temperature SEF film like RocketCut can prevent migration. But test don't guess and use SBB Maxima films if you have any doubts!
- If you transfer on dispersed dyed polyester fabrics (same color back and front of the fabric) the use of SEF SBB Maxima films is mandatory.
- "Soft shell" garments made out of dispersed dyed micro fibers are the worst "migration" case scenario, we recommend to carefully test FlexCut SBB Maxima films every time.



HEAT PRESS MEDIA

PRINT & CUT HEAT PRESS MEDIA



TATOO

SEF's # 1 selling high performance Print & Cut Heat Transfer Film for eco-solvent and solvent inks. Tattoo's specially formulated 100% polyurethane film is widely known for its bright white color to produce brilliant high quality images.

- Tatoo is super thin, very elastic with great rebound
- PVC Free, water-based, excellent color retention & washing resistance
- Fabrics: Cotton, cotton poly blends. Not suited for nylon or coated textiles. Fabrics with polyester or contain polyester may exhibit dye migration and or bleeding. Testing required before full production. In those cases SEF SBB media would be recommended.
- Printable with Ecosolvent, Solvent, Latex and UV-Inks
- FlexTape is recommended to assist in the transfer to fabric
- Transfer Temperature: 330°F
- Transfer Time: 7 seconds + 15 seconds repressing without the tape (direct contact with the press)
- Pressure: Medium/High Fastness: 140°F

-or-

- Transfer Temperature: 330°F
- Transfer Time: 17 seconds
- Pressure: Medium/High
- Fastness: 175°F

Part# TATOO+width+length



| Width | 5 yd | 10yd | 25 yd | 50yd |
|-------|------|------|-------|------|
| 19.7" | | | | |
| 29.7" | | | | |



TATOO NYLON

Print & cut media specifically formulated for nylon, heat sensitive fabrics and coated fabrics where other standard flex films do not work, i.e, nylon jackets, umbrellas, athletic & tote bags.

- Featuring a 240°F / 115°C low temperature activated polyamide hot melt adhesive
- 100% polyurethane film for excellent color retention and washing resistance
- PVC free, water-based construction
- Fabrics: Nylon and other coated textiles
- Transfer Temperature: 240°F
- Transfer Time: 15 seconds
- Pressure: Medium

Part# TATOON+width+length



| Width | 5 yd | 10yd | 25 yd | 50yd |
|-------|------|------|-------|------|
| 19.7" | | | | |
| 29.7" | | | | |



TATOO SBB

Sublimation Blocking Barrier for print & cut, features an integrated film blocking layer designed to block ink migration from coming up through to the first surface when heat applied to dyed polyester textiles.

- 100% polyurethane first layer accepts eco-solvent & solvent inks
- Adhesive activation temperature of @ 295°F / 145°C to minimize ink activation
- Excellent color retention & washing resistance
- Transfer Temperature: 293°F
- Transfer Time: 18-20 seconds
- Pressure: Medium/High
- Hot peel

Part# TATOOSBB+width+length



| Width | 5 yd | 10yd | 25 yd | 50yd |
|-------|------|------|-------|------|
| 19.7" | | | | |
| 40" | NA | | | |



GRAFFITI

Latex printable, intermediate, High Performance, very production friendly print & cut for latex, eco-solvent and solvent inks.

- Featuring a high performance co-polyester adhesive for application to a wide range of textiles where other standard flex films will not work
- 100% polyurethane film, water-based, super thin, excellent stretch and color fastness
- Featuring a bright white for brilliant color reproduction
- When printing with HP Series 360 printers, we recommend using SEF's qualified printer profile
- Printable with Ecosolvent, Solvent, Latex and UV-Ink
- Fabrics: Cotton, cotton poly blends. Not suited for nylon or coated textiles. Fabrics with polyester or contain polyester may exhibit dye migration and or bleeding. Testing required before full production. In those cases, SEF SBB media would be recommended.
- Transfer Temperature: 330 °F
- Transfer Time: 7 seconds + 15 seconds repressing without the tape (direct contact with the press)
- Pressure: Medium/High Fastness: 140°F

-or-

- Transfer Temperature: 330 °F
- Transfer Time: 17 seconds
- Pressure: Medium/High
- Fastness: 104°F

Part# GRAFFITI+width+length



| Width | 5 yd | 10yd | 25 yd | 50yd |
|-------|------|------|-------|------|
| 19.7" | | | | |
| 29.7" | | | | |



CLEARFLEX

SEF's ultimate clear for white or light colored fabrics. Featuring a super thin & soft transparent polyurethane flex film. ClearFlex feels much like a screen printed image.

- No transfer tape required
- Super thin with excellent stretch and rebound
- Print in reverse / mirror image
- Printable with Ecosolvent & Solvent-Inks
- Fabrics: Cotton, cotton poly blends. Not suited for coated textiles.
- Transfer Temperature: 320°F
- Transfer Time: 15 seconds
- Pressure: Medium/High

Part# CLEARFLEX+width+length



| Width | 5 yd | 10yd | 25 yd | 50yd |
|-------|------|------|-------|------|
| 19.7" | | | | |
| 29.5" | | | | |



ECOPRINT

Is a one of a kind "Printable" Flock material accepting eco-solvent, solvent & latex inks. A great alternative to flock films. EcoPrint offers a soft dimensional & rich look to any textile application.

- Velvet soft viscos fiber for ink absorption, retention & durability
- Excellent color fastness and washing resistance
- An alternative to embroidery
- Fabrics: Cotton, cotton poly blends. Not suited for coated textiles.
- Transfer Temperature: 320-340 °F
- Transfer Time: 15-17 seconds
- Pressure: Medium

Part# ECOPRINT+width+length



| Width | 10yd | 25 yd | 50yd |
|-------|------|-------|------|
| 19.7" | | | |

DIGITAL PRINT & CUT HEAT PRESS

HEAT PRESS
MEDIA



MATTE
SEMI-GLOSS
COTTON
POLYESTER
POLY-BLEND
SPANDEX
LYCRA
LEATHER

ESM-HTMP

ESM-HTM3

ESM-HTMS

| FINISH | COMPATIBILITY * | | | | | | |
|--------|-----------------|---|---|---|---|---|---|
| ● | ● | ● | ● | ● | ● | ● | ● |
| ● | ● | ● | ● | ● | ● | ● | ● |
| ● | ● | ● | ● | ● | ● | ● | ● |

* Always test print media and fabric compatibility BEFORE production.

Roland HEAT PREMIUM HTMP



A flexible 3.5-mil matte polyurethane film with a waterbase coating is smooth, has a soft hand, and yields vibrant prints resembling screen-printed graphics. Transferring graphics to a variety of materials, including cotton, polyester, poly-blend, spandex/Lycra®, quick and easy.

- PGM-PTM2 is recommended to assist in the transfer to fabric
- Printer Inkset Eco solvent (Eco-Sol MAX, Eco-Sol MAX 2, EJ, TrueVIS)



| Part # | Size | Price |
|----------------|-----------|-------|
| ESM-HTMP-75-20 | 20" x 75' | |
| ESM-HTMP-75-30 | 30" x 75' | |

Roland HEAT SOFT PLUS HTM3



HeatSoft PLUS ESM-HTM3, is a gloss thin yet durable inkjet-printable polyurethane media that images beautifully, stretches and weeds easily. Extremely versatile, HeatSoft PLUS ESM-HTM3 makes transferring graphics to a variety of materials, including cotton, polyester, poly-blend, spandex/Lycra® and leather, quick and easy.

- PGM-PTM2 is recommended to assist in the transfer to fabric
- Printer Inkset Eco solvent (Eco-Sol MAX, Eco-Sol MAX 2, EJ, TrueVIS, Resin Inks)

| Part # | Size | Price |
|----------------|-----------|-------|
| ESM-HTM3-75-20 | 20" x 75' | |
| ESM-HTM3-75-30 | 30" x 75' | |

Roland HEAT SOFT SATIN HTMS



HeatSoft PLUS ESM-HTMS, is a semi-gloss thin yet durable inkjet-printable polyurethane media that images beautifully, stretches and weeds easily. Extremely versatile, HeatSoft PLUS ESM-HTMS makes transferring graphics to a variety of materials, including cotton, polyester, and poly-blends quick and easy.

- PGM-PTM2 is recommended to assist in the transfer to fabric
- Printer Inkset Eco solvent (Eco-Sol MAX, Eco-Sol MAX 2, EJ, TrueVIS)




| Part # | Size | Price |
|----------------|-----------|-------|
| ESM-HTMS-75-20 | 20" x 75' | |
| ESM-HTMS-75-30 | 30" x 75' | |

Roland HEATSOFT GLAM SILVER SPARKLE



Add some "bling" in your life with Roland's HeatSoft™ GLAM It is a 7.5 mil printable silver sparkle heat transfer vinyl that is made of white polyurethane film with silver sparkle flecks encapsulated in the film for a smooth printable surface. This is a thick and durable media, so it is ideal for thicker fabrics or accent pieces for t-shirts and thinner fabrics. Use it in the production of children's apparel and décor since it is CPSIA certified. Compatible with cotton, polyester, and cotton/poly blend products.



- Film has an eye-catching sparkling pearlescent finish
- Compatible with cotton, polyester, and cotton/poly blend products.
- PGM-PTM2 is recommended to assist in the transfer to fabric
- Printer Inkset Eco solvent

| Part # | Size | Price |
|-----------------|-----------|-------|
| ESM-HTGLM-30-20 | 20" x 30' | |
| ESM-HTGLM-30-30 | 30" x 30' | |

PRINT & CUT HEAT PRESS TAPE

Roland HEATSOFTTRANSFER TAPE PTM2


Roland's HeatSoft™ Polyester Transfer Mask (PGM-PTM2) is made with medium-tack adhesive that is intended for use with Roland's HeatSoft™ PLUS (ESM-HTM3) or HeatSoft™ SATIN (ESM-HTMS) heat transfer media. PGM-PTM2 is designed to lift thin, stretchy film and release shortly after pressing with ease.



| Part # | Size | Price |
|----------------|-----------|-------|
| PGM-PTM2-75-20 | 20" x 75' | |
| PGM-PTM2-75-30 | 30" x 75' | |
| PGM-PTM2-75-54 | 54" x 75' | |

rtape HM375 HOTMASK

RTape's Hotmask™ series of self-wound polyester transfer tapes are designed to protect printed heat transfer material from the high temperatures of heat pressing. A high tack level, HM375 HotMask™ transfers print and cut graphics from the carrier film and aids alignment of the graphic to the garment.



- Polyester transfer tape
- High tack heat resistant adhesive
- Compatible with all brands & types of printable heat-activated media
- Protects the printed surface from discoloration
- Removes easily without any adhesive residue
- For use with Flocking material, Polyurethane films, Vinyl films

| Part # | Size | Price |
|---------|------------|-------|
| HM37512 | 12" x 20yd | |
| HM37520 | 20" x 20yd | |
| HM37530 | 30" x 20yd | |

APPLICATION TAPES

APPLICATION TAPES



ApliTape™ PAPER APPLICATION TAPE

ApliTape™ is the original RTape application tape. It has all of the great features of RTape's popular Conform® series, but without the RLA® Release Liner Adhesion additive. Available in standard and heavyweight paper grades, in a variety of tack levels.

- 4000 Low Tack**
Standard grade saturated paper premask, coated with a low tack rubber adhesive.
- 4050 Medium Tack**
Standard grade saturated paper application tape, coated with a medium tack rubber adhesive.
- 4075 High Tack**
Standard grade saturated paper application tape, coated with a high tack rubber adhesive.
- 4700 Low Tack**
Heavyweight paper premask, coated with a low tack rubber adhesive.
- 4760 Medium Tack**
Heavily saturated heavyweight paper premask with a medium tack rubber adhesive.
- 4885 High Tack**
Heavyweight paper prespacing tape with an extra high tack rubber adhesive.



****CUSTOM SIZE CUTS AVAILABLE UPON REQUEST****

| Series | 4000 | 4050 | 4075 | 4076 | 4761 | 4775 | AT60N | AT65 | AT75 |
|--------|------|------|------|------|------|------|-------|------|------|
| Size | | | | | | | | | |
| 1.25" | | | • | | | | | | |
| 2.25" | | | • | | | | | | |
| 3.25" | | | • | | | | | | |
| 4.25" | | | • | | | | | | |
| 6.5" | | | • | | | | | | • |
| 8.5" | | | • | | | | | | |
| 10.5" | | | • | | | | | | |
| 12" | | | • | | | | | | • |
| 14" | | | • | | | | | | |
| 15" | | | • | | | | | | |
| 18" | | | • | | | | | | |
| 20" | | | • | | | | | | |
| 24" | • | • | • | • | • | • | • | • | • |
| 30" | | | • | • | | | • | | • |
| 48" | • | • | • | • | • | • | • | | • |
| 54" | | | • | | | | | | |
| 60" | | | • | | | | | | |

Conform® APPLICATION TAPE WITH RLA

With RLA®, Conform® sticks to slick release liners, so tapes do not "dog ear" and stick together. Conform® series application tapes and screen printing premasks are available in standard and heavyweight paper grades, in a variety of tack levels from low to high.

- 4050RLA Medium Tack**
Standard weight paper application tape with a medium tack rubber adhesive. Perfect for masking small to mid sized, prespaced vinyl and printed graphics.
- 4075RLA High Tack**
Standard weight paper application tape with a high tack rubber adhesive.
- 4076RLA Higher Tack**
Standard grade saturated paper application tape, coated with a slightly higher tack rubber adhesive.
- 4078RLA Medium Tack**
Standard weight paper application tape with a medium tack adhesive. Recommended for applying wall graphics.
- 4700LT RLA Low-Medium Tack**
Heavyweight, highly saturated paper application tape with a low-medium tack rubber adhesive. Designed for use with vinyl paint masks.
- 4740RLA Medium Tack**
Heavyweight saturated paper premask with a medium tack rubber adhesive.
- 4761RLA High Tack**
Heavily saturated heavyweight paper with a high tack rubber adhesive. Designed as a prespacing tape for air egress vinyls.
- 4775RLA High Tack**
Heavyweight paper prespacing tape coated with a high tack rubber adhesive.



Clear Choice® FILM APPLICATION TAPE

Clear Choice® film application tapes allow for precise registration of multiple color overlays. The rigid facestocks used for Clear Choice® minimize stretching to allow for precise alignment of graphics. Clear Choice® film tapes are available in a variety of tack levels to satisfy a wide range of sign applications.

- AT60N Medium Tack**
Designed to transfer large format graphics. Excellent clarity aids precise registration. General purpose sign applications. Airbrush frisket.
- AT65 High Tack**
Provides exceptional performance and versatility for the widest range of sign applications. Especially well suited for transferring small, high detail cut graphics and intermediate calendared vinyl films with tight release liners.
- AT75 High Tack**
Embossed film allows for bubble free laminations. Great for small and medium size lettering. Good lay flat to liners.



APPLICATION TAPES

APPLICATION TAPES



HIGH TACK TRANSFER TAPE

- High Tack Application Tape
- Standard Weight Paper Tape
- Great performance for low price

| Part # | Size | Price |
|-----------|----------|-------|
| CS570418H | 18"x300' | |
| CS570424H | 24"x300' | |
| CS570430H | 30"x300' | |
| CS570448H | 48"x300' | |



TransferRite tape products are used in sign making, screen printing, digital printing, laser engraving, heat transfer, and textile printing applications. From vinyl lettering to vehicle wraps, TransferRite paper and film tapes are engineered to the highest standards - yours!

PAPER APPLICATION TAPES

TransferRite® **ULTRA**® 582U

- Film Type: Standard Paper
- Tack: Medium
- Application/Benefits: Superior adhesion to liner; Medium tack workhorse for general use

TransferRite® **ULTRA**® 592U

- Film Type: Standard Paper
- Tack: High
- Application/Benefits: Superior adhesion to liner; Recommended for use with intermediate or calendared films

CUSTOM SIZE CUTS AVAILABLE UPON REQUEST

CLEAR APPLICATION TAPES

TransferRite® **ULTRA**® 1310

- Film Type: Polypropylene
- Tack: Medium
- Application/Benefits: For use with intermediate or calendared films, including matte finish interior wall films



AirMask®

510U

- Film Type: Polypropylene
- Tack: Medium
- Application/Benefits: Adheres to exposed air-egress liners

LASER MASKING SPECIALTY TAPES

TransferRite® **ULTRA**® 582U

- Film Type: Standard Paper
- Tack: Medium
- Application/Benefits: Laser masking for smooth surfaces

TransferRite® **ULTRA**® 582U

- Film Type: Standard Paper
- Tack: High
- Application/Benefits: Laser masking for textured surfaces

| Series | 1310 | 510U | 582U | 592U |
|--------|------|------|------|------|
| Size | | | | |
| 24" | | | • | • |
| 48" | • | | • | |
| 54" | • | • | | |
| 60" | • | | | |



| | Polymetal | ValuMetal | AlumaCorr | WhiteWood |
|---------------------------|---|---|---|---|
| DESCRIPTION | Recycled thermoplastic core sandwiched between two sheets of aluminum | Recycled thermoplastic core sandwiched between two sheets of aluminum | Corrugated/fluted polypropylene copolymer with aluminum on both sides | Smooth vinyl face laminated to exterior grade substrate |
| SUBSTRATE MATERIAL | Recycled thermoplastic core | Recycled thermoplastic core | Corrugated/fluted polypropylene copolymer | Exterior grade substrates |
| PRINTING OPTIONS | Digitally printable | Digitally printable with most inks | Digitally printable | Accepts standard sign paints, inks & vinyl graphics |



POLY-METAL



- Aluminum composite panel
- Solid high density polyethylene core
- Laminated aluminum with baked enamel wax-free surface
- No surface prep required
- Reusable - change vinyl graphics with little or no ghosting
- Easily cut and routed; can be "V-Grooved" for corners and boxes
- Digitally printable
- 5 year limited warranty
- Colors are a matte finish
- **Brushed metallic sheeting for indoor use only**


PAINTED COLORS



BRUSHED METALLIC COLORS



| Size | Thickness | Finished Sides | Color | Price | Part Number |
|--------|-----------|----------------|------------------------|-------|---------------------|
| 4'x8' | 3mm | Single Sided | White | | POLYMETALWHTGOS |
| 4'x8' | 3mm | Double Sided | White | | POLYMETALWHITE |
| 4'x8' | 3mm | Double Sided | Colors | | POLYMETAL + (color) |
| 4'x8' | 3mm | Double Sided | Brushed Gold/Silver* | | POLYMETALBRUSH |
| 4'x8' | 3mm | Double Sided | Brushed Silver/Silver* | | POLYMETALBRUSHB |
| 4'x8' | 3mm | Double Sided | Brushed Bronze/Silver* | | POLYMETALBRUSHS |
| 4'x8' | 3mm | Double Sided | Brushed Silver/Copper | | POLYMETALBRUSHC |
| 4'x8' | 3mm | Single Sided | Silver Mirror | | POLYMETSILVERMI |
| 4'x10' | 3mm | Double Sided | White | | POLYMETWHITE10 |
| 4'x10' | 3mm | Double Sided | Matte Black | | POLYMETALBLK10 |
| 5'x10' | 3mm | Double Sided | White | | POLYMETWH5X10 |
| 4'x8' | 6mm | Double Sided | White | | POLYMETALWH6ML |
| 4'x8' | 6mm | Double Sided | Black | | POLYMETBLK6ML |
| 4'x10' | 6mm | Double Sided | White | | POLYMETALWH6410 |




VALUE-METAL

- Recycled thermoplastic core sandwiched between two sheets of white aluminum make these panels extremely lightweight & durable.
- Suitable to mount graphics.
- Digitally printable with most inks. Test print on panel prior to production run.
- Available in white only
- 2 year limited warranty

| Size | Thickness | Finished Sides | Color | Price | Part Number |
|-------|-----------|----------------|-------|-------|-------------|
| 4'x8' | 3mm | Double Sided | White | | VALUMETAL |

SUBSTRATES

SUBSTRATES & SIGN FRAMES



ALUMACORR

- Aluminum clad panel with corrugated plastic core
- .013 aluminum on both sides, laminated
- Plastic core will not corrode or rot
- Glossy smooth surface protected by plastic peel-off layer on both sides
- Reusable - change vinyl graphics, inks or paints
- Easily cut and routed; can be "V-Grooved" for corners and boxes
- Digitally printable with most inks. Test print on panel prior to production run
- Colors: Black, Yellow, Red, Almond, Blue and Green
- 5 year limited warranty




PAINTED COLORS



| Size | Thickness | Finished Sides | Color | Price | Part Number |
|--------|-----------|----------------|--------|-------|------------------|
| 4'x8' | .200/5mm | Double Sided | White | | ALUMAQ |
| 4'x8' | .200/5mm | Double Sided | Colors | | (color) + ALUMAQ |
| 4'x10' | .200/5mm | Double Sided | White | | ALUMAQ10 |
| 4'x12' | .200/5mm | Double Sided | White | | ALUMAQ12 |
| 4'x8' | .400/10mm | Double Sided | White | | ALUMAH |
| 4'x8' | .400/10mm | Double Sided | Colors | | (color) + ALUMAH |
| 4'x10' | .400/10mm | Double Sided | White | | ALUMAH10 |
| 5'x10' | .200/5mm | Double Sided | White | | ALUMAQ5X10 |

NUDO EDGE CAP



| Color | Size | Length | Price | Part# | Used With |
|-------|------|--------|-------|------------|--------------|
| White | 1/4" | 8' | | V-161WHITE | WHITE ALUMAQ |
| White | 1/2" | 8' | | V-165WHITE | WHITE ALUMAH |
| Black | 1/2" | 8' | | V-165BLACK | BLACK ALUMAH |
| Black | 1/4" | 8' | | V-161BLACK | BLACK ALUMAQ |
| White | 1/2" | 8' | | V-115WHITE | WHITEWOOD |
| Black | 1/2" | 8' | | V-115BLACK | WHITEWOOD |

Preconditioning: Prior to installing PolyMetal laminated panel, remove the packaging materials and allow the panels to acclimate to room temperature and humidity for at least 48 hours. Ideally, the room temperature and humidity during acclimation and installation should be the same as the final operational conditions.







SUBSTRATES & SIGN FRAMES

SUBSTRATES



INTEPLAST GROUP WORLD-PAK

*PLEASE NOTE FLUTE DIRECTIONS



INTEPLAST INTEPRO

World-Pak IntePro® is sturdy corrugated plastic sheeting extruded from either polypropylene or high density polyethylene. It is more durable than corrugated fiberboard, but lighter in weight than wood and solid PVC sheets. Its fluted ribs support both surfaces, making IntePro® lightweight, tough and abuse resistant.

Sturdy corrugated plastic sheeting extruded from polypropylene

- Chemical and water resistant
- Can be die-cut, scored, glued, stitched and ultrasonically welded
- Not treated - receptive to adhesives, vinyl lettering
- Can be flexographic, screen and digitally printed
- Colors: Black, Light Blue, Dark Blue, Ivory, Silver, Orange, Gray, Red, Yellow and Green

| Size | Thickness | Color | Price 1-24 | Part Number |
|---------|-----------|--------------|------------|--------------|
| 4'x8' | 4mm | White | | WHITEI |
| 4'x8' | 4mm | Opaque White | | WHITEIOPAQUE |
| 4'x8' | 4mm | Black | | BLACKI |
| 4'x8' | 4mm | Colors | | (color) + I |
| 4'x8' | 10mm | WHITE | | WHITEIH |
| 4'x8' | 10mm | BLACK | | BLACKIH |
| 24"x18" | 4mm | White | | 24X18I * |

| Size | Thickness | Color | Price 100/box | Part Number |
|---------|-----------|-------|---------------|-------------|
| 24"x18" | 4mm | White | | 24X18IB * |

STEP STAKES

- Use for quick posting of corrugated plastic signs for political, real estate & other outdoor signs
- Sold in boxes of 50



ECONOMY STAKE - P/N COR01D

- 9-gauge diameter steel wire
- 10"x30" with 7 1/2" prongs
- Sold in boxes of 50
- zinc plated



STANDARD STAKE - P/N COR012I

- 3/16" diameter steel wire
- 12"x33" with 9" prongs
- Sold in box of 50
- zinc plated




STURDY STAKE - P/N COR01HD

- 9-gauge diameter steel wire
- 10"x30" with 7 1/2" prongs
- Sold in box of 50
- pre-galvanized



PLAST-KUT

- A unique knife that cuts, slits, and makes bending corrugated plastic easier
- Professional looking results without a straight edge and x-acto knife.



| Part # | Price |
|----------|-------|
| PLASTKUT | |

SUBSTRATES

SUBSTRATES
& SIGN FRAMES



FOAM CORE BOARD

- Stiff 3/16" thick clay-coated foam board.
- Lightweight, yet strong. Cuts easily.
- Smooth surface resists warping.
- Store flat to avoid warping.
- Mount pictures, posters or presentations.

| Board | Size | Thickness | Face Color | Core Color | Box | Sheets Per Box | Part Number |
|-----------|-------|-----------|------------|------------|-----|----------------|-------------|
| Foam Core | 4'x8' | 3/16" | White | White | | 25 | FBWHITE |
| Foam Core | 4'x8' | 3/16" | Black | Black | | 25 | FBBLACK |


FOAM CORE PEEL 'N STICK



- Cold mount artwork with easy peel-'n-stick adhesive.
- Initially repositionable with low-tack adhesive.
- Stiff 3/16" thick clay-coated foam board.
- Lightweight, yet strong. Cuts easily. Die, guillotine, and razor cuttable


| Board | Size | Thickness | Face Color | Core Color | Box | Sheets Per Box | Part Number |
|--------------|-------|-----------|------------|------------|-----|----------------|-------------|
| FOAMCOREPEEL | 4'x8' | 3/16" | White | White | | 25 | FBWPEEL |

KOMATEX[®]



KOMATEX

- Lightweight, closed-cell, free foam rigid PVC sheet
- Homogeneously colored in 12 shades, plus black and white, with a matte finish
- Double side ready to accept most inks, paints and vinyl; Digital print ready
- Easily sawed, drilled, bent and fabricated using ordinary plastic tools & fasteners
- **Very limited short-term outdoor use**



| Size | Thickness | Color | Price | Part Number |
|-------|---------------|--------|-------|-------------|
| 4'x8' | 3mm / 1/8" | White | | WHITEV |
| 4'x8' | 3mm / 1/8" | Black | | BLACKV |
| 4'x8' | 3mm / 1/8" | Colors | | (color) + V |
| 4'x8' | 6mm / 1/4" | White | | WHITEVQ |
| 4'x8' | 6mm / 1/4" | Black | | BLACKVQ |
| 4'x8' | 12.7mm / 1/2" | White | | WHITEVH |
| 4'x8' | 12.7mm / 1/2" | Black | | BLACKVH |



ALUMINUM SIGNS BLANKS AND RIDERS

- Prefinished painted white aluminum blanks from wieland
- Call for pricing on other sizes, thicknesses, & 45 different colors!



wieland

| Size | Thickness | Price/Each | Part Number | Corner |
|----------------------|-----------|------------|--------------|--------|
| License Plate Blanks | .025 | | LICENSEPLATE | Radius |
| 6"x24" | .040 | | AL6X24 | Square |
| 6"x24" | .080 | | AL6X24080 | Square |
| 6"x36" | .040 | | AL6X36 | Square |
| 12"x16" | .040 | | AL12X16040 | Square |
| 12"x18" | .040 | | AL12X18040 | Square |
| 12"x18" | .063 | | AL12X18063R | Radius |
| 18"x24" | .040 | | AL18X24 | Square |
| 18"x24" | .050 | | AL18X24050 | Square |
| 18"x24" | .063 | | AL18X24063R | Radius |
| 18"x24" | .080 | | AL18X24080 | Square |
| 20"x28" | .040 | | AL20X28 | Square |
| 24"x36" | .040 | | AL24X36 | Square |
| 4'x8' | .040 | | AL4X8 | Square |

MAGNET SHEETING



FLEXIBLE MAGNETIC SHEETING

- Magnum® flexible magnetic sheeting is a thermoplastic, permanent magnetic product
- Superior holding power on most metallic surfaces
- Standard magnetization on the non-laminated side of the flexible sheeting
- To guard against moisture and dirt buildup between the magnet and the metal surface (particularly on outdoor applications), remove the magnet at regular intervals. Clean both the magnet and metal surface with mild detergent; wipe with a soft cloth or allow to air-dry. (For vehicle-mounted signs, remove and clean DAILY.)
- After waxing and polishing, allow 2 days for wax to cure before applying magnets.
- Custom magnetization available

DIGIMAG® VINYL

- Lays flat and adheres to metal surfaces.
- Easy to use and can be cut to any shape.
- Available in matte and gloss finishes.
- Works with a variety of solvent inkjet printers including Roland, Mutoh, Epson, Océ, Hewlett Packard, AGFA and Mimaki.
- Can be used both indoors and outdoors

| Thickness | Finish | Part # | Price |
|-----------------|--------------------------|-----------|-------|
| 15 mil (.38 mm) | Matte White Vinyl | 15MW50 | |
| 20 mil (.51 mm) | Matte White Vinyl | 20MW50 | |
| 20 mil (.51 mm) | Matte White Unmagnetized | 20MWPLAIN | |
| 30 mil (.76 mm) | Matte White Vinyl | 30MW25 | |
| 30 mil (.76 mm) | Matte White Vinyl | 30MW50 | |
| 30 mil (.76 mm) | Indoor Adhesive w/ Liner | 30ASIA050 | |
| 20 mil (.51 mm) | White UV Screen Print | 20MW50UV | |
| 30 mil (.76 mm) | White UV Screen Print | 30MW50UV | |

| Thickness | Finish | Part # | Price |
|-----------------|-------------|------------|-------|
| 15 mil (.30 mm) | White Matte | DIGIMAG015 | |
| 20 mil (.51 mm) | White Matte | DIGIMAG20M | |
| 30 mil (.76 mm) | White Matte | DIGIMAG30M | |
| 20 mil (.51 mm) | Gloss | DIGIMAG20G | |
| 30 mil (.76 mm) | Gloss | DIGIMAG30G | |

DIGIMAXX® SUPER-WIDE PRINTABLE MAGNET

Expand your print capabilities to the "Maxx"—print directly to super-wide magnet 40" or 48" wide. DigiMaxx is specially designed to feed smoothly and create superb images on your wide-format digital printing press.

- POP displays
- Wall graphics systems
- Retail signage
- High-yield cut pieces

| Thickness | Finish | Size | Part # | Price |
|-----------|--------|---------|----------|-------|
| 20 mil | Matte | 48"x25' | 48MW2025 | |
| 20 mil | Matte | 48"x50' | 48MW2050 | |

SIGNFRAMES

SUBSTRATES & SIGN FRAMES



REAL ESTATE SIGN FRAMES

• Black powder coated frames




HR2418SI-A



HRTB2418SI-A




BF2418I



HR3624SI-A



FF2418



TBS42I



| Main Sign Frame | Rider Size | # Per Box | Style | Part # | Box Price |
|-----------------|--------------------|-----------|-------|--------------|-----------|
| 24" x 18" | 24"x 6" bottom | 5 | Both | HR2418SI-A | |
| 24" x 18" | 24"x 6" top/bottom | 5 | Both | HRTB2418SI-A | |
| 24" x 18" Banjo | NA | 10 | Both | BF2418I | |
| 36" x 24" | 36" x 6" bottom | 5 | Both | HR3624SI-A | |

| A-Frames | Rider Size | # Per Box | Style | Part # | Box Price |
|-----------|------------|-----------|---------|--------|-----------|
| 24" x 18" | NA | 5 | Bolt-In | FF2418 | |

| T-Bar Stake | Style | Part # | Price Each | Box of 10 |
|-------------|---------|--------|------------|-----------|
| 42" | Bolt-In | TBS42I | | |

| Frame Clips | # Per Package | Part # | Price |
|----------------|---------------|--------|-------|
| Mounting Clips | 25 | CLIP1 | |

PLASTICADE REALICADE®

- Strong, durable, lightweight yard sign for real estate signs.
- Foot push mounts & hammer knobs for hard soil
- Sign size 24"W x 18"H
- Rider size 24"W x 6"H



| Part # | Color | Price Each |
|--------|-------|------------|
| 178-BK | Black | |

PLASTICADE WINDSIGN II

- Wind Sign II resists head-on winds up to 60 mph
- With patented Quick-Change™ feature, signs easily slide in and out
- Plastic base has two built-in wheels that can be filled with dry sand
- Sign Insert Size 24"W x 36"H



| Part # | Color | Price Each |
|--------|-------|------------|
| 1822 | Gray | |

PLASTICADE SIGNICADE®

- Holds two signs, 24"W x 36"H
- Can be internally ballasted with sand
- Recessed Panel Size : 36.0625"H x 24"W



| Part # | Color | Price Each |
|-------------|--------|------------|
| 130-W | White | |
| 130-BK-1PKF | Black | |
| 130-Y-1PKF | Yellow | |
| 130-BK-1PKF | Orange | |

PLASTICADE SIGNICADE® DELUXE

- With patented Quick-Change™ feature, signs easily slide in and out
- Ballasting columns, add sand to each leg
- Holds two signs, 24"W x 36"H



| Part # | Color | Price Each |
|-------------|-------|------------|
| 140-W-1PFK | White | |
| 140-BK-1PFK | Black | |

PLASTICADE MESSAGE BOARDS

- Coroplast™ Message Board comes with tracks permanently attached, 2 boards per kit
- Letter set contains over 300 letters and numbers plus "Sale" and "Special" headers and more
- Designed for Signicade®, Signicade® Deluxe, Econo Classic, and Wind Sign II



| Part # | Track Color | Board Set |
|--------|-------------|-----------|
| 8410 | White | |
| 8420 | Black | |

PLASTICADE ECONO CLASSIC

- A Durable A-Frame at an Economy Price!
- Holds two signs, 24"W x 36"H
- Accepts sign blanks 3/16" thick or less
- Outside Dimensions: 26.5"W x 42.75"H x 2"D



| Part # | Color | Price Each |
|--------|-------|------------|
| 1230R1 | White | |



Roland

VersaSTUDIO GS2-24

- Max Cut Speed: 33 inches/sec
- Max down force: 500 gf
- USB & Ethernet Connectivity
- Stand included
- Warranty: 3 years with registration



| Model | Media Width | Cuttable Width | Price |
|--------|-------------|----------------|---------|
| GS2-24 | 27" | 22.9" | \$1,995 |



Roland

GR2 SERIES PLOTTER

- Max Cut Speed: 60.2" inches/sec
- Max down force: 600 gf
- Optical Registration System: For contour cutting pre-printed graphics
- New smart pinch rollers with adjustable pressure
- Ethernet port to connect your cutter to a network for a streamlined workflow
- Warranty: 3 years with registration



| Model | Media Width | Cuttable Width | Price |
|---------|-------------|----------------|---------|
| GR2-540 | 60" | 55" | \$4,995 |
| GR2-640 | 70" | 65" | \$5,995 |



GRAPHTEC

CE8000 SERIES



- NEW Control panel
- Max down force: 450 gf
- USB, Ethernet, Wireless LAN Connectivity
- Cut Speed:
 - 24" inches/sec for 15" Model
 - 35" inches/sec for 24" Model
 - 39" inches/sec for 50" Model
- Warranty: 2 years with registration

| Model | Media Width | Cuttable Width | Price |
|------------------|-------------|----------------|---------|
| CE8000-40 | 19" | 15" | \$1,395 |
| CE8000-60 | 28" | 24" | \$1,895 |
| CE8000-130 | 54" | 50" | \$4,895 |
| CE8000-130AKZ | 54" | 50" | \$5,295 |
| CE8000-40E-N | 19" | 15" | \$1,575 |
| CE8000-60E-N | 28" | 24" | \$2,075 |
| CE8000-130E-N | 54" | 50" | \$5,395 |
| CE8000-130AKZE-N | 54" | 50" | \$5,695 |

GRAPHTEC

FC9000 SERIES

- Max Cut Speed: 58.5" inches/sec
- Max down force: 600 gf
- USB & Ethernet Connectivity
- Stand included
- Warranty: 3 years with registration
- Available for the Graphtec FC9000-140 and FC9000-160 Models, the optional auto take-up reel system for the FC9000 cutter boosts production efficiency by automatically winding rolls of media using the equipped infrared sensor.

| Model | Media Width | Cuttable Width | Price |
|------------|-------------|----------------|---------|
| FC9000-75 | 36" | 30" | \$4,495 |
| FC9000-100 | 48" | 42" | \$5,495 |
| FC9000-140 | 60" | 54" | \$6,395 |
| FC9000-160 | 72" | 64" | \$7,295 |



FLATBED CUTTERS

EQUIPMENT



GRAPHTEC FCX2000 SERIES

- Max Cut Speed: 16" inches/sec
- Tool 1 Max down force: 500 gf
- Tool 2 Max down force: 1,000 gf
- Vacuum suction hold-down method
- Up to 36" roll media support
- Advanced Registration Mark Sensing System 6.0
- Reverse-side cutting & creasing
- Cut self-adhesive marking film, heavy paper/board, sandblast rubber, cardboard, high intensity reflective films
- USB & Ethernet Connectivity
- Warranty: 2 years



GRAPHTEC FCX4000 SERIES



- Max Cut Speed: 30" inches/sec
- Tool 1 Max down force: 600 gf
- Tool 2 Max down force: 600 gf
- Electrostatic hold-down method
- Advanced Registration Mark Sensing System 6.0
- Creasing in the curve and perforation cutting
- Cut self-adhesive marking film, heavy paper/board, sandblast rubber, cardboard, high intensity reflective films
- USB & Ethernet Connectivity
- Warranty: 2 years



| Model | Cutting Area | Price |
|---------------|--------------|----------|
| FCX2000-60VC | 24"x36" | \$14,500 |
| FCX2000-120VC | 36"x47" | \$22,000 |
| FCX2000-180VC | 36"x70" | \$26,000 |

| Model | Cutting Area | Price |
|---------------|--------------|----------|
| FCX4000-50ES | 19"x26" | \$9,995 |
| FCX4000-60ES* | 26"x38" | \$11,995 |

* Optional Stand for the FCX4000-60 Shown - \$865.00

LATEX/RESIN PRINT ONLY INKJET

Roland

TrueVIS AP SERIES



Build and expand your sign and graphics business with a wide range of applications, low running-costs, and the quick drying benefits of Roland DG's first large format resin/latex printer.

Dual, staggered printheads with variable dot printing and True Rich Color presets offer natural, vibrant print results with higher color saturation

Water-based TrueVIS Resin Ink provides quick-drying, scratch-resistant, and safe results on a wide range of media

- Max Media Width: 64"
- Ink Series: TrueVIS Resin Ink
- Ink Configuration Options: C,M,Y,K
- Max Print Speed: 248 ft²/hr
- Warranty: Two-Year Trouble-Free
- Instant Drying Time - Laminate Immediately
- Low Running Costs

AP-640 - \$17,995





EQUIPMENT

DESKTOP ECO-SOL PRINT & CUT INKJET

Roland

BN2 Series



With the next-generation BN2, Roland DG has taken a great thing and made it even better. These compact powerhouses offer significantly faster print speeds, convenient new features, ease of use, and a space-saving design that allows for placement in a home, office, or shop. The BN2 is everything you need to get started in professional print and cut graphics production.

- Max Media Width: 20"
- Ink Series: ESL4 Series
- Ink Configuration: CMYK, CMYK + White
- Warranty: One-year trouble-free
- RIP Software: VersaWorks 6, FlexiDESIGNER




BN2-20 - \$7,295

BN2-20A - \$6,495



DESKTOP DIRECT TO FILM PRINT & CUT INKJET

Roland BY-20 DTF SYSTEM



The all-new VersaSTUDIO BY-20 is the ultimate desktop direct-to-film printer...and more. Simple to use, reliable and efficient, the BY-20 makes decorating apparel and accessories with vibrant, detailed graphics quick and easy - even for those with no prior printing experience. Plus, with the BY-20's integrated contour-cutting functionality, you can also produce heat transfer graphics from PVC sheets - all with a single, affordable compact device.

- Easy-to-use, compact, affordable DTF printer.
- Prints vibrant, detailed DTF graphics that can be transferred to a wide variety of fabrics with no weeding required.
- The only desktop DTF printer with sheet cut and contour-cutting capabilities - can also be used for traditional print and cut applications.

BY-20 - \$8,495



VASTEX DTF POWDER APPLICATION SYSTEM



Safely apply DTF and plastisol transfer powder without the mess with this Vastex compact shaker/dryer system!

PTF-COMBO-100 - \$5,495



Print to film

Apply powder

Melt powder with heat press

Heat press to fabric

ECO-SOL PRINT & CUT INKJET

EQUIPMENT



 Roland



TrueVIS VG3 SERIES

When sign and graphics professionals demanded even more from our award-winning TrueVIS large format inkjet printer/cutters, we answered.

Increased productivity through user enhancing features such as a 7-inch LCD touch-panel control, auto-calibration, and other intuitive, automated tools. Further expand your gamut and output color with smoother color transitions— 8-color ink configurations offer even more color choice.

Four FlexFire printheads combine with other powerful printing and cutting features for the most accurate, on-color, and on-brand custom graphics.

- Max Media Width: 64" & 54"
- Ink Series: TrueVIS2 Ink
- Ink Configuration Options: C,M,Y,K,Lc,Lm,Lk, Or, Gr, Wh
- Max Print Speed: 328 ft²/hr - VG3-640, 310 ft²/hr VG3-540
- Warranty: Two-Year Trouble-Free



Print & Cut



VersaWorks

VG3-640 - \$22,995

VG3-540 - \$18,995

 Roland



TrueVIS SG3 SERIES

Available in two sizes to fit your business and budget, the latest SG3 series large format graphic printer/cutters have been enhanced to answer the ease and productivity needs of today's sign and graphics providers.

User-focused enhancements with a 7-inch LCD touch-panel control, auto-calibration, and other automated tools.

Incredible print output with True Rich Color 3 to improve brand reproduction and provide ultra-vivid color with super-smooth transitions.

High-quality, 4-color print/cut results on signs, stickers, labels, vehicle wraps, apparel, and other graphics at a very low ink cost per sq/ft.

- Max Media Width: 30" & 54"
- Ink Series: TrueVIS2 Ink
- Ink Configuration: CMYK
- Max Print Speed: 105 ft²/hr - SG3-540
- Warranty: Two-Year Trouble-Free
- RIP Software: VersaWorks 6
- Take-Up Reel included!



Print & Cut



VersaWorks

SG3-540 - \$15,995


SG3-300 - \$13,995



Roland TrueVIS

UV PRINTERS

MG Series



The TrueVIS MG series combines the flexibility of print and cut, the benefits of UV-LED printing and TrueVIS heritage, adding a new dimension to graphics printing.

Combine Orange and Red inks to push the color boundaries of digital printing.

High opacity white ink formulated to produce high-quality window graphics with economical ink usage.

- Max Media Width: 30" & 64"
- Ink: EUV5 Inks
- Ink Configurations:
 - CMYK (4 colors)
 - CMYKGIWW (6 colors)
 - CMYKPrGIWW (7 colors)
 - CMYKReOrWW (7 colors)
 - CMYKReOrPrW (8 colors)
 - CMYKRePrGIW (8 colors)
 - CMYKReOrGIW (8 colors)

- Additional Accessories:
 - BOFA Filtration Unit
 - TU4-30 (Take-up unit)
 - TU4-64 (Take-up unit)
 - ET-30 (Extension table)
 - ET-64 (Extension table)
 - TB-30 (Tension bar unit: MG-300 only)

MG-300- \$15,995
MG-640- \$19,995



UV PRINTERS

Roland TrueVIS

UV PRINTERS

LG Series



The TrueVIS LG series combines the flexibility of print and cut, the benefits of UV-LED printing and TrueVIS heritage, adding a new dimension to graphics printing.

Staggered print heads, ECO-UV inks, and True Rich Color combined with user-friendly features makes the LG the ultimate in professional UV print and cut.

Combine Orange and Red inks to push the color boundaries of digital printing.

High opacity white ink formulated to produce high-quality window graphics with economical ink usage.

- Max Media Width: 30", 54", & 64"
- Ink: EUV5P Inks
- Ink Configurations:
 - CMYKCMYK (4Color)
 - CMYKWhWhGI (6Color)
 - CMYKWhWhGIPr (7Color)
 - CMYKOrReWhWh (7Color)
 - CMYKOrReWhGI (8Color)
 - CMYKOrReWhPr (8Color)
 - CMYKGIReWhPr (8Color)

- Additional Accessories:
 - BOFA Filtration Unit

LG-300- \$21,495
LG-540- \$25,995
LG-640- \$27,995



UV PRINTERS - FLATBED

EQUIPMENT



Roland **BD-8**



Extraordinary product customization starts here. The new VersaSTUDIO BD-8 makes it quick and easy for anyone – even those with no prior experience – to print vibrant and detailed

graphics on a wide range of objects.

- Included VersaWorks 6 professional output software and FlexiDesigner VersaSTUDIO Edition design software make design, operation, and production easier than ever.
- Direct-print on a wide variety of materials, including plastics, paper, leather, and wood - even glass and metal with the onboard primer ink.
- Optional rotary accessory makes it possible to print fully around smaller cylindrical and curved objects, such as bottles, jars, and pens.

BD-8 - \$9,995



Roland **EU-1000MF**



Roland DG's new EU-1000MF flatbed printer combines outstanding image quality with unsurpassed

productivity, versatility, and reliability. The EU-1000MF prints vibrant, detailed graphics directly onto a vast array of rigid and flexible substrates.

- Prints beautifully on PETG, PVC board, corrugated, aluminum plate, and many other materials.
- New specially formulated, low-cost E-US inks are available in 6-color or 4-color configurations.
- Advanced features including Proximity Sensor, Liquid-Cooled LED Lamp System, Printhead Protection System, Automated White Ink Agitation, and Anti-Static Ionizer.



EU-1000MF - \$79,995/6-color
\$74,995/4-color

Roland **VersaOBJECT CO Series**

MO SERIES



MO-240 - \$34,995

The new VersaOBJECT MO-240 represents the next-generation of Roland DG UV technology. A complete redesign from the bottom up!

- Printable Area: 18"x24"
 - Max Material Thickness: 8"
 - Max Material Weight: 18 lb
 - Ink: Eco-UV5P-7XX
 - Ink Configuration:
 - CMYKGIPrWhWh
 - CMYKGIGIWhWh
 - CMYKOrReWhWh
 - CMYKOrRePrWh
 - CMYKOrReGIWh
 - CMYKGIRePrWh
 - Additional Accessories:
 - Stand with Fume Extraction: \$1,598
 - Stand without Fume Extraction: \$1,160
 - Rotary Rack 2: \$2,995
 - Ionizer Bar: \$1,995
- Warranty: Two-Year Trouble-Free Warranty





EQUIPMENT

UV PRINTERS

Roland



VersaOBJECT CO Series

Take object customization to new heights with the VersaOBJECT CO-i Series of UV flatbed printers. Digital UV printing has never been more versatile and the CO-i Series is the perfect solution for customising boards or objects up to 9.52" in height and even irregular 3D objects.


Key Features

- Capable of printing directly onto substrates and objects up to 9.5 inches in height and weighing up to 640 pounds.
- Control tower is integrated into the printer's table for easier, safer, and more efficient production in print environments with limited space.
- Anti-Static Bar included for easier media loading and improved printing accuracy.
- New ergonomic table design for more comfortable operation.
- Automated printhead cleaning function minimizes maintenance requirements while helping extend the life of the printhead.
- Included VersaWorks 6 software - Roland DG's most intuitive, feature-filled RIP to date.
- Access to Roland DG Connect helps optimize operational visibility, efficiency, and printer performance while reducing downtime.



CO-300i-F2 - \$49,995 29"x59" Print Size


CO-640i-F2 - \$74,995 63"x98" Print Size



TEXTILE INKJETS

Roland

VersaSTUDIO BT-12



Print full-color logos, text and messages onto t-shirts, hoodies and more.

Print personalized designs and messages onto hoodies and other fabric products.

High-quality customization of bags and other fabric accessories.

- As easy-to-use as an office printer and offers stunning results
- Put your photos and designs on cotton t-shirts, bags, pet accessories and so much more
- Complete solution includes a finisher unit, cassette tray and cleaning accessories
- Up to 1200 dpi x 1200 dpi print resolution for high-quality print results
- Compact size for use in all offices, kiosks, museums, photo studios, pet supply stores, & other online & retail environments



BT-12- \$3,495

ENGRAVERS

EQUIPMENT



Roland

**DGSHAPE
DE-3**



DE-3 - \$6,995

For over 30-years, Roland has lead innovation in rotary engraving technology and continues to break new ground with the DE-3 DGSHAPE desktop rotary engraver.

- Engrave onto a huge range of gift ware, signage, trophies, tools and industrial products
- Laser pointer for quick set-up and easy production
- Easily-applied nose cones for non-scratch precision
- Ethernet connection with LAN network connectivity
- Includes new Dr. Engrave Plus software



Roland MPX-90S

• Perfect for kiosk and gift shop applications, the new VersaSTUDIO MPX-90S photo impact printer, easy-to-operate solution for personalizing high-value metal items and making them even more unique and profitable.



- Diamond-tipped stylus marks silver, copper, platinum, brass, and aluminum up to 200HV
- Includes easy-to-use METAZA Studio software
- Automatic surface detection
- Variable data printing capabilities
- Compact and fully enclosed - runs quietly and safely in any kiosk, store or lab

MPX-90S - \$3,995

DGSHAPE LD-300
A Roland Company

• Fast, easy-to-use, and safe-to-operate, the DGSHAPE LD-300 laser decorator is a hot foil printing machine that personalizes polycarbonate, acrylic, and leather items with super-stylish metallized foil logos, designs and text.



LD-300 - \$11,995

THE BEST WAY TO GROW YOUR BUSINESS HANDS DOWN.

MULTIPLE LEASING OPTIONS AVAILABLE FOR NEW MACHINE PURCHASES



Download our pdf application & send it in via fax or email to get started



Fill out our quick & easy 3-minute online application.



Use our tax savings calculator to see how much the 30% could help you save this year.

www.gogc.com/FFN



Geneva Capital LLC



WIDE-FORMAT LAMINATORS



Graphic Finishing Partners LLC (Gfp) provides reliable, quality finishing products to Graphic Arts Dealers at price points that enable them to profitably supply print service providers. Led by industry experts with decades of experience, Gfp identifies, tests and assembles finishing products from manufacturers around the world. As a result, thier clients are thriving, and they have achieved outstanding growth in just a few short years.

Rugged and reliable, Gfp finishing equipment offers several ways to achieve application flexibility, whether you produce laminated signs, mounted photos and graphics, point-of-purchase and trade show displays, banners, or window, floor and vehicle graphics.

10 BENEFITS FOR ON-SITE GFP TRAINING & INSTALLATION

1 - SAVES MONEY

Proper operation reduces waste, machine damage, and downtime. It keeps your operation cost-competitive and your machine performing reliably.

2 - REDUCES WASTE

Learn ways to reduce material waste that often exceeds the cost of the installation.

3 - SHORTENS THE LEARNING CURVE

Operators get up to speed faster and save more time and money without costly trial-and-error.

4 - INCREASES OPERATOR CONFIDENCE

It helps minimize stress, increase motivation, and gain operational knowledge to tackle new jobs with confidence.

5 - IMPROVES WORKFLOW

Learning space and job workflow options improves profitability for their whole operation.

6 - PROTECTS THEIR INVESTMENT

Ensure operators learn proper ways to use and maintain the machine to avoid damage, ensure output quality, safeguard their investment and extend its useful life.

7 - IMPROVES SAFETY

Operators learn all the machine safety features and the keys to safe operation.

8 - TEACHES NEW TIPS AND TRICKS


Operators learn to take full advantage of the system features from experts with years of cumulative finishing ledge.

9 - DISCOVER NEW APPLICATIONS

Understand the full capability and profit potential of new equipment and applications that may not have been considered.

10 - RECEIVE DEDICATED LAMINATION TRAINING

Gfp training focuses on the important Finishing Function, not just an addition to printer installation and training.



20" COLD LAMINATOR

| Model | 220-C |
|-----------------------------|-------------|
| Maximum Working Width | 20" |
| Maximum Speed | 11.5 ft/min |
| Maximum Substrate Thickness | 1/2" |
| Maximum Roller Temperature | Cold Only |
| Heated Rollers | NA |
| Main Rollers | Rubber |
| Roller Diameter | 2.5" |
| Stand | Optional |



30" COLD LAMINATOR

| Model | 230-C |
|-----------------------------|-------------|
| Maximum Working Width | 30" |
| Maximum Speed | 11.5 ft/min |
| Maximum Substrate Thickness | 1/2" |
| Maximum Roller Temperature | Cold Only |
| Heated Rollers | NA |
| Main Rollers | Silicone |
| Roller Diameter | 2.5" |



55" COLD LAMINATOR

| Model | 255-C |
|-----------------------------|-----------|
| Maximum Working Width | 55" |
| Maximum Speed | 13 ft/min |
| Maximum Substrate Thickness | 1" |
| Maximum Roller Temperature | Cold Only |
| Heated Rollers | NA |
| Main Rollers | Rubber |
| Roller Diameter | 4.5" |

WIDE-FORMAT LAMINATORS

EQUIPMENT



55" HEAT ASSIST LAMINATOR

| Model | 355-TH |
|-----------------------------|-----------------|
| Maximum Working Width | 55" |
| Maximum Speed | 20 ft/min |
| Maximum Substrate Thickness | 1" |
| Maximum Roller Temperature | 140 F |
| Heated Rollers | Top Heat Roller |
| Main Rollers | Rubber |
| Roller Diameter | 5" |
| Roll to Roll Capable | Yes |



65" DUAL HEAT LAMINATOR

| Model | 865DH-4R |
|-----------------------------|-----------|
| Maximum Working Width | 65" |
| Maximum Speed | 13 ft/min |
| Maximum Substrate Thickness | 1" |
| Maximum Roller Temperature | 266 F |
| Heated Rollers | Dual Heat |
| Main Rollers | Silicone |
| Roller Diameter | 5" |
| Supply Shaft | Swing Out |
| Roll to Roll Capable | Yes |



63" COLD LAMINATOR

| Model | 263-C |
|-----------------------------|-----------|
| Maximum Working Width | 63" |
| Maximum Speed | 13 ft/min |
| Maximum Substrate Thickness | 1" |
| Maximum Roller Temperature | Cold Only |
| Heated Rollers | NA |
| Main Rollers | Rubber |
| Roller Diameter | 4.5" |



63" HEAT ASSIST LAMINATOR

| Model | 563-TH-4RS |
|-----------------------------|--------------------|
| Maximum Working Width | 63" |
| Maximum Speed | 20 ft/min |
| Maximum Substrate Thickness | 1" |
| Maximum Roller Temperature | 140 F |
| Heated Rollers | Single Heat Assist |
| Main Rollers | Silicone |
| Roller Diameter | 4.5" |
| Roll to Roll Capable | Yes |



63" HEAT ASSIST LAMINATOR

| Model | 363-TH |
|-----------------------------|-----------------|
| Maximum Working Width | 63" |
| Maximum Speed | 20 ft/min |
| Maximum Substrate Thickness | 1" |
| Maximum Roller Temperature | 140 F |
| Heated Rollers | Top Heat Roller |
| Main Rollers | Rubber |
| Roller Diameter | 5" |
| Roll to Roll Capable | Yes |



63" HEAT ASSIST LAMINATOR

| Model | 663-TH |
|-----------------------------|--------------------|
| Maximum Working Width | 63" |
| Maximum Speed | 20 ft/min |
| Maximum Substrate Thickness | 1" |
| Maximum Roller Temperature | 140 F |
| Heated Rollers | Single Heat Assist |
| Main Rollers | Silicone |
| Roller Diameter | 5" |
| Roll to Roll Capable | Yes |
| Display | Touch Screen |
| Swing Out Shafts | Yes |
| Inline Rotary Slitters | Yes |



WIDE-FORMAT LAMINATORS



SEAL 65 PRO WIDE FORMAT THERMAL LAMINATOR

The SEAL 65 Pro MD is the Ultimate Laminator for finishing professionals requiring a high production, versatile laminator that can run both hot and cold applications. Utilizing cutting edge technology, the 65 Pro MD is capable of running thermal film at two to three times the speed of other laminators on the market.



THERMAL LAMINATORS

| Model | 65 PRO MD | 62 PRO D |
|-----------------------------|---|---|
| Product code | 64726 | 64729 |
| Maximum Working Width | 65" | 61" |
| Maximum Speed | 15 ft/min | 20 ft/min |
| Maximum Substrate Thickness | 2" | 1 1/2" |
| Maximum Roller Temperature | 275F | 284F |
| Maximum Film Weight | 120 lbs | 120 lbs |
| Heated Rollers | Dual | Dual |
| Electrical Requirements | 208-230V, 50/60Hz 230VAC +/-10%, single phase, 50 amp | 50/60 Hz, 35A NEMA 6-50 Plug |
| Air Requirements | 2 cfm @ 100 psi | |
| Additional Accessories | Cutters, Slitters | Feed Table, Slitters, Fan Bank, Print Roll Trough |
| Price | | |

SEAL 62 PRO WIDE FORMAT HEAT ASSIST LAMINATOR

The SEAL 62 Pro is a 61" wide mounting, laminator and encapsulator offering industrial performance at exceptional value. With fully adjustable temperature, speed and pressure settings the 62 Pro is ideal for the more experienced finisher requiring a highly versatile laminator.

| Model | 62 Pro S |
|-----------------------------|-----------|
| Product code | 64296 |
| Maximum Working Width | 61" |
| Maximum Speed | 20 ft/min |
| Maximum Substrate Thickness | 1 1/2" |
| Maximum Roller Temperature | 284F |
| Depth | 17.7" |
| Depth (excl. table) | 19" |
| Heated Rollers | Single |
| Price | |



SEAL EL SERIES WIDE FORMAT COLD LAMINATOR

The SEAL EL is a high quality, affordable priced cold roll laminator specifically designed for new users to confidently create professionally-finished wide format graphics. Built for safety and ease of use, this sturdy machine is just right for laminating and mounting pressure-sensitive graphics up to 54" OR 65" wide. Its durable uniframe construction requires no assembly and minimal maintenance. Made in the U.S.A. and backed by the most dependable manufacturer in the industry, the EL Series is a smart option for entrance into the wide format graphics market.



| Model | 54 EL | 65 EL |
|-----------------------|-----------|-----------|
| Product code | 54549 | 65659 |
| Maximum Working Width | 54" | 65" |
| Maximum Speed | 14 ft/min | 14 ft/min |
| Heated Rollers | No | No |
| Image Guide | Yes | Yes |
| Roll Trough | Yes | Yes |
| Price | | |

APPLICATOR TABLES

EQUIPMENT



ROLLOVER

THE ART OF LAMINATING

ROLLOVER APPLICATION TABLES


Applying digital prints and other self-adhesive applications on rigid panels such as composite board, acrylic, aluminum etc., is just one of the areas where Rollover reveals its excellent properties in results and operations. Substrates can be handled for perfectly flat applications without bubbles or creases.

KEY FEATURES

- Inward facing and protected activation switch - simplifies and safeguards the applications
- Ergonomic handles enable one-hand roller operation for better efficiency and ergonomoy
- Rounded housings - no sharp edges
- Free view to roller - no blocking tower or gantry
- Unobstructed access to the roller, media and the work surface
- Brackets/spindles for handling of media rolls and application tape from both table ends
- Integrated air pressure gauge
- Self-healing cutting mat
- Illuminated glass bed(LED)
- Castors
- Tool pockets on each housing
- Separate outlet for air gun connection
- Handy holders for media spindles/brackets are mounted at the short end of the table
- Longside Cutter Guide - makes straight cutting of Media and Substrates much easier.



ROLLOVER CLASSIC



The Rollover Classic makes it easy to find the right model for your needs. What differs the various options is basically the size of the glass bed working area. Unlike most competitors, Rollover has included as standard several prop-

erties normally found as optional features at a surcharge.

ROLLOVER FLEXI



Rollover Flexi represents the latest, flexible addition to the Rollover Range. Comprising all the essential qualities of the extensive line of Classic Flatbed Applicators, these units also offer quick dismantling to facilitate entering of premises having difficult access. These

Flexi Models reflect our well-known high level of quality, craftsmanship and durability. Having no overhead gantry above the roller, the access to media and substrates while working is superior.

CLASSIC OPTIONAL FEATURES

- Height adjustable legs
- Heat assisted roller 30°C - 55°C
- Extended gap between roller and glass bed
- Twin rollers
- Sidetrays for large formats on both sides

FLEXI OPTIONAL FEATURES

- Height adjustable legs
- Heat assisted roller 30°C - 55°C
- Extended gap between roller and glass bed

CLASSIC SIZE OPTIONS

| Model # | Glass Bed Working Area | Roller Working Area |
|---------|------------------------|---------------------|
| 3317B | 5' 5" x 11' 1" | 5' 6" x 10' 1" |
| 4017B | 5' 6" x 13' 2" | 5' 6" x 12' 2" |
| 5417B | 5' 5" x 17' 7" | TBD |
| 6017B | 5' 5" x 19' 7" | TBD |
| 6717B | 5' 6" x 22' 1" | 5' 6" x 20' 1" |
| 8017B | 5' 6" x 26' 3" | 5' 6" x 25' 3" |

FLEXI SIZE OPTIONS

| Model # | Glass Bed Working Area | Roller Working Area |
|---------|------------------------|---------------------|
| F1510 | 41.6"x59.7" | 51.5"x59.7" |
| F2814 | 4' 6" x 9' 4" | 4' 6" x 8' 4" |
| F3315 | 5' 1" x 11' 1" | 5' 1" x 10' 1" |




ACCESSORIES

Self-Healing Cutting Matt For Replacement



Additional Media Holder



Core Adaptors



Long Reach Cutter



Contact Cleaner





KEENCUT THE WORLD'S FINEST CUTTING MACHINES

Evolution3 SmartFold



EVOLUTION3-SMARTFOLD PRECISION CUTTER

Keencut's unique Lift-and-Hover (patent pending) technology enables fast single-handed, and accurate alignment of all material, irrespective of thickness. Lower the clamping bar until it hovers just above the material surface with zero sag, even on the longest length cutter, then use the sightline strip to see where the cut will be made, and finally, fully engage the clamp and cut.

- Acrylic (score & snap up to 1/4")
- Banners
- Corrugated plastic
- Fabric & Textiles
- Foam Board
- Inkjet media
- Paper
- PVC board (10mm)
- Tissue



SINGLE-HANDED, FAST ACCURATE ALIGNMENT

The Lift-and-Hover system enables the clamping bar to be easily raised and then lowered so it hovers just above the material surface.

GUARANTEED ACCURACY

The Evolution3 is the most accurate cutter of its type on the market and is guaranteed to cut within 0.2mm (0.008") of a straight line for the full length of the cut.



| PART # | CUT LENGTH | PRICE |
|-------------|--------------------------|-------|
| E3SF110 | 44" | |
| E3SF160 | 64" | |
| E3SF210 | 84" | |
| E3SF260 | 104" | |
| E3SF310 | 124" | |
| E3SF360 | 144" | |
| ACCESSORIES | | |
| E3T-CRE | Creaser tool head | |
| E3T-FAB | Fabric tool head | |
| E3T-GR2 | Double Graphik tool head | |
| E3T-ROC | Rocker tool head | |

VERTICAL MULTI-SUBSTRATE CUTTERS

Developed specifically for the tougher and thicker rigid and semi-rigid substrates used in today's sign making market, the heavy-duty SteelTrak handles over-sized materials with ease.

ST210



- Acrylic (up to 1/4", scoring & snapping)**
 - Aluminum (.040")*
 - Aluminum composite (up to 4mm)
 - Corrugated plastic
 - Flexible polycarbonate (up to 3mm)
 - Honeycomb board
 - Foam Board
 - Gatorboard®
 - Glass (up to 1/4", scoring & snapping)*
 - MDF (up to 3mm)
- *With optional glass cutting tools
**Some restrictions may apply to Acrylic, Glass and PVC materials, on the 98" model.

| Model | ST165 | ST210 | ST250 |
|-------------------|--------|--------|--------|
| Cut length | 65" | 82" | 98" |
| Free Standing Kit | FSK160 | FSK210 | FSK250 |
| Price | | | |

ST250



ST165



TWIN-WHEEL CUTTING TOOL



V-GROOVE CUTTING TOOL

ACCESSORIES

| Item # | Description |
|----------|--|
| STC2C | Steel composite cutting head for SteelTrak |
| STALC | Aluminum twin wheel cutting head for SteelTrak |
| STGLC | Glass cutting kit for SteelTrak |
| STVG2 | 2mm V-Groove cutting tool for SteelTrak |
| STVG3 | 3mm V-Groove cutting tool for SteelTrak |
| STVG4 | 4mm V-Groove cutting tool for SteelTrak |
| STVG6 | 6mm V-Groove cutting tool for SteelTrak |
| STSAE | Squaring arm extension - 700mm (27.5") for SteelTrak |
| SLS | Sightline strips for SteelTrak/Excalibur (x 18ft) |
| SILYT | Yellow 'T' shape silicon cord (x 33ft) |
| CA50-015 | Tungsten Carbide Glass Cutting Wheel (each) |
| CA50-019 | Medium Duty Blades (Box of 100) |
| STVGB | V-Groove Replacement Blade for SteelTrak (x 5) |
| STALW | Aluminum twin wheel cutter blade set for SteelTrak |
| STCOW | Composite twin wheel cutter blade set for SteelTrak |


HEAT PRESSES

EQUIPMENT




DIGITAL KNIGHT HEAT PRESSES

The Digital Knight line of transfer presses is the culmination of over four decades of perfecting the design, mechanics and technology of heat press machinery. All of these commercial digital presses by Geo Knight & Co boast heavy steel welded frameworks built to hold up over many years of heavy use and stress.



| Model | DK20S | DK20SP | DK25S | DK25SP | DC16 | DK14S |
|---------------|---------|--------------|---------|--------------|---------|---------|
| Bed Size | 16"x20" | 16"x20" | 20"x25" | 20"x25" | 14"x16" | 12"x14" |
| Heat Settings | Digital | Digital | Digital | Digital | Digital | Digital |
| Timer | Digital | Digital | Digital | Digital | Digital | Digital |
| Press Method | Manual | Air-Operated | Manual | Air-Operated | Manual | Manual |
| Price | | | | | | |



| Model | DK20 | DK20A | DK16 | DK16A | DK8 | DK7 |
|---------------|---------|-----------|---------|-----------|---------|---------|
| Bed Size | 16"x20" | 16"x20" | 14"x16" | 14"x16" | 6"x8" | 4"x7" |
| Heat Settings | Digital | Digital | Digital | Digital | Digital | Digital |
| Timer | Digital | Digital | Digital | Digital | Digital | Digital |
| Press Method | Manual | Auto-lift | Manual | Auto-lift | Manual | Manual |
| Price | | | | | | |

GEOKNIGHT TEFLON ACCESSORIES

| Item # | Description | Price |
|---|--|-------|
| GEOKNIGHT TEFLON ACCESSORIES | | |
| TRM-SM1416 | 14x16 Teflon Sheet | |
| TRM-SM1620 | 16x20 Teflon Sheet | |
| TRM-SM2025 | 20x25 Teflon Sheet | |
| TRM-SM3636 | 36x36 Teflon (per Yard - continuous roll) | |
| CTW-1416 | 14x16 Teflon Bottom Table Wrap | |
| CTW-1620 | 16x20 Teflon Bottom Table Wrap | |
| CHW-1416 | 14x16 Teflon Top Heater Wrap | |
| CHW-1620 1 | 6x20 Teflon Top Heater Wrap | |
| IMAGE1 IMPACT TEFLON ACCESSORIES | | |
| TEFS1620 | 16x20 Teflon Sheet | |
| NOMEX ACCESSORIES | | |
| RMN-1/2NOM1214 | 1/2"x12x14 White Nomex | |
| RMN-1/2NOM1416 | 1/2"x14x16 White Nomex | |
| RMN-1/2NOM1620 | 1/2"x16x20 White Nomex | |
| RMN-1/2NOM54YD | 1/2"x54 Nomex (per Yard - continuous roll) | |
| SILICONE RUBBER ACCESSORIES | | |
| SRM-381214 | 3/8x12x14 Silicone Sponge | |
| SRM-381416 | 3/8x14x16 Silicone Sponge | |
| SRM-381620 | 3/8x16x20 Silicone Sponge | |
| SRM-383636 | 3/8x36x36 Silicone Sponge | |

| Model | DK20SPT |
|---------------|--------------|
| Bed Size | 16"x20" |
| Heat Settings | Digital |
| Timer | Digital |
| Press Method | Air operated |



GEOKNIGHT HEAT PRESS ACCESSORIES

| Item # | Description | Price |
|-------------|---|-------|
| DKA-STAND | Universal Stand w/ Casters | |
| DKA-TWIN | DK Twin Shuttle Add-On (for DK20S/DK20) | |
| DK20-AUTO | DK20 Auto Release Pop-Up Upgrade | |
| DK16-AUTO | DK16 Auto Release Pop-Up Upgrade | |
| DCA-1416BHT | Digital Combo 14x16 Bottom Heat | |
| DKA-68BHT | DK8 / DC16 6x8 Bottom Heat | |
| DC-Twin | Twin Shuttle Dual Table Attachment | |
| DC-Cap | Cap Attachment | |
| DC-Mug | Full Wrap Mug Attachment | |
| DC-Plate | Plate Attachment (4.5" or 5.5") | |



INK, MAINTENANCE & ACCESSORIES

ROLAND INKS

Roland

ECO-SOL MAX2 INK

• XR-640, VSi, RF-640, & XF-640 Roland Printers



| Part # | Description | Price |
|----------|--|-------|
| ESL4-4BK | Eco-Sol MAX2 Ink 440ML - Black | |
| ESL4-4CY | Eco-Sol MAX2 Ink 440ML - Cyan | |
| ESL4-4MG | Eco-Sol MAX2 Ink 440ML - Magenta | |
| ESL4-4YE | Eco-Sol MAX2 Ink 440ML - Yellow | |
| ESL4-4LC | Eco-Sol MAX2 Ink 440ML - Light Cyan | |
| ESL4-4LM | Eco-Sol MAX2 Ink 440ML - Light Magenta | |
| ESL4-4LK | Eco-Sol MAX2 Ink 440ML - Light Black | |
| ESL4-MT | Eco-Sol MAX2 Ink 220ML - Silver | |
| ESL4-WH | Eco-Sol MAX2 Ink 220ML - White | |
| ESL4-CL2 | Eco-Sol MAX2 Cleaning Cartr. - 220ML | |

Roland

TRUEVIS TR2 INK

• For SG,2,3 & VG,2,3 Series Roland Printers



| Part # | Description | Price |
|---------|---|-------|
| TR2-BK | TR2 Color Black 500 ML Roland VG2 Ink | |
| TR2-CY | TR2 Color Cyan 500 ML Roland VG2 Ink | |
| TR2-MG | TR2 Color Magenta 500 ML Roland VG2 Ink | |
| TR2-YE | TR2 Color Yellow 500 ML Roland VG2 Ink | |
| TR2-LC | TR2 Color Light Cyan 500 ML Roland VG2 Ink | |
| TR2-LM | TR2 Color Light Magenta 500 ML Roland VG2 Ink | |
| TR2-LK | TR2 Color Light Black 500 ML Roland VG2 Ink | |
| TR2-OR | TR2 Color Orange 500 ML Roland VG2 Ink | |
| TR2-GR | TR2 Color Green 500 ML Roland VG2 Ink | |
| TR2-WH | TR2 Color White 250 ML Roland VG2 Ink | |
| TR2-CL2 | TR2 500 ML Roland Cleaning Cartridge | |

Roland

ECO-SOL MAX INK

• For BN, RE, SC, SJ, SP, VP, XC, XJ, & VS Roland Printers



| Part # | Description | Price |
|----------|---|-------|
| ESL3-4BK | Eco-Sol MAX Ink 440ML - Black | |
| ESL3-4CY | Eco-Sol MAX Ink 440ML - Cyan | |
| ESL3-4MG | Eco-Sol MAX Ink 440ML - Magenta | |
| ESL3-4YE | Eco-Sol MAX Ink 440ML - Yellow | |
| ESL3-4LC | Eco-Sol MAX Ink 440ML - Light Cyan | |
| ESL3-4LM | Eco-Sol MAX Ink 440ML - Light Magenta | |
| ESL3-BK | Eco-Sol MAX Ink 220ML - Black | |
| ESL3-CY | Eco-Sol MAX Ink 220ML - Cyan | |
| ESL3-MG | Eco-Sol MAX Ink 220ML - Magenta | |
| ESL3-YE | Eco-Sol MAX Ink 220ML - Yellow | |
| ESL3-LC | Eco-Sol MAX Ink 220ML - Light Cyan | |
| ESL3-LM | Eco-Sol MAX Ink 220ML - Light Magenta | |
| ESL3-MT | Eco-Sol MAX Ink 220ML - Metallic Silver | |
| SL-CL | Cleaning Cartridge | |

Roland

TEXART SBL3 INK

• For RT-640 or XT-640 Roland Printers



| Part # | Description | Price |
|---------|---|-------|
| SBL3-BK | Sublimation Ink 1L Pouch - Black | |
| SBL3-CY | Sublimation Ink 1L Pouch - Cyan | |
| SBL3-MG | Sublimation Ink 1L Pouch - Magenta | |
| SBL3-YE | Sublimation Ink 1L Pouch - Yellow | |
| SBL3-LC | Sublimation Ink 1L Pouch - Light Cyan | |
| SBL3-LM | Sublimation Ink 1L Pouch - Light Magenta | |
| SBL3-OR | Sublimation Ink 1L Pouch - Orange | |
| SBL3-VI | Sublimation Ink 1L Pouch - Violet | |
| SBL3-FP | Sublimation Ink 1L Pouch - Fluorescent Pink | |
| SBL3-FY | Sublimation Ink 1L Pouch - Fluorescent Yellow | |

Roland

ECO-SOL MAX 2 INK

• For BN-20A and BN2 Printers Only



| Part # | Description | Price |
|----------|---|-------|
| ESL4-BK | Eco-Sol MAX2 Ink 220ML - Black | |
| ESL4-CY | Eco-Sol MAX2 Ink 220ML - Cyan | |
| ESL4-MG | Eco-Sol MAX2 Ink 220ML - Magenta | |
| ESL4-YE | Eco-Sol MAX2 Ink 220ML - Yellow | |
| ESL4-CL2 | Eco-Sol MAX2 Ink 220ML - Cleaning Cartridge | |

Roland

ECO-UV EUV INK

• For LEC, LEF, & LEJ printers



| Part # | Description | Price |
|--------|----------------------------|-------|
| EUV-BK | ECO-UV Ink 220ML - Black | |
| EUV-CY | ECO-UV Ink 220ML - Cyan | |
| EUV-MG | ECO-UV Ink 220ML - Magenta | |
| EUV-YE | ECO-UV Ink 220ML - Yellow | |
| EUV-GL | ECO-UV Ink 220ML - Gloss | |
| EUV-WH | ECO-UV Ink 220ML - White | |

Roland

EUV5-5 UV INK

• For MG Series, LEC2-330, and LEC2-640 Roland Printers

| Part # | Description | Price |
|----------|-----------------------------|-------|
| EUV5-5BK | Eco-UV5 Ink, 500cc, Black | |
| EUV5-5CY | Eco-UV5 Ink, 500cc, Cyan | |
| EUV5-5GL | Eco-UV5 Ink, 500cc, Gloss | |
| EUV5-5MG | Eco-UV5 Ink, 500cc, Magenta | |
| EUV5-5OR | Eco-UV5 Ink, 500cc, Orange | |
| EUV5-5PR | Eco-UV5 Ink, 500cc, Primer | |
| EUV5-5RE | Eco-UV5 Ink, 500cc, Red | |
| EUV5-5YE | Eco-UV5 Ink, 500cc, Yellow | |
| EUV5-WH | Eco-UV5 Ink, 200cc, White | |

Roland

ECO-UV EUV4 INK

• For LEC, LEF, and LEJ series printers with proper firmware & VersaWorks upgrades.



| Part # | Description | Price |
|----------|----------------------------------|-------|
| EUV4-5BK | ECO-UV INK VER.4 500ML - Black | |
| EUV4-5CY | ECO-UV INK VER.4 500ML - Cyan | |
| EUV4-5MG | ECO-UV INK VER.4 500ML - Magenta | |
| EUV4-5YE | ECO-UV INK VER.4 500ML - Yellow | |
| EUV4-5GL | ECO-UV INK VER.4 500ML - Gloss | |
| EUV4-BK | ECO-UV INK VER.4 220ML - Black | |
| EUV4-CY | ECO-UV INK VER.4 220ML - Cyan | |
| EUV4-MG | ECO-UV INK VER.4 220ML - Magenta | |
| EUV4-YE | ECO-UV INK VER.4 220 - Yellow | |
| EUV4-GL | ECO-UV INK VER.4 220ML - Gloss | |
| EUV4-WH | ECO-UV INK VER.4 220ML - White | |

ROLAND INKS



ECOUV EUVS INK

• For LEC, LEF, & LEJ printers



| Part # | Description | Price |
|---------|-------------------------------|-------|
| EUVS-BK | UVS Ink 220ML - Black | |
| EUVS-CY | UVS Ink 220ML - Cyan 220ML | |
| EUVS-MG | UVS Ink 220ML - Magenta 220ML | |
| EUVS-YE | UVS Ink 220ML - Yellow 220ML | |
| EUVS-WH | UVS Ink 220ML - White 220ML | |



EUV5-5P UV INK

• For LG Series Printer

| Part # | Description | Price |
|-----------|--------------------------------|-------|
| EUV5P-7BK | EUV5 Pouch 750 ml - Black | |
| EUV5P-7CY | EUV5 Pouch 750 ml - Cyan | |
| EUV5P-7GL | EUV5 Pouch 750 ml - Gloss | |
| EUV5P-7MG | EUV5 Pouch 750 ml - Magenta | |
| EUV5P-7OR | EUV5 Pouch 750 ml - Orange | |
| EUV5P-7PR | EUV5 Pouch 750 ml - Primer | |
| EUV5P-7RE | EUV5 Pouch 750 ml - Red | |
| EUV5P-7WH | EUV5 Pouch 750 ml - White | |
| EUV5P-7YE | EUV5 Pouch 750 ml - Yellow | |
| ESL5P-CL | Pouch 500 ml Cleaning Solution | |

INK, MAINTENANCE & ACCESSORIES



PIGMENT INK & POWDER

• Exclusively For BN-20D Roland Printer



| Part # | Description | Price |
|----------|---|-------|
| S-PG-BK | S-PG-Black Ink, 220cc - Black | |
| S-PG-CY | S-PG-Cyan Ink, 220cc - Cyan | |
| S-PG-MG | S-PG-Magenta Ink, 220cc - Magenta | |
| S-PG-YE | S-PG-Yellow Ink, 220cc - Yellow | |
| S-PG-WH | S-PG-White Ink, 220cc - White | |
| US-IJ-CL | Cleaning Cartridge for Water-based Inks | |
| S-POWDER | Direct Transfer System Powder, 2.2 lbs | |



TRUEVIS RESIN INK

• For AP-640 Roland Printer



| Part # | Description | Price |
|--------|---------------------------------|-------|
| TA-BK | TA Resin Ink, 700cc - Black | |
| TA-CY | TA Resin Ink, 700cc - Cyan | |
| TA-MG | TA Resin Ink, 700cc - Magenta | |
| TA-YE | TA Resin Ink, 700cc - Yellow | |
| TA-OP | TA Resin Ink, 700cc - Optimizer | |
| TA-CL | TA Resin Ink, 700cc - Cleaning | |


ROLAND INKJET MAINTENANCE

CLEANING CARTRIDGES



| Part # | Description | Price |
|----------|------------------------------------|-------|
| AI-CL | Cleaning Cart. (AJ-1000/AJ-740) | |
| AI-ML | Maintenance Cart. (AJ-1000/AJ-740) | |
| ESL4-CL2 | MAX 2 220ML Cleaning Cartridge | |
| SL-CL | Cleaning Cartridge Sol/EcoSol ink | |
| TR2-CL2 | TR2-CL2 Cleaning Cartridge | |

MAINTENANCE PADS



| Part # | Description | Price |
|------------|--|-------|
| 1000006755 | Pad, Wipe Under VS/RE/XR | |
| 1000000415 | Filter, Serge Mist SJ | |
| 1000000416 | Filter, Serge Mist SP | |
| 22275122 | Filter, Serge Mist Under SJ | |
| 22275120 | Filter, Serge Mist Under SP | |
| 21545159 | Pad, Wipe SJ | |
| 1000001508 | Pad, Wipe Under XC | |
| 21545160 | Pad, Wipe Under SJ | |
| 21545195 | Pad, Wipe Under SP | |
| 1000025654 | Drain Pad BN-20 - Pad Refills Only | |
| 1000025223 | Drain Pad & Waste Cartridge Tank Kit - BN20, BN20A | |
| 1000014464 | Pad Cleaner, VG/SG - VG2/SG2, SG3/VG3 | |
| 1000008166 | Pad, Wipe - BN2 | |
| 6000007038 | Assy, Drain Pad - BN2 | |

WIPERS



| Part # | Description | Price |
|------------|---|-------|
| 1000003390 | Wiper Head, Pro 2 & Pro 3 | |
| 1000006517 | Wiper Head, Pro 4, VS, VSi, RE, RF, BN2 | |
| 1000006736 | Felt Wiper Head, Pro 4, VS, VSi, RE, RF | |
| 1000014754 | Wiper Head, SG/VG - SG2/VG2 - SG3/VG3 | |
| 1000027150 | Wiper Head Felt - BN2 | |

CAPTOS



| Part # | Description | Price |
|------------|---|-------|
| 1000004546 | LEC, LEF, LEF2, SPi, SC, RS, SPV, VPi, XC | |
| 6000007135 | XR-640 | |
| 6701409200 | VS, VSi, RE, RF, RT, XF, XT | |
| 6701689040 | BN-20, BN-20A | |
| 6000004658 | SG, SG2, SG3, VG, VG2, VG3, VF2 | |
| 6000007043 | BN2 | |

CLEANING ACCESSORIES

| Part # | Description | Price |
|----------------|--|-------|
| 6000006272 | Cleaning Fluid (TR2-CL) SV 500ML This is a 500 ml bottle of TR2 cleaning solution. Use this for regular maintenance. | |
| 6000006365 | ECO-SOL Cleaning Fluid 500 ml bottle This is a 500ml bottle of cleaning fluid for Eco-Sol MAX, Eco-Sol MAX2, EJ and UV ink printers only. This fluid is used for cleaning captops and wiper blades. | |
| IJ-SWABKIT5-50 | Inkjet Swab Kit - 50 Pack | |



INK, MAINTENANCE & ACCESSORIES



PINCH ROLLERS



| Part # | Description | Price |
|------------|---|-------|
| 1000022947 | L&R roller for GS-24, GR | |
| 1000004105 | Center rollers for GR | |
| 1000025042 | All rollers on GR2 | |
| 1000007940 | All rollers on BN20, BN20A | |
| 1000022932 | L&R roller for SPi, VSi, SG, SG2, VG, VG2 | |
| 1000023140 | Center rollers for SPi, VSi, SG, SG2, VG, VG2 | |
| 1000024563 | L&R rollers for SG3, VG3 | |
| 1000023195 | Center rollers for SG3, VG3 | |
| 6700980190 | Assembly for all rollers VF2 | |



BLADE HOLDERS



| Part # | Description | Price |
|-----------|---------------------------------------|-------|
| XD-CH4-BL | Blade Holder, Blue Adj. Tip, Alloy | |
| XD-CH4-RD | Blade Holder, Red Adj. Tip, Alloy | |
| XD-CH4-OR | Blade Holder, Orange Adj. Tip, Alloy | |
| XD-CH3 | Blade Holder, Adjustable Tip, Regular | |



CUTTING BLADES



| Part # | Description | Price |
|-------------|--|-------|
| USA-C145-1 | 45°/.25 Offset Blade, 1 ea. - All Purpose | |
| USA-C145-3 | 45°/.25 Offset Blade, 3 ea. - All Purpose | |
| USA-C145-5 | 45°/.25 Offset Blade, 5 ea. - All Purpose | |
| USA-C160-1 | 60°/.10 Offset Blade, 1 ea. - Thick Materials | |
| USA-C160-3 | 60°/.10 Offset Blade, 3 ea. - Thick Materials | |
| USA-C125-5 | 25°/.125 Offset Blade, 5 ea. - Thin Materials | |
| USA-RWEAR-5 | 54°/.50 Offset, 5 ea. - Apparel Blade (Twill) | |
| ZEC-U1005 | 45°/.25 Offset Blade, 5 ea. - All Purpose | |
| ZEC-U3050 | 60°/.50 Offset Blade, 5 ea. - Sandblast | |
| ZEC-U3100 | 60°/1.00 Offset Blade, 5 ea. - Thick Materials | |
| ZEC-U5025 | 45°/.25 Offset Blade, 5 ea. - Standard Materials | |
| ZEC-U5032 | 45°/.25 Offset Blade, 1 ea. - Standard Materials | |
| US-BLADE-KB | Art Blade, 25pk, Cut off Knife | |

ROLAND ACCESSORIES



CUTTER PROTECTION STRIPS



| Part # | For Model | Price |
|---|---------------|-------|
| GS, GS2 GX, GR, GR2 SERIES CUTTERS | | |
| 1000018621 | GS-24, GS2-24 | |
| 21545230 | GX-24 | |
| 1000001385 | GX-300 | |
| 1000001384 | GX-400 | |
| 1000001383 | GX-500 | |
| 1000007062 | GX-640 | |
| 1000016768 | GR-420 | |
| 1000016221 | GR-540 | |
| 1000016254 | GR-640 | |
| 1000025072 | GR2-540 | |
| 1000025072 | GR2-640 | |

PRINT & CUT INKJETS

| | |
|------------|--|
| 1000007739 | BN-20, BN-20A, BN2-20, BN2-20A BY-20 |
| 1000002656 | LEC-330, LEC2-300, LEC2-330, SP-300i, VS-300i, LEC-300, LEC-300A, VP-300, VP-300i, VP-540i, VS-300 |
| 1000002598 | LEC-540, SP-540i, VS-540i, VP-540, VP-540i, VS-540 |
| 1000006713 | LEC2-640, VS-640i, VS-640 |
| 1000015502 | SG-300 |
| 1000015344 | SG-540 |
| 1000020748 | SG2-540, VG-540, VG2-540 |
| 1000014399 | SG2-640, VG-640, VG2-640 |
| 1000024779 | SG3-300 |
| 1000024736 | SG3-540, VG3-540 |
| 1000024694 | VG3-640 |
| 1000009646 | XR-640 |

Finding the right blade for the job will make a big difference in cutting ability and quality.

Below lists the Roland blades available and which applications the blade is best suited for.

Please note, the list of applications is a general guideline only.



| SKU | Angle | Cardboard | Flock | Floor Laminate | Heat Transfer | Magnetic | PerfCut | Reflective | Sandblast | Twill | Vinyl ≤ 3 mil | Vinyl ≥ 3mil | Window Tint |
|-------------|-------|-----------|-------|----------------|---------------|----------|---------|------------|-----------|-------|---------------|--------------|-------------|
| USA-C125-5 | 45° | | | | | | | | | | | | • |
| ZEC-U1005 | 45° | | | | • | | | | | | • | | |
| USA-C145-X | 45° | | | | • | | | | | | • | | |
| ZEC-U5025 | 45° | | | | • | | | | | | • | | |
| ZEC-U5032 | 45° | | | | • | | | | | | • | | |
| USA-RWEAR-5 | 54° | | • | | | | | | | • | | | |
| ZEC-U5010 | 55° | | | | | | | | | | | | • |
| ZEC-U3050 | 60° | • | • | • | | • | • | • | • | • | | • | |
| ZEC-U3100 | 60° | • | • | • | | • | • | • | • | • | | • | |
| USA-C160-X | 60° | • | • | • | | • | • | • | • | • | | • | |

PERFORMANCE CARBIDE BLADES

INK, MAINTENANCE & ACCESSORIES



GERBER BLADE



| Part # | Angle | Single | 5-Pack |
|--------|-------|--------|--------|
| GSX-45 | 45° | | |



IOLINE STUDIO BLADE



IOLINE (W/ .015 OFFSET)

- ART PRO LP-4000
- ART PRO LP-3700
- STUDIO 7
- STUDIO 8

| Part # | Angle | Single | 5-Pack |
|------------|-------|--------|--------|
| IOLINES845 | 45° | | |

GAP BLADES

| Part # | Angle | Single | 5-Pack |
|--------|-------|--------|--------|
|--------|-------|--------|--------|

ALL ROLAND, ALLEN DATAGRAPH 936/800, ANAGRAPH EMS, VI-NYL EXPRESS, LYNX, PANTHER, PUMA, SABLE, BOBCAT, U.S. CUTTER

| | | | |
|---------|-----|--|--|
| SC-1330 | 30° | | |
| SC-1345 | 45° | | |
| SC-1360 | 60° | | |

ANAGRAPH AE-SERIES BLADES

| | | | |
|---------|-----|--|--|
| SC-3645 | 45° | | |
| SC-3660 | 60° | | |

GERBER III/IV/S/750 SPRINT SERIES LETTERSMITH, ANAGRAPH EXCEL 1/1M

| | | | |
|------|-----|--|--|
| G-30 | 30° | | |
| G-45 | 45° | | |
| G-60 | 60° | | |

GERBER EMOSS TRACK, ODESSEY, AND MUTOH XP SERIES BLADES

| | | | |
|---------|-----|--|--|
| SC-3830 | 30° | | |
| SC-3845 | 45° | | |
| SC-3860 | 60° | | |

GERBER FAST TRACK AND MUTOH SC SERIES BLADES

| | | | |
|---------|-----|--|--|
| SC-4130 | 30° | | |
| SC-4145 | 45° | | |
| SC-4160 | 60° | | |

GERBER GSX, GXX-PLUS, HS SWIVEL

| | | | |
|---------|-----|--|--|
| SC-2742 | 42° | | |
| SC-2760 | 60° | | |

| Part # | Angle | Single | 5-Pack |
|--------|-------|--------|--------|
|--------|-------|--------|--------|

GERBER ENVISION

| | | | |
|---------|-----|--|--|
| SC-3145 | 45° | | |
|---------|-----|--|--|

IOLINE STUDIO 7/8 ARTPRO SERIES / SUPER 88 / SMARTRAC (SMALL BLADE)

| | | | |
|---------|-----|--|--|
| SC-1430 | 30° | | |
| SC-1445 | 45° | | |
| SC-1460 | 60° | | |

MIMAKI CG-SERIES, NEW STAR

| | | | |
|---------|-----|--|--|
| SC-2037 | 37° | | |
| SC-2040 | 40° | | |
| SC-2056 | 56° | | |

SUMMAGRAPHICS T-SERIES (INSERT BLADE HOLDER)

| | | | |
|---------|-----|--|--|
| SC-3036 | 36° | | |
| SC-3060 | 60° | | |

SUMMAGRAPHICS D-SERIES

| | | | |
|---------|-----|--|--|
| SC-3335 | 35° | | |
| SC-3360 | 60° | | |

GRAPHTEC CUTTING PRO / FC-SERIES, NOVA CUT

| | | | |
|---------|-----|--|--|
| SC-1945 | 45° | | |
| SC-1960 | 60° | | |

GAP ROLAND VINYL CUTTER PENS

| | | | |
|---------|-------|--|--|
| SP-9301 | Black | | |
| SP-9302 | Blue | | |
| SP-9303 | Red | | |

MUTOH THIRD PARTY INKS



Color is in Our DNA



ECO-SOLVENT VJ-MSINK3 REPLACEMENT CARTRIDGES FOR MUTOH VALUEJET SERIES PRINTERS

Specifically manufactured to match the performance & color properties of Mutoh's Eco Ultra ink. This STS ultra premium Eco-Solvent ink has a stunning color gamut, performance, accurate color reproduction & the ability to print on a wide range of media.

- For VJ-1324, VJ-1324x, VJ-1604, VJ-1624, VJ-628, VJ-1204 Mutoh Printers Only

| 220 Part # | Description |
|------------|-------------|
|------------|-------------|

| | |
|------------|---|
| MUT220ESBK | MUTOH BLACK 220ML ECO-SOLVENT STS INK |
| MUT220ESC | MUTOH CYAN 220ML ECO-SOLVENT STS INK |
| MUT220ESM | MUTOH MAGENTA 220ML ECO-SOLVENT STS INK |
| MUT220ESY | MUTOH YELLOW 220ML ECO-SOLVENT STS INK |

| 440 Part # | Description |
|------------|-------------|
|------------|-------------|

| | |
|------------|---|
| MUT440ESBK | MUTOH BLACK 440ML ECO-SOLVENT STS INK |
| MUT440ESC | MUTOH CYAN 440ML ECO-SOLVENT STS INK |
| MUT440ESM | MUTOH MAGENTA 440ML ECO-SOLVENT STS INK |
| MUT440ESY | MUTOH YELLOW 440ML ECO-SOLVENT STS INK |

| CLEANING | Description |
|----------|-------------|
|----------|-------------|

| | |
|------------|-------------------------------|
| MUT220ESCS | MUTOH CLEANING SOLUTION 220ML |
|------------|-------------------------------|



INK, MAINTENANCE & ACCESSORIES

GRAPHTEC



CUTTING MATS

| Part # | Description |
|---------------------------------|-----------------------------------|
| CE6000 SERIES | |
| CE6-CM40-2 | TEFLON MAT FOR CE6000-40 (2/PK) |
| CE6-CM60-2 | TEFLON MAT FOR CE6000-60 (2/PK) |
| CE6-CM120-2 | TEFLON MAT FOR CE6000-120 (2/PK) |
| CE7000 SERIES | |
| PM-CR-009 | CUTTING MAT FOR CE7000-40 (2/PK) |
| PM-CR-010 | CUTTING MAT FOR CE7000-60 (2/PK) |
| PM-CR-011 | CUTTING MAT FOR CE7000-130 (2/PK) |
| CE8000 SERIES | |
| PM-CR-013 | CUTTING MAT FOR CE8000-40 (2/PK) |
| PM-CR-014 | CUTTING MAT FOR CE8000-60 (2/PK) |
| PM-CR-015 | CUTTING MAT FOR CE8000-130 (2/PK) |
| FC 7000/8000/8600 SERIES | |
| 51407-145 | MK2-60 TEFLON CUTTING MAT |
| 51407-144 | MK2-75 TEFLON CUTTING MAT |
| 51407-143 | MK2-100 TEFLON CUTTING MAT |
| 51407-142 | MK2-130 TEFLON CUTTING MAT |
| 51407-141 | MK2-160 TEFLON CUTTING MAT |
| FC9000 SERIES | |
| PM-CR-005 | FC9000-75 CUTTING MAT |
| PM-CR-006 | FC9000-100 CUTTING MAT |
| PM-CR-007 | FC9000-140 CUTTING MAT |
| PM-CR-008 | FC9000-160 CUTTING MAT |

GRAPHTEC ACCESSORIES

GRAPHTEC



CE7000 ACCESSORIES

| Part # | Description |
|------------|---|
| PG0103 | MEDIA BASKET FOR CE7000-60 |
| PG0104 | MEDIA BASKET FOR CE7000-130 |
| CR09300-A3 | CARRIER SHEETS (11.7"X16.5") |
| 51409-060A | TWO ANTISTATIC ELASTIC CORDS TO BE USED WITH MAGNET SET |
| 51409-061B | SET OF 4 MAGNETS TO BE USED W/ANTISTATIC ELASTIC CORD SET |
| OPH-A45 | CUTTING TABLE FOR CE7000-40/60 |

GRAPHTEC



CE8000 ACCESSORIES

| Part # | Description |
|------------|---|
| PG0111 | MEDIA BASKET FOR CE8000-60 |
| PG0112 | MEDIA BASKET FOR CE8000-130 |
| CR09300-A3 | CARRIER SHEETS (11.7"X16.5") |
| 51409-060A | TWO ANTISTATIC ELASTIC CORDS TO BE USED WITH MAGNET SET |
| 51409-061B | SET OF 4 MAGNETS TO BE USED W/ANTISTATIC ELASTIC CORD SET |
| OPH-A45 | CUTTING TABLE FOR CE7000-40/60 |

GRAPHTEC



FC9000 ACCESSORIES

| Part # | Description |
|-----------|---|
| PM-CT-001 | LOUPE FOR CUTTING BLADE FOR PHP33/PHP35 |
| OPH-A43 | AUTOMATIC TAKE-UP ROLLER FOR FC9000-140 |
| OPH-A44 | AUTOMATIC TAKE-UP ROLLER FOR FC9000-160 |
| PM-CC-002 | CROSS CUTTER BLADE |



GRAPHTEC ACCESSORIES











INK, MAINTENANCE & ACCESSORIES







GRAPHTEC

BLADES

When identifying or choosing a new blade for your Graphtec cutting plotter, the first thing to check is the blade holder currently installed in the machine. The blade must match the blade holder rather than the machine itself. Unless specified otherwise at the time of purchase, all Graphtec cutting plotters come with a Standard 0.9mm Blade Holder (PHP33-CB09N-HS) included in the accessory pack. To determine the correct blade diameter, simply look at the color of your blade holder. If it is black and blue, you need 0.9mm diameter blades. If it is black and red, you will need 1.5mm diameter blades.

| COMPATIBLE WITH BLADE HOLDER | | | PHP33-CB09N-HS | PHP33-CB15N-HS | PHP35-CB09N-HS | PHP35-CB15-HS |
|---|------------|--|---|---|---|---|
| | BLADE | DESCRIPTION |  |  |  |  |
|  | CB09UB | Angle 45° Diameter 0.9mm Standard blade for vinyl cutting, and self-adhesive marking film (PVC film), up to 0.25 mm thick. | ● | | ● | |
|  | CB09UB-K60 | Angle 30° Diameter 0.9mm Supersteel Blade for cutting the window tint film or thin film, up to 0.25 mm thick. | ● | | ● | |
|  | CB15U | Angle 45° Diameter 1.5mm Supersteel blade for cutting rigid or thicker media, 0.25 mm to 0.5 mm thick. (laminates, smart device, device screen protection media) | | ● | | ● |
|  | CB15UA | Angle 45° Diameter 1.5mm Supersteel Blade for cutting high-intensity reflective film or harder film. | | ● | | ● |
|  | CB15U-K30 | Angle 60° Diameter 1.5mm Supersteel Blade for cutting rigid media, 0.25 mm to 0.5 mm thick. And also small detailed characters on marking film (up to 0.25mm). Recommended blade for sandblast rubber resist media cutting and Avery Series of Reflective sheeting. | | ● | | ● |
|  | CB15UA-K30 | Angle 60° Diameter 1.5mm Supersteel Blade for cutting rigid media, 0.25 mm to 0.5 mm thick. And also small detailed characters on marking film (up to 0.25mm). Recommended blade for sandblast rubber resist media cutting and Avery Series of Reflective sheeting. | | ● | | ● |

BLADE HOLDERS

| COMPATIBLE WITH BLADES | | | | | | | | | | | |
|---|-----------------------------------|---|------------|--------|------------|-------|-----------|--------|----------------|------------|--------|
| BLADE HOLDER | DESCRIPTION | CBO9UA | CBO9UA-K60 | CBO9UB | CBO9UB-K60 | CB15U | CB15U-K30 | CB15UA | CB15UA-K20-25P | CB15UA-K30 | CB15UB |
|  | PHP33-CB09N-HS SPRING BUILT-IN | 0.9mm, blue top, black ABS tip. <i>Not recommended for CBO9UA blades with springs.</i> | ● | ● | ● | | | | | | |
|  | PHP33-CB15N-HS SPRING BUILT-IN | 1.5mm**, red top, black ABS tip. | | | | ● | ● | ● | ● | ● | ● |
|  | PHP35-CB09N-HS SPRING BUILT-IN | 0.9mm, blue top, black brass tip. | ● | ● | ● | | | | | | |
|  | PHP35-CB15N-HS SPRING BUILT-IN | 1.5mm**, red top, black brass tip. | | | | ● | ● | ● | ● | ● | ● |



INK, MAINTENANCE & ACCESSORIES

ROLAND CONSUMABLES BY MODEL

CONSUMABLES FOR COMMON CURRENTLY SUPPORTED MODELS ONLY
LEGACY MODELS MAY NOT BE LISTED


Roland



AP-640

| Part # | Description | Price |
|------------|-------------------------------------|-------|
| 1000023622 | FILTER(M),LC SB3962 | |
| 1000026467 | ASSY,LC FILTER ACRO25M6 P SC6756 | |
| 1000026936 | ASSY,WIPE HOLDER SV SC6560 | |
| 1000023593 | ASSY,CAP UNIT SC6077 AP | |
| 1000023622 | FILTER(M),LC SB3962 | |
| 1000026467 | ASSY,LC FILTER ACRO25M6 P SC6756 | |
| 1000026937 | PAT,FLUSHING FOAM SV SC6561 (2) PCS | |

Roland



BY-20

| Part # | Description | Price |
|------------|-----------------|-------|
| 1000027150 | WIPER HEAD FELT | |
| 1000006517 | WIPER HEAD | |
| 1000008166 | PAD WIPE | |
| 6701689040 | ASSY, CAP TOP | |
| 6000007038 | ASSY, DRAIN PAD | |
| 1000007739 | PAD, CUTTER | |

Roland



BD-8

| Part # | Description | Price |
|------------|--------------------------|-------|
| 1000007742 | SHEET,SCRAPER BN-20 | |
| 1000027150 | WIPER,HEAD FELT CG2246 | |
| 1000006517 | WIPER,HEAD VS-640 | |
| 6000007417 | ASSY,CAP TOP SV2 CG2246 | |
| 1000027477 | PAD,FILTER A CG2174 | |
| 1000027478 | PAD,FILTER B CG2174 | |
| 6000007038 | ASSY,DRAIN PAD SV CG2246 | |

Roland



LEF-20, LEF-200, LEF-300, LEF2-200, LEF2-300, LEF2-300D

| Part # | Description | Price |
|------------|--------------------------------|-------|
| 1000001658 | WIPER,SCRAPER | |
| 1000004546 | ASSY, CAP-TOP 2 | |
| 1000011770 | FILTER(M),MIST CARRIAGE LEF-20 | |
| 1000012014 | FILTER,LED LAMP LEF-20 5 PCS. | |
| 1000015036 | WIPER,HEAD FOR UVLINK | |

Roland



BN-20, BN-20A, BN-20D

| Part # | Description | Price |
|------------|-------------------------|-------|
| 1000006517 | WIPER, HEAD VS-640 | |
| 1000006736 | WIPER, HEAD FELT VS-640 | |
| 1000007739 | PAD,CUTTER BN-20 | |
| 1000007742 | SHEET,SCRAPER BN-20 | |
| 1000025223 | ASSY,DRAIN BN-20_03 | |
| 6701689040 | CAP TOP BN-20_01 | |

Roland



LEJ-640FT

| Part # | Description | Price |
|------------|-------------------------------------|-------|
| 1000000415 | FILTER (M), SERGE MIST 2 SJ-540 | |
| 1000001658 | WIPER,SCRAPER | |
| 1000004546 | ASSY, CAP-TOP 2 | |
| 1000015036 | WIPER,HEAD FOR UVLINK | |
| 22275122 | FILTER (M), INNER SERGE MIST SJ-540 | |

Roland



BN2-20, BN2-20A

| Part # | Description | Price |
|------------|-----------------|-------|
| 1000027150 | WIPER HEAD FELT | |
| 1000006517 | WIPER HEAD | |
| 1000008166 | PAD WIPE | |
| 6000007043 | ASSY, CAP TOP | |
| 6000007038 | ASSY, DRAIN PAD | |
| 1000007739 | PAD, CUTTER | |

Roland



MO-240

| Part # | Description | Price |
|------------|--------------------------|-------|
| 1000026017 | PAD,INK FLUSH CG2183 LG | |
| 1000026026 | CLEANER,PAD WIPER CG2183 | |
| 6000007165 | WIPER,HEAD CG2183 LG | |
| 6000007616 | ASSY,CAP TOP SV2 CG2183 | |



Roland
RF-640, RF-640-8C-K



| Part # | Description | Price |
|------------|-------------------------|-------|
| 1000006517 | WIPER, HEAD VS-640 | |
| 1000006736 | WIPER, HEAD FELT VS-640 | |
| 1000006737 | WIPER, SCRAPER VS-640 | |
| 1000006755 | PAD, WIPE VS-640 | |
| 6701409200 | ASSY,CAP TOP VS-640_01 | |

Roland
RT-640



| Part # | Description | Price |
|------------|-------------------------|-------|
| 1000006517 | WIPER, HEAD VS-640 | |
| 1000006736 | WIPER, HEAD FELT VS-640 | |
| 1000006737 | WIPER, SCRAPER VS-640 | |
| 1000006755 | PAD, WIPE VS-640 | |
| 6701409200 | ASSY,CAP TOP VS-640_01 | |

Roland
SG-300



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000015502 | PAD,CUTTER SG-300 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000002862 | ASSY, MEDIA CLAMP R | |
| 6000002863 | ASSY, MEDIA CLAMP L | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland
SG-540



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000015344 | PAD, CUTTER SG-540 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000002862 | ASSY, MEDIA CLAMP R SG-540/300 | |
| 6000002863 | ASSY, MEDIA CLAMP L SG-540/300 | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland
SG2-300



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000020861 | PAD,CUTTER CG2132 SG2-300 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland
SG2-540



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000020748 | PAD,CUTTER 2 VG-540 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland
SG2-640



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000020747 | PAD,CUTTER 2 VG-640 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland
SG3-300



| Part # | Description | Price |
|------------|--------------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000023195 | C VG3/SG3 P - ROLLER WHEEL, FD16S4 | |
| 1000024563 | L/R VG3/SG3 P - ROLLER WHEEL, TD16S4 | |
| 1000024779 | PAD, CUTTER SG3/LG-300 | |
| 6000004662 | KIT CLEANING FLUID (TR2-CL) SV 100ML | |
| 6000006951 | PAD, CUTTER SG3/LG-300 | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |



ROLAND CONSUMABLES BY MODEL

**CONSUMABLES FOR COMMON CURRENTLY SUPPORTED MODELS ONLY
LEGACY MODELS MAY NOT BE LISTED**

Roland

SG3-540



| Part # | Description | Price |
|------------|---------------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000023195 | C VG3/SG3 P - ROLLER WHEEL, FD16S4 | |
| 1000024563 | L/R VG3/SG3 P - ROLLER WHEEL , TD16S4 | |
| 6000006950 | PAD CUTTER SV2 VG3/SG3/LG-540 | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland

SP-300I



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000001658 | WIPER,SCRAPER | |
| 1000002656 | PAD,CUTTER | |
| 1000003083 | FLANGE GUIDE (ALL UNITS) | |
| 1000003390 | WIPER,HEAD FOR SOLINK | |
| 1000004546 | ASSY, CAP-TOP 2 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |

Roland

SP-540I



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000001658 | WIPER,SCRAPER | |
| 1000002598 | PAD,CUTTER VP-540 | |
| 1000003083 | FLANGE GUIDE (ALL UNITS) | |
| 1000003390 | WIPER,HEAD FOR SOLINK | |
| 1000004546 | ASSY, CAP-TOP 2 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |

Roland

VF2-640



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000020747 | PAD,CUTTER 2 VG-640 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland

VG-540, VG-540A



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000020748 | PAD,CUTTER 2 VG-540 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000002568 | ASSY,MEDIA CLAMP R VG-640 | |
| 6000002569 | ASSY,MEDIA CLAMP L VG-640 | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland

VG-640, VG-640A



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000002568 | ASSY,MEDIA CLAMP R VG-640 | |
| 6000002569 | ASSY,MEDIA CLAMP L VG-640 | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland

VG2-540



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000020748 | PAD,CUTTER 2 VG-540 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland

VG2-640



| Part # | Description | Price |
|------------|--------------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000020747 | PAD,CUTTER 2 VG-640 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 6000004662 | KIT CLEANING FLUID (TR2-CL) SV 100ML | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |



Roland

VG3-540



| Part # | Description | Price |
|------------|---------------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000023195 | C VG3/SG3 P - ROLLER WHEEL, FD16S4 | |
| 1000024563 | L/R VG3/SG3 P - ROLLER WHEEL , TD16S4 | |
| 6000004662 | KIT CLEANING FLUID (TR2-CL) SV 100ML | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000006950 | PAD CUTTER SV2 VG3/SG3/LG-540 | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland

VS-540I



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000002598 | PAD,CUTTER VP-540 | |
| 1000006517 | WIPER, HEAD VS-640 | |
| 1000006736 | WIPER, HEAD FELT VS-640 | |
| 1000006737 | WIPER, SCRAPER VS-640 | |
| 1000006755 | PAD, WIPE VS-640 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6701409200 | ASSY,CAP TOP VS-640_01 | |

Roland

VG3-640



| Part # | Description | Price |
|------------|---------------------------------------|-------|
| 1000014464 | PAD,CLEANER D VG-640 | |
| 1000014754 | WIPER,HEAD VG-640 | |
| 1000023195 | C VG3/SG3 P - ROLLER WHEEL, FD16S4 | |
| 1000024563 | L/R VG3/SG3 P - ROLLER WHEEL , TD16S4 | |
| 6000004662 | KIT CLEANING FLUID (TR2-CL) SV 100ML | |
| 6000004663 | CLEANING FLUID(TR2-CL) SV 500ML | |
| 6000006949 | ASSY,PAD CUTTER SV2 VG3-640/LG-640 | |
| 6000004658 | ASSY,CAP TOP SV CG2076 | |

Roland

VS-640I



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000006517 | WIPER, HEAD VS-640 | |
| 1000006736 | WIPER, HEAD FELT VS-640 | |
| 1000006737 | WIPER, SCRAPER VS-640 | |
| 1000006755 | PAD, WIPE VS-640 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6701409200 | ASSY,CAP TOP VS-640_01 | |

Roland

VS-300I



| Part # | Description | Price |
|------------|-----------------------------------|-------|
| 1000002656 | PAD,CUTTER VP/SP/VS/LEC | |
| 1000006517 | WIPER, HEAD VS-640 | |
| 1000006736 | WIPER, HEAD FELT VS-640 | |
| 1000006737 | WIPER, SCRAPER VS-640 | |
| 1000006755 | PAD, WIPE VS-640 | |
| 1000022932 | P-ROLLER,TD16S4(B10) TYPE2-2 R/L | |
| 1000023140 | P-ROLLER,FD16S4(B10) TYPE2-2 CNTR | |
| 6701409200 | ASSY,CAP TOP VS-640_01 | |

Roland

XR-640



| Part # | Description | Price |
|------------|------------------------------------|-------|
| 1000000415 | FILTER (M), SERGE MIST 2 SJ-540 | |
| 1000006517 | WIPER, HEAD VS-640 | |
| 1000006736 | WIPER, HEAD FELT VS-640 | |
| 1000006737 | WIPER, SCRAPER VS-640 | |
| 1000006755 | PAD, WIPE VS-640 | |
| 1000009646 | PAD,CUTTER XR-640 | |
| 22275122 | FILTER (M), INNER SERGEMIST SJ-540 | |
| 6000007135 | XR-640 | |

SOFTWARE & CLIPART



SignLab v11 is a major release for graphics professionals. Powerful new production features and reworked customer favorites make this a must-have upgrade from previous and legacy versions.

SIGNLAB 11

Setting the standard for sign making, large format graphics print and cut software

SignLab Package Price

SIGNLAB 11

- SignLab Print and Cut
- SignLab VinylPro

SIGNLAB 11 SPECIALTY PACKAGES

- SignLab CutPro
- SignLab DesignPro
- SignLab Mimaki™ Edition
- SignLab VersaWorks™ Edition

SIGNLAB 11 ADD-ON MODULES

- FluidMask™ SignLab Edition Module
- Pantone™ Color Match Module

CADLINK SIGNLAB

EXCITING FEATURES!



Vectorization Previewer



Effects Catalog



Fit To Shape



Power Weed Text Lines



PDF Cutter Support



Theme Selector

FLEXI SIGN



FLEXI COMPLETE

ONE SOLUTION FOR ALL YOUR PRINT, CUT AND DESIGN NEEDS

SAi Flexi Complete is the only all-in-one design, print and cut software for sign and print providers. With nearly 3 out of 4 shops using it, Flexi is the industry

standard for sign-specific design tools, RIP software, print-and-cut software, and direct vinyl cutting. Available with Subscriptions and Timed Licenses.

Flexi - New Licenses Price

- FLEXICOMPLETE
- FLEXIDESIGN (PC/MAC)
- FLEXIDTG/DTF
- EnRoute FOR FLEXI

FLEXI COMPLETE

Flexi Complete, designed for printing professionals and designers, offers a powerful 64-BIT Rip Production Manager and a cutting-edge design app, perfect for various printing needs like Wide Format Printing, Vehicle Wraps, DTG, DTF Printing, Print & Cut, Flags, Banners, and more.

FLEXI DESIGN


Flexi Design is your ultimate creative tool, crafted for design-only stations. With a user-friendly platform, it offers a comprehensive range of features for print and cut, banners, signage, apparel, vehicle wraps, and more, ensuring unmatched creativity and efficiency.

FLEXI DTG/DTF


Flexi DTG | DTF streamlines your design and production process with all tools conveniently organized under one tab, eliminating endless menu scrolling. Transparent mask options enable easy printing of white under flood, even for transparent TIFF and PNG files, saving time and enhancing productivity.



DESIGN



PRINT



CUT



Roland **PRINTSTUDIO (RPS) RIP SOFTWARE**

Loaded with productive and time-saving features, RPS offers Mac OS X users a quick and easy RIP software solution for managing output on large-format Roland printers and printer/cutters.

- Accelerate Your Output with 64-bit Processor
- Connect Multiple Machines
- Automatic Nesting to Save Time, Space and Materials
- More Spot Color Choices
- RPS software includes all RAL, HKS and Pantone color swatches
- Grab and Create Profiles
- RPS software multicast capability
- Perfect Your Production with Step and Repeat
- Unlimited Hot Folders for Quick and Easy Production



Roland **ROLAND R-WEAR STUDIO**

Roland R-Wear Studio software comes with all of the necessary tools to design beautiful custom apparel and gifts. The software makes it easy to boost profits by personalizing everything from t-shirts and handbags to wine bottles and cell phones.

The possibilities are endless!

- Create templates for hot-fix rhinestones using Roland EGX engravers
- Create colorful heat-applied lettering, logos and graphics with Roland GX-24 cutters
- Pick from a digital library with 500 styles of Swarovski rhinestones
- Automatically calculate profits and control rhinestone inventories



Roland **ROLAND CUTSTUDIO**

Roland's powerful CutStudio software provides the necessary tools to design and create professional custom cut graphics for a wide range of applications, including signs, decorated apparel, vehicles, point-of-purchase materials, backlit displays and much more.

- Cuts TrueType fonts without the need for outlining
- Vectorization tool generates cut lines from any JPG or bitmap image
- BMP, JPG, STX, AI and EPS file formats are all supported
- Includes plug-ins for latest Adobe® Illustrator® (Mac & PC) and CorelDRAW® (PC only)

GROMMETS AND PRESSES



HIKER GROMMET HAND PRESS

- Interchangeable die
- Adjustable lower die for consistent quality setting in various material thickness
- Each press comes with 500 #2 grommets

| Part # | Description | Price |
|--------|------------------------|-------|
| H-901B | Press and 500 Grommets | |

* Grommets intended for Hiker presses. May not work on other brands. *ID* - Inside Diameter *OD* - Outside Diameter *LUF* - Length of Under Flange

HIKER SELF-PIERCING GROMMETS*

- Boxes of 500 each



| P/N | Size | ID | OD | LUF | Finish | Price |
|--------------|------|-------|--------|-------|----------------|-------|
| SP-000SILVER | #000 | 5/32" | 13/32" | 3/16" | Silver | |
| SPU-BRASS | #0 | 1/4" | 1/2" | 5/32" | Brass | |
| SPW-E | #2 | 3/8" | 3/4" | 3/16" | Brass | |
| SPW-EN | #2 | 3/8" | 3/4" | 3/16" | Nickel | |
| SPW-ECB | #2 | 3/8" | 3/4" | 3/16" | Chemical Black | |
| SPX-E | #3 | 7/16" | 13/16" | 7/32" | Brass | |
| SPY-E | #4 | 1/2" | 15/16" | 7/32" | Brass | |



CORNER ROUNDER

- Fastest and easiest way to round corners
- Cuts up to .080 Aluminum
- Up to 1" card stock, plastics, magnetic sheets, and more
- Other radius blades available
- Heavy duty cast iron base
- Drop down foot holds material in place while cutting



| Part # | Description | Price |
|--------|------------------------------|-------|
| SR3000 | Includes 1/4" & 3/8" Die Set | |
| SRDC18 | 1/8" Cutter and Base | |
| SRDC36 | 3/16" Cutter and Base | |
| SRDC14 | 1/4" Cutter and Base | |
| SRDC38 | 3/8" Cutter and Base | |
| SRDC50 | 1/2" Cutter and Base | |

BANNER FINISHING SUPPLIES

SHOP TOOLS



Banner Ups® products allow you to create super-strong banners instantly at a fraction of the time and cost of grommets. Banner Ups®, PowerTabs®, and EdgeTabs® are stronger than grommets because they spread the stress of high winds over a much larger area.

BANNER UPS® ADHESIVE GROMMET TABS



BANNER UPS

- Tab Size: 2.0" x 5.75"
- Packaging: 100 tabs/bag
- Foam adhesive. Ideal for rough surfaces

BAN001

| Part # | Color | Price |
|--------|-------|-------|
| BAN001 | White | |

BANNER UPS® POWERTABS ADHESIVE GROMMET TABS



POWERTABS

- Tab Size: 2.125" x 5.5"
- Packaging: 25 sheets/bag (100)
- Ideal for white banners. Flexible yet super-strong.

BAN011

BAN014

| Part # | Color | Price |
|--------|-------|-------|
| BAN011 | White | |
| BAN014 | Clear | |

- Tab Size: 1.5" x 3.125"
- Packaging: 20 sheets/bag (100)
- Clear premium mini tab for indoor or light duty outdoor.

BAN013



| Part # | Color | Price |
|--------|-------|-------|
| BAN013 | Clear | |

BANNER UPS® EDGE TABS ADHESIVE GROMMET TABS



EDGETABS

- Tab Size: 1.5" x 1.5"
- Packaging: 100 & 500 count bags
- Tab has neck loop like large tabs

BAN016

| Part # | Color | Price |
|---------|-------------------|-------|
| BAN016 | Clear (100 count) | |
| BAN016C | Clear (500 count) | |

POWERTAPE




POWERTAPE

- Single-sided super strong film. No need to fold hem.
- Duplicates folded hem strength but eliminates the hassle!
- Features: Universal square shape

| Part # | Roll Size | Price |
|---------|--------------|-------|
| PTAPEDC | 1.5" x 36 yd | |

BANNER TAPE

- White double-sided tape with a high tack acrylic-based adhesive
- Bonds banner hems, nameplates, badge ribbons, signs, promotional displays
- Designed for interior and exterior bonding applications



| Part # | Width | Length | Price/Roll |
|----------|-------|--------|------------|
| TH2472 | 1" | 72 yds | |
| TH247215 | 1.5" | 72 yds | |

ORABOND 1397PP BONDING TAPE

- 3.15-mil red polypropylene film
- Bonds well for banner hems, POP displays, high impact Styrene, etc.



| Part # | Width | Length | Price/Roll |
|-----------|-------|--------|------------|
| 1397PP-1 | 1" | 55 yds | |
| 1397PP-15 | 1.5" | 55 yds | |

ORABOND UHB TAPES

ORABOND UHB031 10G SERIES TAPE

- 5-mil release coated polyethylene, red
- Foamed acrylic, grey
- The elastomeric nature of the foamed adhesive makes it ideal for applications requiring conformability and where thermal expansion differences are of concern.
- Structural and general bonding including body panels, emblems, illuminated displays and signage.



| Part # | Width | Length | Price/Roll |
|-------------|-------|--------|------------|
| UHB03110G-5 | 1/2" | 36 yds | |
| UHB03110G-1 | 1" | 36 yds | |

ORABOND UHB031 10W SERIES TAPE

- 5-mil release coated polyethylene
- Foamed acrylic, white
- High performance bonding and mounting
- Ideal for applications where thermal expansion differences are a concern



| Part # | Width | Length | Price/Roll |
|-------------|-------|--------|------------|
| UHB03110W-1 | 1" | 36 yds | |

SQUEEGEES & APPLICATION TOOLS

HEAVY DUTY NYLON

- Ribbed profile, radial corners
- Nylon Blend



| Part # | Size/Style | Price |
|-------------|------------|-------|
| SILVERNYLON | 4" Silver | |
| SILVERNYLON | 10 or more | |
| RC-4GOLD | 4" Gold | |

FELT EDGE WRAPPED

- Industry standard poly squeegees combined with a soft, felt edge
- Black felt = standard weight
- Ribbed profile with radial corners



| Part # | Size/Style | Price |
|--------|------------|-------|
| 6102 | 4" Wrapped | |

AVERY FELT SQUEEGEES

• A Teflon® squeegee for smooth non-stick applications where the edge of the squeegee does not heat up or create drag. The soft felt edge can be wet in order to avoid scratching vinyls.



| Part # | Size/Style | Price |
|---------|------------|-------|
| A009266 | 4" Felt | |

INDUSTRY STANDARD

- Radial corners
- Very stiff and rigid
- Teflon blend



| Part # | Size/Style | Price |
|-------------|------------|-------|
| RC-4TEFLON | 4" White | |
| RC-12TEFLON | 12" White | |

WET EDGE SQUEEGEE

- Teflon edge glides and cuts across media easier than the standard squeegee.
- By applying water to the Wet Edge side, it allows the squeegee to glide over media without scratching laminate.



| Part # | Size/Style | Price |
|--------|------------|-------|
| WES | 4" Wet | |

OTHER SQUEEGEES

| Part # | Size/Style | Price |
|----------|--------------|-------|
| SQUEEGEE | 3" x 4" | |
| 90001907 | 2 3/4" x 4" | |
| CHIZZALL | Removal Tool | |



ORAFOL SQUEEGEES

- Red teflon squeegee
- Felt edge wrapped red squeegee



| Part # | Size/Style | Price |
|---------------|------------|-------|
| SQUEEGEE-RED | 4" Red | |
| SQUEEGEE-FELT | 4" Felt | |

POINTED TWEEZERS

- Single set packaged in a plastic tube

| Part # | Size/Style | Price |
|--------|------------|-------|
| TW-PX1 | Tweezers | |



ROLAND TWEEZERS

- Needle Point Tweezers for Weeding

| Part # | Size/Style | Price |
|-----------|------------|-------|
| RP-NTT-01 | Tweezers | |



COMPLETE WEEDING KIT

- Strong Stainless Steel tips
- Chrome Handles
- Five different angles for picking and weeding anything



| Part # | Size/Style | Price |
|--------|-------------|-------|
| CWK | Weeding Kit | |



3M AIR RELEASE TOOL

- Air release installation tool
- Removes air bubbles with pointed tip
- Fits in your pocket

| Part # | Size/Style | Price |
|----------|-------------------|-------|
| ACC-391X | Tool | |
| ACC-392X | Tip (Replacement) | |



SEF WEEDING TOOL

| Part # | Price |
|---------|-------------------|
| 6619999 | Weeding Tool/Pick |



SEALITPEN

Simple answer to edge sealing vinyl applications that require edge protection from washing, polishing, and excessive physical contact.

- SEALITPEN is filled with ONE SHOT brand 4005 UV blocker acrylic clear, for a fast drying (15 minutes), long lasting edge seal.

| Part # | Price |
|--------|---------------|
| SEALIT | Edge Seal Pen |



CUTTING TOOLS & BLADES

SHOP TOOLS



Best Made Cutting Tools In The World®

STAINLESS STEEL SLIDE-LOCK UTILITY KNIFE

| Part # | Description | Price |
|--------|------------------------------|-------|
| SVR1 | Cutter | |
| SVR2 | Cutter W/ Auto Lock | |
| AB10B | Std. Blades 10 pk | |
| AB-50B | Std. Blades 50 pk | |
| AB-50S | Stainless Steel Blades 50 pk | |



STAINLESS STEEL SLIDE-LOCK GRAPHICS KNIFE

| Part # | Description | Price |
|--------|--------------------------|-------|
| SAC1 | Cutter | |
| A1160B | Replacement Blades 10 pk | |



HANSAVER CUSHION GRIP PRECISION ART KNIFE

| Part # | Description | Price |
|---------|--------------------------|-------|
| AK4 | Cutter | |
| KB4-S/5 | Replacement Blades 5 pk | |
| KB | Replacement Blades 25 pk | |



COMFORT GRIP RUBBER REINFORCED UTILITY KNIFE

| Part # | Description | Price |
|---------|--------------------------|-------|
| XA-1 | Cutter | |
| ABB-10B | Replacement Blades 10 pk | |
| ABB-50B | Replacement Blades 50 pk | |




HEAVY-DUTY RATCHET-LOCK KNIFE W/ DEPTH GAUGE

| Part # | Description | Price |
|----------|--------------------------|-------|
| CLCUTTER | Cutter | |
| LB10B | Replacement Blades 10 pk | |



COMPASS CIRCLE CUTTER

| Part # | Description | Price |
|--------|--------------------------|-------|
| CMP-1 | Cutter | |
| COB-1 | Replacement Blades (3pk) | |



HEAVY-DUTY COMPASS CIRCLE CUTTER

| Part # | Description | Price |
|--------|----------------------------|-------|
| CMP2 | Cutter | |
| LB10B | Replacement Blades (10 pk) | |



PLASTIC/LAMINATE HEAVY DUTY RATCHET-LOCK CUTTER

| Part # | Description | Price |
|--------|-------------------|-------|
| PCL | Cutter | |
| PB800 | Replacement Blade | |



STAINLESS STEEL SCISSORS

| Part # | Description | Price |
|--------|--------------------|-------|
| SCS2 | Stainless Scissors | |



MULTI-EDGE ARC SCRAPER

| Part # | Description | Price |
|----------|---------------------------|-------|
| T-45 | Cutter | |
| TB-45/4B | Replacement Blades (4 pk) | |



EXTRA HEAVY-DUTY SCRAPER

| Part # | Description | Price |
|---------|----------------------------|-------|
| BSR-300 | Cutter | |
| BS-10B | Replacement Blades (10 pk) | |



DELUXE 44MM ROTARY CUTTER

| Part # | Description | Price |
|----------|--------------------------|-------|
| RTY-2/DX | Cutter | |
| RB45-1 | Single Replacement Blade | |
| RB45-5 | Replacement Blades 5 pk | |



RUBBER INSET GRIP RATCHET-LOCK UTILITY KNIFE

| Part # | Description | Price |
|--------|------------------------|-------|
| L-2 | Cutter | |
| LB-50B | Replacement Blade-50pk | |



FIBERGLASS-REINFORCED AUTO-LOCK UTILITY KNIFE

| Part # | Description | Price |
|--------|------------------------|-------|
| LA-X | Cutter | |
| LB-50B | Replacement Blade-50pk | |



TOP SHEET CUTTER

| Part # | Description | Price |
|--------|--------------------|-------|
| TS-1 | Top Sheet Cutter | |
| TSB-1 | Replacement Blades | |



BLADE SAFETY CONTAINER

| Part # | Description | Price |
|----------|-------------|-------|
| DISPOSAL | Container | |



GRIFFIN HOBBY KNIFE

| Part # | Description | Price |
|---------|--------------------------|-------|
| 75C | Knife with Cap | |
| 88-0186 | Replacement Blades 100pk | |





MEDIA RACKS, RULERS, & CUTTING MATS

MOBILE FLOOR RACK FOR 2" CORE

- 12 slots for 60" 2" core media rolls
- Heavy Square Tube Construction
- Holds 1000 Lbs

| Part # | Price |
|--------|-------|
| MR12 | |



MOBILE FLOOR RACK FOR 3" CORE

- 16 slots for 3" cores
- Easy to assemble
- Holds up to 1,000 pounds

| Part # | Price |
|--------|-------|
| MR16 | |



VINYL FLOOR RACK

- Powder coated silver vein (black) finish
- Measures 74 1/4" H X 32" W X 19" D
- X 5/6" steel construction
- Holds (44) 12" to 30" Media Rolls


| Part # | Price |
|--------|-------|
| FR44 | |



CHROME-PLATE WALL MOUNT MATERIAL RACK

- Heavy gauge wire constructed rack
- 16 slots for 3" cores
- Will even hold 16 rolls of 30" x 50yds of material

| Part # | Price |
|----------|-------|
| WALLRACK | |



MONDO MOBILE RACK

- All Steel Powder Coated Finish
- Easy roll HD locking wheels
- Length 62", Width 25", Height 62", Off Ground 5"
- Add your own media rods (not included)

| Part # | Price |
|---------|-------|
| MMR1600 | |



ZERONINE CORE ID CARDS

- Fits snugly into any 3" core

| Part # | Description | Price |
|--------|-------------------------|-------|
| ID12A | 12-pack Assorted Colors | |
| ID10P | 10-pack Turquoise | |
| ID10Y | 10-pack Yellow | |
| ID10M | 10-pack Mustard | |
| ID10B | 10-pack Blue | |
| ID10O | 10-pack Orange | |
| ID10G | 10-pack Green | |



The Big Blue safety ruler

- Safety ruler
- Heavy duty aluminum and anodized blue finish
- Curved aluminum finger guard w/ Non-slip grip bottom

| Part # | Description | Price |
|--------|------------------|-------|
| ECSL28 | 28" Safety Ruler | |
| ECSL40 | 40" Safety Ruler | |
| ECSL52 | 52" Safety Ruler | |
| ECSL96 | 96" Safety Ruler | |



Gooper Edge The ULTIMATE Safety Ruler

- Safety Ruler w/ stainless steel edge
- Heavy duty aluminum w/ anodized purple finish
- Curved aluminum finger guard w/ Non-slip grip bottom


| Part # | Description | Price |
|--------|------------------|-------|
| ESL28 | 28" Safety Ruler | |
| ESL40 | 40" Safety Ruler | |
| ESL52 | 52" Safety Ruler | |
| ESL64 | 64" Safety Ruler | |
| ESL76 | 76" Safety Ruler | |
| ESL96 | 96" Safety Ruler | |



TREME 1 CUTTING MAT

SIMPLY THE BEST COUNTER TOP CUTTING MAT

| Part # | Size | Price |
|--------|------------|-------|
| CM2448 | 24" x 48" | |
| CM48 | 48" x 96" | |
| CM410 | 48" x 120" | |
| CM412 | 48" x 144" | |
| CM58 | 60" x 96" | |
| CM510 | 60" x 120" | |
| CM512 | 60" x 144" | |
| CM610 | 72" x 120" | |
| CM612 | 72" x 144" | |



- Protect your work table
- 180 gauge grid-less self sealing counter top mat
- Made from high impact Polymer blend
- Helps your cutting blades last longer

ZERONINE Z-STRAPS

- Keep your valuable inventory off the ground
- High quality hook & loop material is reusable
- 23" inches in length

| Part # | Description | Price |
|---------|-------------|-------|
| V23BK-5 | 5 pack | |



WRAP TOOLS



Image1 Impact

VEHICLE WRAP TOOL KIT

Used by professional wrap shops all over the world! Our selection of products are designed to last longer and are the right set of tools for the installer. Don't be stuck on an install or a removal job without a complete set of tools to get the job done fast.



| Included Tools | WKIT1 - Beginner | WKIT2 - Student | WKIT3 - Pro |
|--|------------------|-----------------|-------------|
| Wet Edge Squeegee | • | • | • |
| PROGLOVE ULTIMATE (1 pair size large) | • | • | • |
| 4" Standard Orange Squeegee | • | • | • |
| 4" Gold Nylon Blend Squeegee | • | • | • |
| Wrap Cut Liner Cutting Knife | • | • | • |
| Complete Weeding Kit | • | • | • |
| Emblem Removal Tool with 100 cutting cords | • | • | • |
| Wrap Pro Tuck & Groove (7) Piece Tool Kit | • | • | • |
| Ultra Slim Cutter | • | • | • |
| The Gray/Black Tool Pouch | • | • | • |
| Low Profile Magz (1 pair) - Yellow | • | • | • |
| Blade Disposal Can | • | • | • |
| Installers Rivet Wheel | • | • | • |
| Rivet Brush | • | • | • |
| Infrared Thermometer w/Laser | • | • | • |
| Dual Temperature Heat Gun Kit | • | • | • |
| Auto Lock Stainless Steel Professional Knife | • | • | • |
| HD Box Chair | • | • | • |
| Rollepro Applicators | • | • | • |
| Molding Removal Tools - 11 piece set | • | • | • |

INDIVIDUAL KIT WRAP TOOLS

| Part # | Description | Price |
|----------|---|-------|
| WES | WET EDGE SQUEEGEE | |
| PGHDLBLK | PROGLOVE ULTIMATE (1 PAIR SIZE LARGE) | |
| SQ4S | 4" STANDARD ORANGE SQUEEGEE | |
| SQ4G | 4" GOLD NYLON BLEND SQUEEGEE | |
| WCKNIFE | WRAP CUT LINER CUTTING KNIFE | |
| CWK | COMPLETE WEEDING KIT | |
| ER1 | EMBLEM REMOVAL TOOL W/100 CUTTING CORDS | |
| TG7 | WRAP PRO TUCK & GROOVE (7) PIECE TOOL KIT | |
| SAC1 | ULTRA SLIM CUTTER | |
| TPOUCH4 | THE GRAY/BLACK TOOL POUCH | |

| Part # | Description | Price |
|---------|--|-------|
| XMLP | LOW PROFILE MAGZ (1 PAIR) - YELLOW | |
| DC3 | BLADE DISPOSAL CAN | |
| RW | INSTALLERS RIVET WHEEL | |
| RB | RIVET BRUSH | |
| IRGATD | INFRARED THERMOMETER W/LASER | |
| HGDT | DUAL TEMPERATURE HEAT GUN KIT | |
| SVR2 | AUTO LOCK STAINLESS STEEL PROFESSIONAL KNIFE | |
| SCHDBOX | HD BOX CHAIR | |
| RPRO | ROLLEPRO APPLICATORS | |
| MOULD11 | MOLDING REMOVAL TOOLS - 11 PIECE SET | |

ROLLEPRO

- The faster, safer, easier way to apply vinyl film over rivets.
- Designed to roll over vinyl covered rivets and contours in seconds

| Part # | Description | Price |
|--------|---------------------|-------|
| RPRO | ROLLEPRO APPLICATOR | |
| RPROW | REPLACEMENT WHEEL | |



LINER CUTTING TOOL

| Part # | Description | Price |
|--------|--------------------|-------|
| LCT | LINER CUTTING TOOL | |



WRAP CUT KNIFE

- Made specifically to cut through the liner side of pressure sensitive vinyl films.
- Comes with 2 extra blades

| Part # | Description | Price |
|-----------|--------------------------|-------|
| WCKNIFE | WRAP CUT KNIFE | |
| WCBLADE10 | 10 PACK REPLACEMENT PACK | |



WRAP PRO TUCK & GROOVE TOOLS

| Part # | Description | Price |
|--------|------------------|-------|
| TG7 | 7 PIECE TTOL KIT | |



WRAP GLOVES (PAIR)

| Part # | Description | Price |
|--------|---------------------|-------|
| WG1M | WRAP GLOVE (MEDIUM) | |
| WG1 | WRAP GLOVE (LARGE) | |



WRAPCUT KNIFELESS TAPE

- 1/8-Inch X 200 foot roll
- Used to make precise trim lines through many printed vinyl and protective film products.
- The cutting filament is ALWAYS at the very edge of the tape, producing a perfect cut every time.
- Produces impressively straight cut-lines.
- Conformable around irregular shapes and angles.

| Part # | Description | Price |
|----------|-------------|-------|
| 866-1200 | 1/8" x 200' | |



SHOP TOOLS



APPLICATION FLUID

- Rapid Tac is a positioning & cleanser fluid in one
 - Apply decals & graphics w/o bubbles or wrinkles
 - Rapid Tac cleans the substrate without leaving residues ensuring a contaminant free installation
 - It does not contain silicone and will not stain paint
- P/N Rapidtac + Size

| Size | Price |
|-----------------|-------|
| Quart w/Sprayer | |
| Gallon | |



RAPIDPREP

- Ideal for pre cleaning almost any surface including automobile paint, bare metals, sign materials and glass
 - Use before applying Rapid Tac to substrate for best vinyl adhesion
- P/N Rapidprep + Size

| Size | Price |
|-----------------|-------|
| Quart w/Sprayer | |
| Gallon | |



RAPIDREMOVER

- Water-soluble spray-on liquid that breaks down and removes adhesive glue left over by decals and vinyl graphics/wraps.
 - Will not cause damage to most painted surfaces or bare metal
- P/N Rapidremover + Size

| Size | Price |
|-----------------|-------|
| Quart w/Sprayer | |
| Gallon | |



RAPIDTACII

- Rapid Tac II promotes bonding faster than the original Rapid Tac
 - Ideal for Cold Weather and Glass Application.
 - Works with any type film in temperatures extremes 20°F to 140°F.
- P/N Rapidtacll + Size

| Size | Price |
|-----------------|-------|
| 4oz Bottle | |
| Quart w/Sprayer | |
| Gallon | |



RAPIDCLEAR

- A water based silicone emulsion that cleans and polishes acrylic, glass surfaces, and most polycarbonates without scratching
- P/N Rapidclear + Size

| Size | Price |
|-----------------|-------|
| 4oz Bottle | |
| Quart w/Sprayer | |
| Gallon | |



SPLASH APPLICATION FLUID

- Formulated to make applying vinyl lettering, decals and graphics easier
- Eliminates air bubbles and wrinkles, and provides a clean work surface
- Dilute one 8-ounce bottle to a gallon of water to yield one gallon of solution



| Part # | Description | Price |
|--------|--------------|-------|
| SPLASH | 8 oz. Bottle | |

universal PRODUCTS

TFX CLEANER

- Specially formulated for cleaning vinyl and graphics surfaces before applications.
- Also removes residue



| Part # | Description | Price |
|----------|------------------|-------|
| 90001900 | 20 OZ. w/Sprayer | |
| 90001905 | Gallon | |

universal PRODUCTS

ADHEZE OFF

- An adhesive remover that eliminates residues from decals, tapes, labels, window tinting film, glues, tar, grease, oil, tree sap, bugs, and wax.
- Also removes sealants, surface discoloration, scuff marks, marker and pen ink, crayon, and much more.



| Part # | Description | Price |
|----------|------------------|-------|
| 90001943 | 32 OZ. w/Sprayer | |

universal PRODUCTS

POSITION PERFECT APPLICATION FLUID

- A decal application fluid.



| Part # | Description | Price |
|--------|------------------|-------|
| 927ECO | 20 OZ. w/Sprayer | |
| 929ECO | Gallon | |

SIGN & BANNER MOUNTING HARDWARE

SHOP TOOLS



U BRACKETS

| Part # | Size | Price |
|----------------------------|------|-------|
| POWDER COATED WHITE | | |
| UB1000W | 1/4" | |
| UB2000W | 1/2" | |
| UB3000W | 3/4" | |
| CHROME PLATED | | |
| UB1000 | 1/4" | |
| UB2000 | 1/2" | |
| POWDER COATED WHITE | | |
| CB1000W | 1/4" | |
| CB2000W | 1/2" | |
| CB3000W | 3/4" | |



SIGN HANGER BRACKETS

| Part # | Size | Price |
|--------------------------------|------|-------|
| STEEL, ZINC PLATED | | |
| ISC12SHBMZ | 1/2" | |
| ISC34SHBMZ | 3/4" | |
| 18.8, S/S | | |
| ISC12SHBSS | 1/2" | |
| ISC34SHBSS | 3/4" | |
| 18.8, Powder Coat White | | |
| ISC12SHBSSW | 1/2" | |
| ISC34SHBSSW | 3/4" | |
| NYLON SIGN LINKS | | |
| ISC-SIGNLINK | | |



ALUMINUM BLVD. BANNER POLE KIT

(1 Banner per pole)
You can hang banners from light poles, flag poles, or even the side of a building. Sturdy 1" inch poles are an industry standard. Great for everyday use. Available in single banner kits or double banner kits (banner on both sides of pole)



Single Pole Kit: P/N BP-S-036 -
KIT INCLUDES:

| Qty. | Part # | Description |
|------|----------|---|
| 2 | BMHS1 | 1" Single Mount Banner Pole Bracket |
| 2 | BP1M3 | 1" x 3' Aluminum Pole |
| 4 | SSC188 | Quick Release Stainless Steel Strap 40" |
| 2 | PTRUVBLK | Cable Ties 36" |

Double Pole Kit: P/N BP-D-036 -
KIT INCLUDES:

| Qty. | Part # | Description |
|------|----------|---|
| 2 | CBS1 | 1" Double Mount Banner Pole Bracket |
| 2 | BP1M6 | 1" x 6' Aluminum Pole |
| 4 | SSC188 | Quick Release Stainless Steel Strap 40" |
| 2 | PTRUVBLK | Cable Ties 36" |

BANNERTRAK™

The easy way to hang your banners perfectly straight every time!

- Use your #2 grommets with sliders and thumb screws to attach banner to BannerTrak™
- Great for indoor or outdoor banner use
- Mounts banner to walls directly with proper hardware
- Optional mounting accessories available



BANNER MOUNTING AND HANGING KIT

P/N BTK1000
KIT INCLUDES:

| Qty. | Part # | Description |
|------|---------|----------------------------|
| 2 | BT-1001 | 4' Section 1" Wide rail |
| 1 | BT-1002 | Connector |
| 2 | BT-1003 | Pair Sliders / Thumbscrews |
| 1 | BT-1005 | Pair End Caps |

SOOPER BRACKETS



| Part # | Size | Price |
|---------------------------------|------|-------|
| SOOPER CENTER BRACKETS | | |
| CBA9025 | 1/4" | |
| CBA9050 | 1/2" | |
| SOOPER U BRACKETS | | |
| UBA4025 | 1/4" | |
| UBA5050 | 1/2" | |
| 90 DEGREE SOOPER BRACKET | | |
| BT1010 | | |
| TAG-IT BRACKET | | |
| TB-1 | | |



SPIDER FEET STAND-UPS

- Powder coated steel construction
- Easy to use
- Reusable
- Single or double sided
- Ideal for stand up media or sign holder
- Great for marketing displays



| Size | Part # | Price |
|---------------|--------|-------|
| 1/4" Stand-up | SF1025 | |

BANNER STANDS

ROLLUP BANNER STAND

- The Most Affordable Retractable Stand!
- 33.5" w x 78" h 1-sided display area
 - Easy install with pressure snap top bar & Slide in removable strip bottom bar
 - Silver Aluminum Finish
 - Includes heavy protective bag



| Part # | Price |
|-----------|-------|
| BSRU-3378 | |





Sign, Graphic & Equipment Supply

Corporate Office

1318 39th St N
Fargo, ND 58102
800-877-1907

WWW.FAR-FROM-NORMAL.COM



Stay Connected with
Far From Normal



LinkedIn